



Preliminary checklist of the **PLANTS OF BOTSWANA**



581.9(681)
SET

About SABONET

This publication is a product of the Southern African Botanical Diversity Network (SABONET), a programme aimed at strengthening the level of botanical expertise, expanding and improving herbarium and botanic garden collections, and fostering closer collaborative links among botanists in the southern African subcontinent.

The main objective of SABONET is to develop a strong core of professional botanists, taxonomists, horticulturists, and plant diversity specialists within the ten countries of southern Africa (Angola, Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland, Zambia, and Zimbabwe). This core group will be competent to inventory, monitor, evaluate, and conserve the botanical diversity of the region in the face of specific development challenges, and to respond to the technical and scientific needs of the Convention on Biological Diversity.

To enhance the human resource capacity and infrastructure available in the region, SABONET offers training courses, workshops, and collaborative expeditions in under-collected areas. The programme produces a newsletter, *SABONET News*, and a series of occasional publications, the Southern African Botanical Diversity Network Report Series, of which this publication is part.

SABONET is co-funded by:

- The United States Agency for International Development (USAID/World Conservation Union—Regional Office for southern Africa (IUCN-ROSA))
- The Global Environment Facility (GEF)/United Nations Development Programme (UNDP)

For more information about our projects in southern Africa contact one of the following addresses:

General enquiries about SABONET

SABONET Coordinator
c/o South African National Biodiversity
Institute
Private Bag X101
Pretoria 0001
South Africa
Tel: (27) 12 804 3200
Fax: (27) 12 804 3211/5979
E-mail: info@sabonet.org
<http://www.sabonet.org>

ANGOLA

Luanda Herbarium
(Prof. Esperança Costa)
Universidade Agostinho Neto
Rua Fernando Pessoa No. 103
Villa Alice
Caixa Postal 3244
Tel: (244) 2 336 168
Fax: (244) 2 336 168
E-mail: esperancacosta@yahoo.com

BOTSWANA

Botswana National Museum
National Herbarium
(Mr Nonofo Mosesane)
Private Bag 00114
Gaborone
Tel: (267) 3973860/3974616
Fax: (267) 311 186/3902797
E-mail: nmosesane@gov.bw

LESOTHO

National Environment Secretariat
(Mr Thulo Qhotsokoane)
Ministry of Environment
Private Bag A23
Maseru 100
Tel: (266) 311 767
Fax: (266) 310 506/321505
E-mail: tghotsokoane@ilesotho.com

MALAWI

National Herbarium and Botanic Gardens of
Malawi
(Dr Zacharia Magombo)
P.O. Box 528
Zomba
Tel: (265) 1 525 388/118/145
Fax: (265) 1 524164/108
E-mail: zlkmagombo@hotmail.com

MOZAMBIQUE

LMA Herbarium (Ms Samira Izidine)
Instituto Nacional de Investigação Agronómica
Caixa Postal 3658
Mavalane
Maputo
Tel: (258) 1 460 255/130/190/097
Fax: (258) 1 460 074
E-mail: sizidine@yahoo.com

NAMIBIA

National Herbarium
(Dr Gillian Maggs-Kölling)
National Botanical Research Institute
Private Bag 13184
Windhoek
Tel: (264) 61 202 2020
Fax: (264) 61 258 153
E-mail: gmk@mweb.com.na

SOUTH AFRICA

National Herbarium
(Prof. Gideon Smith)
South African National Biodiversity Institute
Private Bag X101
Pretoria 0001
Tel: (27) 12 843 5000
Fax: (27) 12 804 3211/5343
E-mail: smithg@nbi.ac.za

SWAZILAND

National Herbarium
(Mr Titus Dlamini)
Malkerns Agricultural Research Station
P.O. Box 4
Malkerns
Tel: (268) 52 82111/83017/83038
Fax: (268) 52 83360/83490
E-mail: sdnh@africaonline.co.sz

ZAMBIA

Herbarium
(Dr Patrick Phiri)
Department of Biological Sciences
University of Zambia
P.O. Box 32379
Lusaka
Tel: (260) 1 293 158
Fax: (260) 1 294806/253952
E-mail: Pphiri@natsci.unza.zm

ZIMBABWE

National Herbarium and Botanic Garden
(Ms Nozipo Nobanda)
P.O. Box A889
Avondale
Harare
Tel: (263) 4 708 938/744170/745230
Fax: (263) 4 708 938
E-mail: srgh@mweb.co.zw

PRELIMINARY CHECKLIST OF THE PLANTS OF BOTSWANA

MARY GUNN LIBRARY



0000005789

South African National
Biodiversity Institute

T

Digitized by the Internet Archive
in 2016 with funding from
South African National Biodiversity Institute Libraries

<https://archive.org/details/prelimanrycheckl00mpse>

PRELIMINARY CHECKLIST OF THE PLANTS OF BOTSWANA

by
Moffat P. Setshogo



581.9 (681) SET
8279
20/6/2005

Recommended citation format

SETSHOGO, M.P. 2005. Preliminary checklist of the plants of Botswana. Southern African Botanical Diversity Network Report No. 37. SABONET, Pretoria and Gaborone.

Produced by

University of Botswana Herbarium
Private Bag UB00704
Gaborone
Botswana
Tel. (267) 355 2602
Fax: (267) 318 5097

Published by

Southern African Botanical Diversity Network (SABONET)
c/o South African National Biodiversity Institute, Private Bag X101, 0001, Pretoria, South Africa
and University of Botswana Herbarium, Private Bag UB00704, Gaborone.
Printed in 2005 in the Republic of South Africa by Capture Press, Pretoria, (27) 12 349-1802.

ISBN 1-919976-18-3

© 2005 SABONET. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the permission of the copyright holder.

Editor-in-chief: Marthina Mössmer

Subeditors: Lidia Gibson, Hanlie van Heerden & Cecilia de Vos Belgraver

Text design and layout: Nicola Ellis (27) 82 878 9589

Cover design: Antoinette Burkhardt, Pretoria, South Africa (27) 82 909 0109

Photographs: M.P. Setshogo

SABONET website: www.sabonet.org

This report is a joint product of the University of Botswana Herbarium and the Southern African Botanical Diversity Network (SABONET) and was made possible through support provided by the Global Environment Facility (GEF)/United Nations Development Programme (UNDP) and the United States Agency for International Development (USAID)/World Conservation Union-Regional Office for southern Africa (IUCN ROSA) (Plot no. 14818 Lebatlane Road, Gaborone West, Extension 6 Gaborone, Botswana), under the terms of Grant No. 690-0283-A-00-5950. The opinions expressed herein are those of the authors and do not necessarily reflect the views of USAID, the SABONET Steering Committee or SABONET National Working Groups.



IUCN
The World Conservation Union

Dedicated to
the memory of my late father, Tonkana; late siblings Kgotla, Samuel, Molemisi, Tshegofatso;
late niece, Malebogo; and my mother, Kerileng, for being so strong in adversity.

CONTENTS

INTRODUCTION 1

USING THE CHECKLIST 2

HERBARIUM ACRONYMS 3

PLANT COLLECTING IN BOTSWANA 4

SPECIES WITH TYPE SPECIMENS FROM BOTSWANA 5

REFERENCES 9

ABBREVIATIONS AND SYMBOLS..... 11

BRYOPHYTES 12

HEPATOPHYTES..... 14

PTERIDOPHYTES 15

DICOTYLEDONS 17

MONOCOTYLEDONS.....112

APPENDIX: SPECIES POSSIBLY OCCURRING IN BOTSWANA 150

INDEX.....152

ACKNOWLEDGEMENTS

The "Preliminary checklist of the plants of Botswana" was compiled over several years. I received a lot of assistance, both technical and general, from a number of people. Mr Trevor Arnold provided the blueprint of Botswana species in PRECIS and it was on this blueprint that the checklist is based. I am very thankful for this assistance. I also want to extend my sincere gratitude to the curators of the herbaria GAB, PRE, PSUB, SRGH and UCBG for giving me permission to work with their specimens. I want to particularly single out the following individuals who commented and made corrections on the drafts: Ms Monicah Kabelo, Ms Ludo Matenge-Mogehgeh, Mr Mbaki Muzila, Mr Bongani Sethebe and Dr Bruce Hargreaves. Lastly, I wish to thank SABONET for making this publication possible by funding.

INTRODUCTION

The flora of Botswana is probably one of the lesser-known floras in southern Africa. Even though plant collections from this country span well over a century, no extensive and comprehensive accounts of its flora exist. The “Check-Lists of the Trees and Shrubs of the British Empire, No. 6, Bechuanaland Protectorate”, published in 1948 under the auspices of the Imperial Forestry Institute in Oxford, probably represents the first attempt at a national checklist of Botswana. Miller (1952) improved and enlarged on this checklist with his “Woody Plants of the Bechuanaland Protectorate”.

In 1962, de Beer compiled the first provisional vegetation map of Botswana in which he listed twenty-six vegetation types. Although he provided detailed descriptions of vegetation types in his work, these focused mainly on dominant species and, as such, could not be said to represent a checklist. Further developments of the vegetation map for the country were provided by Wild & Fernandes (1967), Weare & Yalala (1971), and Bekker & De Wit (1991).

In 1976, Field published his list of Botswana’s common grasses. The major shortcoming of the list was that it included only those species which were commonly grazed by livestock.

Timberlake (1980) published the first comprehensive and detailed account of the genus *Acacia* in Botswana. The

coverage was national, resulting in a true checklist of the genus in the country.

Various checklists and books have been published on the Okavango Delta since the late 1980s. Those of note include SMEC (1989), Ellery & Ellery (1997), and Roodt (1993,1998).

This work represents the first comprehensive checklist of Botswana plants. While it lists lower plants of the groups Bryophytes and Pteridophytes, it does not include any gymnosperms, exotic plants used for landscaping purposes, and those grown in home gardens. It does, however, include garden escapees and those species that have naturalised in the wild. It elaborates on the improved list provided by PRECIS (Pretoria Computerised Information System) of Botswana entries in Arnold & De Wet (1993). Unfortunately, the PRECIS list contains only the species in the National Herbarium in Pretoria (PRE). An attempt at a national checklist for Botswana was made by Barnes & Turton (1986, revised 1994), but again only species of flowering plants that occurred in Botswana herbaria were listed, implying that herbaria were not international in representation.

The present list covers all known taxa of land plants recorded for Botswana. Main herbaria containing Botswana species (in addition to those within the country) are K, PRE and SRGH.

Table 1. A summary of the number of families, genera, and species and infraspecific taxa represented in the checklist.

	Families	Genera	Species*
Bryophytes	13	21	45
Pteridophytes	12	18	47
Dicotyledons	123	671	2,145
Monocotyledons	34	201	849
Total	182	911	3,086

* includes infraspecific taxa

USING THE CHECKLIST

- The list is arranged alphabetically by family, and then by genera and species. It is divided into four main groups: including bryophytes, pteridophytes, dicotyledons, and monocotyledons.
- Classification of angiosperm families follows that by Leistner (2000); pteridophyte classification follows that by Roux (2001); liverwort classification follows that by Wigginton (2002), and moss classification follows that by O'Shea (1999).
- Synonyms for genera and species are *italicized*. Correct or currently accepted names are all in **bold**.
- Not all synonyms are indicated, but an attempt has been made to list basionyms for most species.
- Herbaria housing specimens of any particular species are indicated after the species name. Species sourced from literature are listed in the Appendix. These are treated as possibly occurring in Botswana until vouchers for them have been located. The author would appreciate information on these species.
- It should be noted that for the herbaria GAB, PSUB and UCBG, some of the specimens were not identified to infraspecific level.

HERBARIUM ACRONYMS

B	Botanischer Garten und Botanisches Museum Berlin-Dahlem, Zentraleinrichtung der Freien Universität Berlin, Berlin, Germany
BM	The Natural History Museum, London, England, United Kingdom
BOL	University of Cape Town, South Africa
BR	Jardin Botanique National de Belgique, Meise, Belgium
C	University of Copenhagen, Copenhagen, Denmark
CAH	University of Zimbabwe, Harare, Zimbabwe
COI	University of Coimbra, Coimbra, Portugal
E	Royal Botanic Garden, Edinburgh, Scotland, United Kingdom
EA	National Museums of Kenya, Nairobi, Kenya
F	Field Museum of Natural History, Chicago, Illinois, United States of America
FHO	University of Oxford, Oxford, England, United Kingdom
G	Conservatoire et Jardin Botaniques de la Ville de Genève, Genève, Switzerland
GAB	National Museum, Monuments and Art Gallery, Gaborone, Botswana
GENT	Gent University, Gent, Belgium
GH	Harvard University, Cambridge, Massachusetts, United States of America
GRA	Albany Museum, Grahamstown, South Africa
IFAN	University of Witwatersrand, Johannesburg, South Africa
K	Royal Botanic Gardens, Kew, England, United Kingdom
KMG	McGregor Museum, Kimberley, South Africa
LD	Botanical Museum, Lund, Sweden
LISC	Instituto de Investigação Científica Tropical, Lisboa, Portugal
LMU	Eduardo Mondlane University, Maputo, Mozambique
M	Botanische Staatssammlung München, München, Germany
MO	Missouri Botanical Garden, Saint Louis, Missouri, United States of America
ODU	Old Dominion University, Norfolk, Virginia, United States of America
P	Muséum National d'Histoire Naturelle, Paris, France
PRE	National Botanical Institute, Pretoria, South Africa
PSUB	University of Botswana, Maun, Botswana
SRGH	Botanic Garden, Harare, Zimbabwe
UCBG	University of Botswana, Gaborone, Botswana
UNIN	University of the North, Pietersburg, South Africa
UPS	Uppsala University, Uppsala, Sweden
WAG	Wageningen University, Wageningen, Netherlands
WIND	National Botanical Research Institute, Windhoek, Namibia
Z	Universität Zürich, Zürich, Switzerland

PLANT COLLECTING IN BOTSWANA

In the distant past, well known collectors, such as Holub, Lugard, and Baines traversed the landscape of Botswana on numerous expeditions. Their accounts of the country they passed through gave the world its first insight into the flora of Botswana.

Baines, John Thomas (1820–1875)

Baines collected most of his plants during the Chapman Expedition (1861–1863). This expedition passed through South West Africa (now Namibia) to the Victoria Falls (Zimbabwe) via Lake Ngami (Botswana) and back. In Ngamiland, Baines painted a *Crinum* of the type *C. crassicaule* Baker (Verdoorn in Bothalia 4: 32, 1973). Some plants named after him include *Blepharis bainesii* (Acanthaceae), *Leucosphaera bainesii* (Amaranthaceae), *Corallocarpus bainesii* (Cucurbitaceae), and *Alectra bainesii* (Scrophulariaceae).

Holub, Emil (1847–1902)

Holub, who was a Czech by nationality, toured and collected extensively in Botswana between 1873 and 1876. Some plants named in his honour include *Turbina holubii* (Convolvulaceae), *Eminia holubii* (Fabaceae), *Eulophia holubii* (Orchidaceae), and the genus *Holubia* (Pedaliaceae).

Lugard, Edward James (1865–1944)

Lugard, Charlotte Eleanor (1859–1939)

Major Lugard first ventured into Botswana when he joined his brother, Major Frederick John Dealtry Lugard, who led an expedition for the British West Charterland Company across the Kalahari desert to Lake Ngami from 1896 to 1897. Accompanied by his wife, Charlotte Eleanor, he visited this area again from 1897 to 1899. The Lugards collected mainly in the Kwebe (Kgwebe) Hills of Ngamiland. According to Miller (1952), their collection comprised 374 species, several of which were new. It was described by N.E. Brown (Kew Bull. 1909: 89–146). Of the collection, 92 species were described as new, 24 of which were named after one or the other of the Lugards (Gunn & Codd, 1981). These include, amongst others, *Barleria lugardii* (Acanthaceae), *Pachycymbium lugardii* (Apocynaceae), *Ceropegia lugardiae* (Apocynaceae), and *Sesamothamnus lugardii* (Pedaliaceae).

Miller, Oliphant Bell (1882–1966)

Major Miller collected nearly 1,200 specimens of Botswana plants. In 1950, over a thousand were destroyed by fire in the Forest Herbarium at Pharing (Miller, 1952). Fortunately, in nearly all cases, duplicates had been sent to either K or PRE.

Pole Evans, Iltyd Buller (1879–1968)

Dr Pole Evans undertook two very important plant collection expeditions in eastern Botswana and Ngamiland. His collection of 1931 is listed in "A Reconnaissance Trip Through the Eastern Portion of the Bechuanaland Protectorate". In 1937 he visited Ngamiland again. His descriptions and photographs of the country are excellent (Pole Evans, 1948).

Smith, Peter Alexander (1931–1999)

Mr Smith was the foremost authority on the plants of the Okavango delta. He collected well over 6,000 specimens of plants of the delta, while he worked in the Department of Water Affairs. He was mainly concerned with the ecological zoning of the delta and did extensive work on channel blockage and aquatic weed management. Smith has an orchid, a delta channel, and a herbarium named after him. He donated his massive collection to the Harry Oppenheimer Okavango Research Centre (HOORC) at the University of Botswana. With this collection, the Peter Smith Herbarium (PSUB) was established. In most cases, duplicates of his collection are housed in K, PRE, and SRGH.

Story, Robert (1913–?)

Dr Story accompanied the Harvard–Smithsonian–Peabody Expedition to Botswana and South West Africa, which commenced in Molepolole on 10 June 1955 and ended in Windhoek on 2 September 1955 (Gunn & Codd, 1981). "Some plants used by Bushman in obtaining food and water" (*Mem. Bot. Surv. S. Africa* 30 (1958)), is probably his best known publication. He collected 590 specimens from Botswana, most of which are at PRE (Gunn & Codd, 1981).

Van Son, Georges (1898–1967)

Dr Van Son collected 326 species during the Vernay–Lang Kalahari Expedition in 1930 (Bremekamp, 1935). Many of the plants collected were succulents. A total of 26 species were described as new by Dr C.E.B. Bremekamp (1935).

Other collectors

A number of other people have contributed and are continuing to contribute immensely to collections of Botswana plants. These include Prof. Desmond Cole, a renowned world authority on the genus *Lithops*; Anne Margariette Camerik (Sister Karin), who contributed about 800 specimens of her meticulous collection to GAB and PRE; Rev Dr P.J. Mott, who established UCBG, and Robert Drummond, who collected well over 2,000 specimens of Botswana plants, most of which are at SRGH.

SPECIES WITH TYPE SPECIMENS FROM BOTSWANA

The type specimens of the following species originate from Botswana. The list is not exhaustive, because it is based mainly on floral accounts, which are still in the process of being recorded in *Flora Zambesiaca* (FZ) and *Flora of Southern Africa* (FSA). The endemic status of some of the species is also based on work done thus far on red data species of Botswana (Setshogo & Hargreaves, 2002). As research continues to come up with new information, this is bound to change. The author welcomes any information on type specimens and endemism of Botswana species.

The abbreviations **PTE**, **D**, and **M**, used after family names in this section indicate whether the family belongs to the pteridopytes, dicotyledons, or monocotyledons, respectively.

The following are brief definitions of the different kinds of type specimens mentioned in this section:

Holotype: the original specimen used or cited by the

author as a type specimen.

Isotype: duplicate of the holotype collected at the same place and time as the holotype.

Lectotype: a specimen chosen by a worker at a later stage, which he or she sourced from original material studied by the author of the species, where a holotype was not designated or was lost or destroyed.

Syntype: one of two or more specimens cited by the author of a species where no holotype was designated, or any one or more specimens originally designated as types.

Paratype: a specimen cited in the original description other than the holotype or isotype. If the author cited two or more specimens as types, the remaining cited specimens are paratypes.

Neotype: a specimen chosen to serve as a type where all the original specimens and their duplicates have been lost or destroyed.

ACANTHACEAE (D)

■ **Blepharis petalidioides** Vollesen

Type: Serowe, October 1940, *O.B. Miller B/226* (K, isotype; PRE, holotype). Known only from two collections, one in Baines Drift and the other in Serowe.

AMARANTHACEAE (D)

■ **Leucosphaera bainesii** (Hook.f.) Gilg

Type: Ngamiland, Kobi Pan to Norton Shaw Valley, 1863, *Baines s.n.* (K, holotype).

APOCYNACEAE (D)

■ **Adenium oleifolium** Stapf

Type: Bakwena Territory, near Sirome River, *Holub s.n.* (K, syntype; PRE, syntype).

■ **Ceropegia floribunda** N.E.Br.

Type: Ngamiland, Kwebe (Kgwebe) Hills, 3,000 ft, *Mrs Lugard 161* (K, holotype).

■ **Hoodia currorii** (Hook.) Decne. subsp. **lugardii** (N.E.Br.) Bruyns

Type: Chukutsa Salt Pan, 2300', *Lugard 303* (K, holotype).

■ **Orbea knobelii** (E.Phillips) Bruyns

Type: near Molepolole, *Knobel sub PRE8308* (PRE, holotype).

■ **Orbea tapscottii** (L.Verd.) L.C.Leach

Type: Lobatse, *Tapscott s.n.* (K, holotype; KMG).

ASPARAGACEAE (M)

■ **Asparagus bechuanicus** Baker

Type: Nakalechwe, *Lugard 25* (K, holotype; PRE, photograph).

ASPHODELACEAE (M)

■ **Aloe greatheadii** Schönland var. **greatheadii**

Type: Mabeleapudi, 29 km north of Serowe, 29-08-1903, *Schonland 1616* (GRA, holotype; PRE).

■ **Aloe marlothii** A.Berger subsp. **marlothii**

Type: Lobatse, *Marloth 3788* (B, holotype).

■ **Trachyandra laxa** (N.E.Br.) Oberm. var. **laxa**

Type: Kalahari Desert, near Bachakuru, *E.J. Lugard 234* (K, holotype).

ASTERACEAE (COMPOSITAE) (D)

■ **Erlangea remifolia** Wild & G.V.Pope

Type: Tsodilo Hills, *Banks 35* (PRE, holotype). This locality is one of the very few, isolated hill features in Botswana and is found west of the Okavango Delta. Although the species is similar to

and may be confused with *E. misera* (Oliv. & Hiern) S.Moore, it is distinguished by its petiolate leaves. It is endemic to Botswana.

Hirpicium bechuanense (S.Moore) Roessler
Type: Mahalapye, 31-01-1912, *Rogers 6106* (BM, holotype; K; SRGH; Z).

Hirpicium gorterioides (Oliv. & Hiern) Roessler subsp. **gorterioides**
Type: 'South Tropical Africa' (probably Botswana), *Baines s.n.* (K, holotype).

Vernonia fastigiata Oliv. & Hiern
Type: Kobe Pan (Koobie) to Norton Shaw Valley, *Baines s.n.* (K, syntype).

Vernonia poskeana Vatke & Hildebr. subsp. **botswanaica**
G.V.Pope
Type: Khutse, *Coleman 60* (K, holotype; LISC; SRGH).

CAPPARACEAE (D)

☞ **Cleome kalachariensis** (Schinz) Gilg & Gilg-Ben.
Type: Kaotwe, flowering & fruiting, 10-04-1930, *G. van Son in Herb. Transv. Mus. 28809* (BM; K; PRE, holotype; SRGH). Known from type locality only.

CELASTRACEAE (D)

Hippocratea parviflora N.E.Br.
Type: Ngamiland, Kwebe (Kgwebe) Hills, *Lugard 180* (K, holotype).

CONVOLVULACEAE (D)

Merremia kentrocaulos (C.B.Clarke) Rendle var. **pinnatifida** N.E.Br.
Type: Ngamiland, Kwebe (Kgwebe) Hills, *Lugard 82* (K, holotype).

Merremia verecunda Baker & Rendle
Type: Ngamiland, Kwebe (Kgwebe) Hills, *Lugard 134* (BM, lectotype; K, lectotype).

Turbina holubii (Baker) A.Meeuse
Type: Leshumo Valley, *Holub 512* (K, holotype).

CUCURBITACEAE (D)

Corallocarpus bainesii (Hook.f.) A.Meeuse
Type: Norton Shaw Valley, *Baines s.n.* (K, holotype).

EBENACEAE (D)

Euclea natalensis A.DC. subsp. **angustifolia** F.White
Type: 24 km east of Kanye, flowering, June 1962, *Yalala 159* (FHO; K, holotype; SRGH).

ERIOSPERMACEAE (M)

☛ **Eriospermum seineri** Engl. & K.Krause
Type: Kuke, *Seiner 11/332* (presumed lost in World War 2).
Although the type specimen was collected from Botswana, very little is known about this species. It is not known from anywhere else and therefore might be endemic to Botswana. Further research is required.

EUPHORBIACEAE (D)

Croton megalobotrys Müll.Arg.
Type: Thamalakane River, male flower, 1856, *McCabe in Herb. Atherstone 17, 39* (K, syntypes).

Euphorbia duseimata R.A.Dyer
Types: about 160 km northwest of Molepolole, *G.J. de Wijn in NH12426* (PRE, syntype); Seletse (Seletsi), 80 km north of Molepolole, *Knobel s.n. in NH15916* (PRE, syntype).

Euphorbia griseola Pax subsp. **griseola**
Type: Lobatse, *Marloth 3413* (B, holotype); 3 km north of Lobatse, 16-01-1960, *Leach & Noel 121* (BR; G; K; LISC; PRE; SRGH, neotype selected by Leach 1967).

☛ **Euphorbia venteri** L.C.Leach ex R.H.Archer & S.Carter
Type: near Tsessebe, about 45 km north of Francistown, 12-12-1991, *Venter, Hahn & Archer 174* (K, isotype; PRE, holotype; UNIN, isotype). Only one population, which occurs close to the border of eastern Botswana, has been recorded from a gypsum substrate. The possibility exists that this species occurs in Zimbabwe (Plumtree) as well, but this can not be confirmed without fieldwork and taxonomic validation.

☛ **Jatropha botswanaica** Radcl.-Sm.
Type: between Bisoli (Bosoli) and Francistown, young fruit, 8-03-1965, *Wild & Drummond 6818* (K, holotype; LISC; PRE; SRGH). Not known elsewhere. In dry mopane scrub on bare, black soil and in *Acacia* woodland in depressions. This species is fairly well protected since it occurs on black clay, which is not suitable for arable farming and generally avoided by developments or human settlements. Currently known from two localities.

Monadenium lugardiae N.E.Br.
Type: Ngamiland, Kwebe (Kgwebe) Hills, 31-08-1897, *Mrs E.J. Lugard 22* (K, holotype).

FABACEAE (LEGUMINOSAE) (D)

Acacia nebrownii Burtt Davy
Type: Ngamiland, Kwebe (Kgwebe) Hills, flowering & fruiting, August 1898, *Mrs E.J. Lugard 16* (K, syntype).

Albizia harveyi E.Fourn.
Type: near Lake Ngami, *McCabe s.n.* (K, holotype).

Alistylus bechuanicus N.E.Br.

Type: Shoshong, *Holub s.n.* (K, lectotype).

Dichrostachys cinerea (L.) Wight & Arn. subsp. **africana** Brenan & Brummitt var. **lugardiae** (N.E.Br.) Brenan & Brummitt
Type: Lake Ngami, *Mrs Lugard 27* (K, holotype).

Rhynchosia stipitata Verdc.

Type: Samochima Lediba, *P.A. Smith 2705* (K, holotype; PRE; SRGH).

Vigna vexillata (L.) A.Rich. var. **lobatifolia** (Baker) Pasquet
Type: between Koobie and Norton Shaw Valley, in the interior near Tropic of Capricorn, *Baines s.n.* (K, holotype).

IRIDACEAE (M)

■ **Gladiolus rubellus** Goldblatt

Type: Molepolole, 20-05-1984, *Plowes 7085* (MO; PRE; UCBG, holotype). Restricted to south-eastern Botswana between Molepolole and Lobatse. In stony ground, often in *Acacia*–*Combretum* woodland; flowering in January to March, rarely as late as May.

LORANTHACEAE (D)

Agelanthus lugardii (N.E.Br.) Polhill & Wiens

Type: Ngamiland, Kwebe (Kgwebe) Hills, *Mrs Lugard 20* (K, syntype); Toteng, *Lugard 32* (K, syntype).

Erianthemum ngamicum (Sprague) Danser

Type: Ntshokutsa, *Seiner 2/124* (Z, syntype); Ngamiland, Kwebe (Kgwebe) Hills, *Mrs Lugard 44* (K, syntype); Lake Ngami, *Lugard 30* (K, syntype).

Plicosepalus kalachariensis (Schinz) Danser

Type: Okavango, *Fleck 307* (not known where syntype is); Lake Ngami, *Fleck 314a* (syntype in Z fide N.E.Brown in lit., 25-11-1909).

LYTHRACEAE (D)

■ **Nesaea drummondii** A.Fern.

Type: Chadum Valley, SWA border, 16 km west of Knau Knau (Nxau Xau), *Wild & Drummond 7019* (COL; K; SRGH, holotype).

■ **Nesaea minima** Immelman

Type: 1824 Kachikau, Zwezwe Flats, 18-5-1977, *Smith 2037* (PRE, holotype). Known only from the moist grassy area of the floodplain of the Ngwezumba River within the Chobe National Park. This plant is therefore endemic to Botswana.

MALVACEAE (D)

Gossypium herbaceum L. subsp. **africanum** (Watt) Vollesen

Type: Ngamiland, Kwebe (Kgwebe) Hills, *Lugard 198* (K, lectotype).

Hibiscus diversifolius Jacq. subsp. **rivularis** (Bremek. & Oberm.) Exell var. **rivularis**

Type: Kabulabula, Chobe River, flowering, July 1930, *G. van Son in Herb. Transv. Mus. 28936* (BM; PRE, holotype).

Pavonia clathrata Mast.

Type: Chobe to Norton Shaw Valley, flowering, 1-03-1863, *Baines s.n.* (K, holotype).

MARSILEACEAE (PTE)

Marsilea villifolia Bremek. & Oberm. ex Alston & Schelpe

Type: Ngamiland, pan south of koppies, 07-05-1930, *G. van Son 1801c* (B, isotype; BM, isotype; BOL, holotype; K; PRE, isotype).

MOLLUGINACEAE (D)

Limeum argute-carinatum Wawra ex Wawra & Peyr. var.

kwebense (N.E.Br.) Friedr.

Type: Ngamiland, Kwebe (Kwebe) Hills, *Lugard 186* (K, holotype).

Limeum viscosum (J.Gay) Fenzl subsp. **viscosum** var. **dubium** Friedr.

Type: without locality, *Rogers 6461* (Z, holotype).

NEURADACEAE (D)

■ **Neuradopsis bechuanensis** Bremek. & Oberm.

Type: between Kuke and Gomodimo, *G. van Son in Transv. Mus. 28848* (BM; K; PRE, holotype). Only known from this locality. *Terminalia* bush or *Acacia* tree grasslands on Kalahari sands, 1,000 m above sea level.

ORCHIDACEAE (M)

Eulophia holubii Rolfe

Type: Leshumo (Leshomo) River, *Holub s.n.* (K, holotype).

Habenaria pasmithii G.Will.

Type: by Okavango River, 18°25', 22°01', *P.A. Smith 2719* (K; PRE; SRGH, holotype).

PEDALIACEAE (D)

Pterodiscus ngamicus N.E.Br. ex Stapf

Type: Lake Ngami, fruiting, with no date, *Chapman s.n.* (K, lectotype).

Sesamothamnus lugardii N.E.Br. ex Stapf

Type: northern Kalahari desert, near Tsokotse Salt Pan, 1'500m, *Lugard 274* (K, holotype).

Sesamum triphyllum Welw. ex Asch. var. **triphyllum**

Type: Gemsbok, *G. van Son T.M. 28963* (M, isotype; PRE, holotype; SRGH, isotype).

POACEAE (GRAMINEAE) (M)

Aristida stipitata Hack. subsp. *spicata* (De Winter) Melderis
Type: Tsabong, *De Winter 7485* (PRE, holotype; K; SRGH, isotypes).

🌿 *Aristida wildii* Melderis
Type: 10 km north of Aha Hills, 12-03-1965, *Wild & Drummond 6948* (BM, holotype; K, SRGH, isotypes). Known from three localities: two from Aha Hills and the third from Kwebe (Kgwebe) Hills. Not known elsewhere. In *Combretum apiculatum*–*Terminalia prunioides* savanna on shallow sand overlying frequently outcropping limestone.

Eragrostis leptotricha Cope
Type: Qangwa River, 22-04-1981, *P.A.Smith 3657* (K; SRGH, holotype).

Eragrostis phyllacantha Cope
Type: Ghanzi, 25-07-1955, *Story 5035* (K, holotype).

🌿 *Eragrostis subglandulosa* Cope
Type: Qangwa River, near Qangwa Village, 20-04-1981, *P.A. Smith 3618* (K, holotype; PRE; SRGH).

Panicum bechuanense Bremek. & Oberm.
Type: Kuke Pan, *G. van Son in Herb. Trans. Mus. 28611* (K, isotype; PRE, holotype).

🌿 *Panicum coloratum* L. var. *makarikariense* Gooss.
Type: Makarikari (Makgadikgadi) Pan, xii.1929, *Pentz in Nat. Herb. PRE8416*, *Phillips & Goosens in Nat Herb. PRE8787* (both PRE, syntypes). This variety is only known outside Botswana as an introduction (Renvoize (1989) in FZ 10,3: 31). Several cultivars have been selected, which are cultivated in some other parts of Africa and Australia [Bogdan, Tropical Pasture and Fodder Plants: 178 (1977)].

Sporobolus bechuanicus Gooss.
Type: *Pentz in Herb. PRE8417*, *Pole Evans 3277, 3279* (K, PRE, syntypes).

PORTULACACEAE (D)

Portulaca kermesina N.E.Br.
Type: Crocodile River, *Klingberg s.n.* (B, holotype).

PTERIDACEAE (PTE)

Cheilanthes botswanae Schelpe & N.C.Anthony
Type: Otse Hills, 25 miles SE of Gaborone, 4'000 ft, 30-06-1974, *Mott 292* (BOL, holotype; GH; K; PRE; SRGH; UCBG, isotypes).

RUBIACEAE (D)

Kohautia microflora D.Mantell
Type: Khalakhati (Kgalagadi), Ditatso Pan, 958 m, flowering & fruiting, 25-02-1963, *Leistner 3073* (PRE, holotype).

Spermacoe deserti N.E.Br.
Type: Kalahari Desert, near Bachakuru, *Lugard 233* (K, holotype).

SCROPHULARIACEAE (D)

Alectra bainesii Hemsl.
Type: Koobie to Norton Shaw Valley, 01-03-1863, *Baines s.n.* (K, holotype).

Aptosimum lugardiae (N.E.Br.) E.Phillips
Type: Ngamiland, Kwebe (Kgwebe) Hills, about 1,000 m, flowering & fruiting, 24-01-1898, *Mrs Lugard 124* (K, holotype).

Selago welwitschii Rolfe var. *holubii* (Rolfe) Brenan
Type: Damasetshe (Tamasetzi), east Bamangwato District, *Holub 1090* (K, lectotype).

STERCULIACEAE (D)

Hermannia modesta (Ehrenb.) Mast.
Type: near Ghanzi, *Baines s.n.* (K, syntype).

TILIACEAE (D)

Grewia subspathulata N.E.Br.
Type: Ngamiland, Kwebe (Kgwebe) Hills, flowering, December 1896, *Lugard 92a* (K, holotype).

VITACEAE (D)

Cyphostemma puberulum (C.A.Sm.)
Wild & R.B.Drumm.
Type: Bamangwato country, *Holub s.n.* (K, holotype).

REFERENCES

- ALLEN, A. 1978. A preliminary reconnaissance of the vegetation of Orapa and environs. *Botswana Notes and Records* 10: 149–186.
- ARNOLD, T. & DE WET, B.C. 1993. *Plants of southern Africa: names and distribution*. National Botanical Institute, Pretoria, South Africa.
- BARNES, J.E. & TURTON, L.M. 1986. *A list of flowering plants of Botswana in the herbaria at the National Museum, Sebele and University of Botswana*. The Botswana Society, Gaborone, Botswana.
- BARNES, J.E., TURTON, L.M. & KALAKE, E. 1994. *A list of flowering plants of Botswana in the herbaria at the National Museum, Sebele and University of Botswana*. Revised edition. The Botswana Society and the National Museum, Monuments and Art Gallery, Gaborone, Botswana.
- BEKKER, R.P. & DE WIT, P.V. 1991. *Contribution to the vegetation classification of Botswana*. Government Printer, Gaborone, Botswana.
- DE BEER, J.S. 1962. *Provisional vegetation map of Bechuanaland Protectorate*.
- BLOMBERG-ERATINGER, V. & TURTON, L. 1988. *Some flowering plants of southeastern Botswana*. The Botswana Society, Gaborone, Botswana.
- BREMEKAMP, C.E.B. 1935. A list of plants collected, Vernay-Lang Expedition 1930. *Annals of The Tranvaal Museum*, Vol. XVI, Part III.
- BROWN, N.E. 1909. List of plants collected in Ngamiland and northern part of the Kalahari. *Kew Bulletin of Miscellaneous Information*, 1909.
- BRUMMITT, R.K. (compiler) 1992. *Vascular plant families and genera*. Royal Botanic Gardens, Kew, United Kingdom.
- BRUMMITT, R.K. & POWELL, C.E. 1992. *Authors of plant names*. Royal Botanic Gardens, Kew, United Kingdom.
- CAMPBELL, A. & HITCHCOCK, R. 1985. Some Setswana names of woody plants. *Botswana Notes and Records* 17: 117–130.
- COLE, D.T. 1995. *Setswana - animals and plants (Setswana - ditshedi le ditlhare)*. Botswana Society, Gaborone, Botswana.
- ELLERY, K. & ELLERY, W. 1997. *Plants of the Okavango Delta*. Tsaro Publishers, Durban, South Africa.
- FIELD, D.I. 1976. *A handbook of common grasses in Botswana*. Ministry of Agriculture, Gaborone, Botswana.
- Flora Zambesiaca Volumes 1(1), 1(2), 2(1), 2(2), 3(1), (3(5), 3(6), 4, 5(1), 5(2), 6(1), 7(1), 7(4), 8(1), 8(2), 8(3), 9(1), 9(2), 9(4), 9(5), 9(6), 10(1), 10(2), 10(3), 10(4), 11(1), 11(2), 12(3) & 12(4). Royal Botanic Gardens, Kew, United Kingdom.
- FOOD AND AGRICULTURAL ORGANISATION OF THE UNITED NATIONS, 1988. *Traditional food plants*. Food and Nutrition Paper 42. Rome, Italy.
- Fourth report of the Place Names Commission*. 1988. Ministry of Local Government and Lands, Gaborone, Botswana.
- FOX, F. W. & NORWOOD YOUNG, M.E. 1982. *Food from the veld*. Delta Books, Cape Town, South Africa.
- GIBBS RUSSELL, G.E., WATSON, L., KOEKEMOER, M., SMOOK, L., BARKER, N.P., ANDERSON, H.M. & DALLWITZ, M.J. 1991. *Grasses of southern Africa*. National Botanical Institute, Pretoria, South Africa.
- GLEDHILL, D. 1989. *The names of plants*. Second Edition. Cambridge University Press, Cambridge, United Kingdom.
- GUNN, M. & CODD, L.E. 1981. *Botanical exploration of southern Africa*. Balkema, Cape Town, South Africa.
- HARGREAVES, B. 1990. *The succulents of Botswana: an annotated checklist*. Government Printer, Gaborone, Botswana.
- HENDERSON, L. 1995. *Plant invaders of southern Africa*. Agricultural Research Council, Pretoria, South Africa.
- HENDERSON, L. 2001. *Alien weeds and invasive plants*. Agricultural Research Council, Pretoria, South Africa.
- HEYWOOD, V.H. 1993. *Flowering plants of the world*. Batsford Ltd. London, United Kingdom.
- JEFFREY, C. 1989. *An introduction to plant taxonomy*. Cambridge University Press, Cambridge, United Kingdom.
- JONES, A.B. & LUCHSINGER, A.E. 1987. *Plant systematics*. Second edition. McGraw-Hill, New York, USA.
- KGASA, M.L.A. & TSONOPE, J. 1995. *Thanodi ya Setswana*. Longman Botswana (Pty.) Ltd., Gaborone, Botswana.
- KGOMOTSO, M. 1984. *Thutapuo ya Setswana. Poeletso ya bobedi*. Longman Botswana (Pty.) Ltd., Gaborone, Botswana.

- LABOVITCH, L. 1978. Traditional and new methods of dealing with arable weeds in Botswana. *Botswana Notes and Records* 10: 187–197.
- LARSON, T.J. 1981. Hambukushu ethnobotany. *Botswana Notes and Records* 13: 145–150.
- LEISTNER, O.A. (ed.), 2000. Seed plants of southern Africa: families and genera. *Strelitzia* 10. National Botanical Institute, Pretoria, South Africa.
- MASONJA, J. 1993. National Museum Garden. *Zebra's Voice* 20(3): 8–10.
- MILLER, O.B. 1952. The woody plants of the Bechuanaland Protectorate. *Journal of South African Botany* XVIII: 1–100.
- MEYER, N.L., MÖSSMER, M., & SMITH, G.F. (eds) 1997. *Taxonomic literature of southern African plants*. National Botanical Institute, Pretoria, South Africa.
- O'SHEA, B.J. 1999. Checklist of the mosses of sub-Saharan Africa. *Tropical Bryology Research Reports* 1. London, United Kingdom.
- PALGRAVE, K.C. 1977. *Trees of southern Africa*. Struik Publishers, Cape Town, South Africa.
- PHILLIPS, M. 1991. *A guide to the weeds of Botswana*. Printing and Publishing Company, Gaborone, Botswana.
- POLE EVANS, I.B. 1948. A reconnaissance trip through the eastern portion of the Bechuanaland Protectorate, April 1931 and an expedition to Ngamiland, June–July 1937. *Botanical Survey of South Africa Memoir* No. 21. Government Printer, Pretoria, South Africa.
- ROODT, V. 1993. *The Shell field guide to the common trees of the Okavango Delta and Moremi Game Reserve*. Shell Oil Botswana, Gaborone, Botswana.
- ROODT, V. 1998. *Trees and shrubs of the Okavango Delta: medicinal uses and nutritional value*. Shell Oil Botswana (Pty) Ltd., Gaborone, Botswana.
- ROODT, V. 1998. *Common wild flowers of the Okavango Delta: medicinal uses and nutritional value*. Shell Oil Botswana (Pty) Ltd., Gaborone, Botswana.
- ROUX, J.P. 2001. Conspectus of southern African Pteridophyta. *Southern African Botanical Diversity Network Report* No. 13. SABONET, Pretoria, South Africa.
- SETSHOGO, M.P. 1998. Setswana plant names and the identification of local flora. *Botswana Notes and Records* 30: 57–66.
- SETSHOGO, M.P. & HARGREAVES, B.J. 2002. Botswana. In J.S. Golding (ed.), *Southern African Red Data Lists*. Southern African Botanical Diversity Network Report No. 14: 16–20. SABONET, Pretoria, South Africa.
- SMEC 1989. *Ecological zoning of the Okavango Delta*, Volumes I & II. Ministry of Local Government, Lands and Housing, Gaborone, Botswana.
- STEARNS, W.T. 1992. *Botanical Latin*. Fourth Edition. David & Charles, Newton Abbot, United Kingdom.
- TIMBERLAKE, J. 1980. *Handbook of Botswana Acacias*. Division of Land Utilisation, Ministry of Agriculture, Gaborone, Botswana.
- VAN WYK, B. E. VAN OUDTSHOORN, B. & GERICKE, N. 1997. *Medicinal plants of South Africa*. Briza Publications, Pretoria, South Africa.
- VENTER, F. & VENTER, J. 1996. *Making the most of indigenous trees*. Briza Publications, Pretoria, South Africa.
- WEARE, P.R. & YALALA, A. 1971. Provisional vegetation map of Botswana. *Botswana Notes and Records* 3: 131–147.
- WELLS, M.J., BALSINHAS, A.A., JOFFE, H., ENGELBRECHT, V.M., HARDING, G. & STIRTON, C.H. 1986. *A Catalogue of problem plants in southern Africa*. Botanical Research Institute, Pretoria, South Africa.
- WIGGINTON, M.J. 2002. Checklist and distribution of the liverworts and hornworts of sub-Saharan Africa, including the East African Islands. First edition. *Tropical Bryology Research Reports* 3. London, United Kingdom.
- WILD, H. & FERNANDES, A. (eds) 1967. *Flora zambesiaca supplement: vegetation map of the Flora zambesiaca area*. Collins (Pty.) Ltd., Harare, Zimbabwe.
- WOOLLARD, J. 1980. *A vegetative key to the woody plants of southeastern Botswana*. University of Botswana, Gaborone, Botswana.
- WOOLLARD, J. 1984. *A vegetative key to the woody plants of southern Botswana*. University of Botswana, Gaborone, Botswana.

ABBREVIATIONS AND SYMBOLS

✱	naturalised or introduced plant
🌳	tree or shrub
🌵	succulent
🌵?	suspected succulent
🌱	parasitic plant
💎	rare or candidate for red data listing
🏠	endemic
🏠?	suspected endemic
💧	aquatic plant
👤	invader, potential invader
?	possibly occurring in Botswana

BRYOPHYTES

AMBLYSTEGIACEAE

AMBLYSTEGIUM Schimp.

afrofluitans (Müll.Hal.) Sim = *Leptodictyum riparium*

LEPTODICTYUM (Schimp.) Warnst.

riparium (Hedw.) Warnst. PRE S

(*Amblystegium afrofluitans* (Müll.Hal.) Sim)

AYTONIACEAE

ASTERELLA P.Beauv.

bachmannii (Steph.) S.W.Arnell ?

marginata (Nees) S.W.Arnell

muscicola (Steph.) S.W.Arnell PRE

PLAGIOCHASMA Lehm. & Lindenb.

algericum Steph. = *P. rupestre* var. *rupestre*

dschallanum Steph. = *P. rupestre* var. *rupestre*

rupestre (J.R.Forst. & G.Forst.) Steph. var. **rupestre** PRE

(*P. algericum* Steph.)

(*P. dschallanum* Steph.)

(*P. tenue* Steph.)

tenue Steph. = *P. rupestre* var. *rupestre*

BARTRAMIACEAE

BARTRAMIA Hedw.

afrouncinata Müll.Hal. = *Philonotis dregeana*

PHILONOTIS Brid.

afrocapillaris Dixon ex Sim = *P. dregeana*

afrofontana (Müll.Hal.) Paris = *P. falcata*

afrofontana (Müll.Hal.) Paris var. *gracilescens* (Müll.Hal.)

Paris = *P. dregeana*

androgyna (Hampe) A.Jaeger = *P. dregeana*

dregeana (Müll.Hal.) A.Jaeger PRE

(*Bartramia afrouncinata* Müll.Hal.)

(*P. afrocapillaris* Dixon ex Sim)

(*P. afrofontana* (Müll.Hal.) Paris var. *gracilescens*

(Müll.Hal.) Paris)

(*P. androgyna* (Hampe) A.Jaeger)

(*P. pernana* (Müll.Hal.) Paris)

falcata (Hook.) Mitt. PRE

(*P. afrofontana* (Müll.Hal.) Paris)

hastata (Duby) Wijk & Margad. PRE

(*P. imbricatula* Mitt.)

(*P. laxissima* (Müll.Hal.) Mitt.)

(*P. obtusata* Müll.Hal. ex Renaud & Cardot)

(*P. zuluensis* Broth. & Bryhn)

imbricatula Mitt. = *P. hastata*

laxissima (Müll.Hal.) Mitt. = *P. hastata*

obtusata Müll.Hal. ex Renaud & Cardot = *P. hastata*

pernana (Müll.Hal.) Paris = *P. dregeana*

zuluensis Broth. & Bryhn = *P. hastata*

BRYACEAE

BRACHYMENIUM Schwägr.

acuminatum Harv. PRE

(*B. borgenianum* Hampe)

(*B. lonchopus* P.de la Varde)

(*B. pallidolulaceum* (Müll.Hal.) Paris)

(*Mielichhoferia squarrolosa* Müll.Hal.)

borgenianum Hampe = *B. acuminatum*

lonchopus P.de la Varde = *B. acuminatum*

pallidolulaceum (Müll.Hal.) Paris = *B. acuminatum*

BRYUM Hedw.

argenteum Hedw. PRE

(*B. argenteum* Hedw. var. *proliferum* Sim)

(*B. argenteum* Hedw. var. *viride* Sim)

(*B. capensiargenteum* Müll.Hal.)

(*B. oranicum* Müll.Hal.)

(*B. stellipilum* Müll.Hal.)

argenteum Hedw. var. *proliferum* Sim = *B. argenteum*

argenteum Hedw. var. *viride* Sim = *B. argenteum*

bicolor Dicks. = *B. dichotomum*

capensiargenteum Müll.Hal. = *B. argenteum*

capillare Hedw. PRE

dichotomum Hedw. PRE

(*B. bicolor* Dicks.)

(*B. rigidicuspis* Dixon)

oranicum Müll.Hal. = *B. argenteum*

rigidicuspis Dixon = *B. dichotomum*

stellipilum Müll.Hal. = *B. argenteum*

MIELICHHOFERIA Nees & Hornsch.

squarrolosa Müll.Hal. = *Brachymenium acuminatum*

DICRANACEAE

CAMPYLOPUS Brid.

bequaertii Thér. & Naveau = *C. savannarum*

delagoae (Müll.Hal.) Paris = *C. savannarum*

echinatus Rehmann ex Sim = *C. introflexus*

introflexus (Hedw.) Brid. PRE

(*C. echinatus* Rehmann ex Sim)

(*C. lepidophyllus* (Müll.Hal.) A.Jaeger)

(*C. leucobasis* (Müll.Hal.) Paris)

(*C. weisiopsis* (Müll.Hal.) Paris)

lepidophyllus (Müll.Hal.) A.Jaeger = *C. introflexus*

leucobasis (Müll.Hal.) Paris = *C. introflexus*

savannarum (Müll.Hal.) Mitt. PRE

(*C. bequaertii* Thér. & Naveau)

(*C. delagoae* (Müll.Hal.) Paris)

(*Thysanomitrion inandae* (Müll.Hal.) Broth.)

weisiopsis (Müll.Hal.) Paris = *C. introflexus*

THYSANOMITRION Schwaegr.

inandae (Müll.Hal.) Broth. = *Campylopus savannarum*

ERPODIACEAE

ERPODIUM (Brid.) Brid.

beccarii Müll.Hal. PRE

(*E. hanningtonii* Mitt.)

hanningtonii Mitt. = *E. beccarii*

FABRONIACEAE

FABRONIA Raddi

pilifera Hornsch. PRE

FISSIDENTACEAE

FISSIDENS Hedw.

bogoticus Müll.Hal. PRE

(*F. microandrogynus* Dixon)

erosulus (Müll.Hal.) Paris

macowanianus Müll.Hal. = *F. rufescens*

microandrogynus Dixon = *F. bogoticus*

minutiretis Dixon = *F. rufescens*

rufescens Hornsch. PRE

(*F. macowanianus* Müll.Hal.)

(*F. minutiretis* Dixon)

FUNARIACEAE

FUNARIA Hedw.

longicollis Dixon

POTTIACEAE

BARBULA Hedw.

acutata Müll.Hal. = *Pseudocrossidium replicatum*

torquatifolia Geh. = *Pseudocrossidium porphyreoneurum*

CHENIA R.H.Zander

leptophylla (Müll.Hal.) R.H.Zander PRE

(*Phascum leptophyllum* Müll.Hal.)

DIDYMODON Hedw.

afrum Müll.Hal. = *D. ceratodonteus*

ceratodonteus (Müll.Hal.) Dixon PRE

(*D. afrum* Müll.Hal.)

(*D. perrevolutus* P.de la Varde)

(*Gymnostomum dimorphum* (Müll.Hal.) Sim)

(*Gymnostomum gracile* (Wager & Dixon) Dixon)

(*Gymnostomum pottsii* (Dixon) Sim)

(*Gymnostomum wageri* Schelpe)

(*Hymenostylium ceratodonteum* (Müll.Hal.) Broth.)

(*Hyophila basutensis* Sim)

perrevolutus P.de la Varde = *D. ceratodonteus*

GYMNOSTOMUM Nees & Hornsch.

dimorphum (Müll.Hal.) Sim = *Didymodon ceratodonteus*

gracile (Wager & Dixon) Dixon = *Didymodon ceratodonteus*

pottsii (Dixon) Sim = *Didymodon ceratodonteus*

wageri Schelpe = *Didymodon ceratodonteus*

HYMENOSTYLIUM Brid.

ceratodonteum (Müll.Hal.) Broth. = *Didymodon ceratodonteus*

HYOPHILA Brid.

basutensis Sim = *Didymodon ceratodonteus*

zeyheri (Hampe) A.Jaeger = *Trichostomum brachydontium*

PHASCUM Hedw.

leptophyllum Müll.Hal. = *Chenia leptophylla*

PLAUBELIA Brid.

involuta (Magill) R.H.Zander PRE

(*Weisiopsis involuta* Magill)

POTTIA Ehrh. ex Fűrnr.

afrophaea Müll.Hal. = *Trichostomum brachydontium*

PSEUDOCROSSIDIUM R.S.Williams

crinitum (Schultz) R.H.Zander

porphyreoneurum (Müll.Hal.) R.H.Zander PRE

(*Barbula torquatifolia* Geh.)

(*Tortula porphyreoneura* (Müll.Hal.) C.C.Towns.)

replicatum (Taylor) R.H.Zander

(*Barbula acutata* Müll.Hal.)

SPLACHNOBRYUM Müll.Hal.

(Sometimes placed in Splachnobryaceae)

obtusum (Brid.) Müll.Hal. ?

TORTULA Hedw.

porphyreoneura (Müll.Hal.) C.C.Towns. = *Pseudocrossidium*

porphyreoneurum

TRICHOSTOMUM Bruch

brachydontium Bruch PRE

(*Hyophila zeyheri* (Hampe) A.Jaeger)

(*Pottia afrophaea* Müll.Hal.)

WEISIOPSIS Broth.

involuta Magill = *Plaubelia involuta*

HEPATOPHYTES

EXORMOTHECACEAE

EXORMOTHECA Mitt.

holstii Steph. PRE

(*E. megastomata* Marquand)

megastomata Marquand = *E. holstii*

pustulosa Mitt. ?

JUNGERMANNIACEAE

JUNGERMANNIA

borgenii Gottsche ex Pearson ?

RICCIACEAE

RICCIA L.

albolimbata S.W.Arnell PRE

angolensis Steph. PRE

(*R. pseudolimbata* S.W.Arnell)

argenteolimbata O.H.Volk & Perold PRE

atropurpurea Sim

canescens Steph. = *R. crinita*

cavernosa Hoffm. emend. Raddi PRE

(*R. rautanenii* Steph.)

congoana Steph.

(*R. rhodesiae* S.W.Arnell)

crinita Taylor PRE

(*R. canescens* Steph.)

(*R. trichocarpa* M.Howe)

microciliata O.H.Volk & Perold

okahandjana S.W.Arnell PRE

perssonii Sultan Khan ?

pseudolimbata S.W.Arnell = *R. angolensis*

rautanenii Steph. = *R. cavernosa*

rhodesiae S.W.Arnell = *R. congoana*

rosea O.H.Volk & Perold

runssorensis Steph.

stricta (Lindenb.) Perold ◆

trichocarpa M.Howe = *R. crinita*

RICCIOCARPOS Corda

natans (L.) Corda PRE ◆

PTERIDOPHYTES

ASPLENIACEAE

ASPLENIUM L.

cordatum (Thunb.) Sw. GAB PRE UCBG
(*Ceterach cordatum* (Thunb.) Desv.)

CETERACH DC.

cordatum (Thunb.) Desv. = *Asplenium cordatum*

AZOLLACEAE

AZOLLA Lam.

pinnata R.Br. subsp. **africana** (Desv.) R.M.K.Saunders & K.Fowler
BM GAB PRE PSUB ♦

DENNSTAEDTIACEAE

MICROLEPIA C.Presl

speluncae (L.) T.Moore GAB SRGH UCBG

EQUISETACEAE

EQUISETUM L.

ramosissimum Desf. GAB PRE UCBG

ISOETACEAE

ISOETES L.

alstonii C.F.Reed & Verdc. = *I. schweinfurthii*
kersii Wanntorp = *I. schweinfurthii*
rhodesiana Alston = *I. schweinfurthii*
schweinfurthii A.Braun GAB ♦
(*I. alstonii* C.F.Reed & Verdc.)
(*I. kersii* Wanntorp)
(*I. rhodesiana* Alston)

LYCOPODIACEAE

LYCOPodium L.

dregei C.Presl = *Selaginella dregei*

MARSILEACEAE

MARSILEA L.

aegyptiaca Willd. BOL SRGH
apposita Launert PRE ♦
burchellii (Kunze) A.Braun BM PRE ♦
coromandelina Willd. PRE
ephippiocarpa Alston BM PRE ♦
farinosa Launert subsp. **arrecta** J.E.Burrows GAB PRE
SRGH UCBG ♦
farinosa Launert subsp. **farinosa** GAB PRE SRGH UCBG ♦
macrocarpa C.Presl PRE PSUB UCBG ♦

minuta L. var. **minuta** GAB PRE PSUB ♦

nubica A.Braun var. **gymnocarpa** (Lepr. ex A.Braun) Launert
GAB PRE PSUB ♦

nubica A.Braun var. **nubica** GAB PSUB ♦

unicornis Launert PRE UCBG ♦

vera Launert PRE PSUB UCBG ♦

villifolia Bremek. & Oberm. ex Alston & Schelpe B BM BOL
GAB PRE PSUB ♦

OPHIOGLOSSACEAE

OPHIOGLOSSUM L.

costatum R.Br. GAB PRE

lancifolium C.Presl PRE

nudicaule L.f. ?

polyphyllum A.Braun BM GAB PRE SRGH UCBG

PARKERIACEAE

CERATOPTERIS Brongn.

cornuta (P.Beauv.) Lepr. = *C. thalictroides*

thalictroides (L.) Brongn. PRE

(*C. cornuta* (P.Beauv.) Lepr.)

PTERIDACEAE

ACTINIOPTERIS Link

dimorpha Pic.Serm. K GAB PRE SRGH

radiata (J.König ex Sw.) Link GAB PRE UCBG

ADIANTUM L.

capillus-veneris L. GAB PRE

incisum Forssk. GAB PRE UCBG

CHEILANTHES Sw.

botswanae Schelpe & N.C.Anthony BOL GH K PRE
SRGH UCBG

concolor (Langsd. & Fisch.) R.M.Tryon & A.F.Tryon =
Doryopteris concolor

hirta Sw. GAB PRE SRGH UCBG

inaequalis (Kunze) Mett. var. **inaequalis** PRE
(*Notholaena inaequalis* Kunze)

involuta (Sw.) Schelpe & N.C.Anthony var. **involuta** UCBG

involuta (Sw.) Schelpe & N.C.Anthony var. **obscura**
(N.C.Anthony) N.C.Anthony PRE

rawsonii (Pappe) Mett. ex Kuhn ?

viridis (Forssk.) Sw. var. **glauc**a (Sim) Schelpe & N.C.Anthony
PRE SRGH UCBG

(*Pellaea viridis* (Forssk.) Prantl var. **glauc**a (Sim) Sim)

DORYOPTERIS J.Sm.

concolor (Langsd. & Fisch.) Kuhn K GAB PRE

(*Cheilanthes concolor* (Langsd. & Fisch.) R.M.Tryon & A.F.Tryon)

NOTHOLAENA R.Br. = CHEILANTHES
inaequalis Kunze = Cheilanthes inaequalis var. inaequalis

PELLAEA Link
boivinii Hook. PRE
calomelanos (Sw.) Link var. calomelanos BOL K GAB
PRE UCBG
viridis (Forssk.) Prantl var. glauca (Sim) Sim = Cheilanthes viridis
var. glauca

PTERIS L.
vittata L. GAB PRE

SALVINIACEAE

SALVINIA Ség.
*molesta D.S.Mitch. GAB PRE PSUB SRGH UCBG ♦ ♀

SELAGINELLACEAE

SELAGINELLA PBeauv.
dregei (C.Presl) Hieron. GAB PRE UCBG
(Lycopodium dregei C.Presl)
(S. dregei (C.Presl) Hieron. var. bachmanniana Hieron.)

(S. dregei (C.Presl) Hieron. var. pretoriensis Hieron.)
(S. dregei (C.Presl) Hieron. var. rehmanniana Hieron.)
(S. grisea Alston)
dregei (C.Presl) Hieron. var. bachmanniana Hieron. = S. dregei
dregei (C.Presl) Hieron. var. pretoriensis Hieron. = S. dregei
dregei (C.Presl) Hieron. var. rehmanniana Hieron. = S. dregei
grisea Alston = S. dregei
kraussiana (Kunze) A.Braun UCBG ?
mittenii Baker UCBG ?
nivea Alston PRE
njam-njamensis Hieron. ?

THELYPTERIDACEAE

CYCLOSORUS Link
interruptus (Willd.) H.Itô BOL K LISC GAB PRE
SRGH UCBG
(Thelypteris interrupta (Willd.) K.Iwats)
(Thelypteris totta (Thunb.) Schelpe)

THELYPTERIS Schmidel
confluens (Thunb.) Morton GAB PRE UCBG ♦
interrupta (Willd.) K.Iwats. = Cyclosorus interruptus
totta (Thunb.) Schelpe = Cyclosorus interruptus

DICOTYLEDONS

ACANTHACEAE

ACANTHODIUM Delile

- diversispinum* Nees = *Blepharis diversispina*
serrulatum Nees = *Blepharis serrulata*

ACANTHUS L.

- integrifolius* L.f. = *Blepharis integrifolia* var. *integrifolia*
maderaspatensis L. = *Blepharis maderaspatensis* subsp.
maderaspatensis var. *maderaspatensis*

ADHATODA Mill.

- anselliana* Nees = *Justicia anselliana*
divaricata Nees = *Monechma divaricatum*
flava (Vahl) Nees = *Justicia flava*

ASYSTASIA Blume

- gangetica* (L.) T.Anderson subsp. *micrantha* (Nees) Ensermu
 GAB PRE PSUB UCBG
schimperii T.Anderson PRE PSUB UCBG

BARLERIA L.

- affinis* C.B.Clarke GAB PRE UCBG
 (*B. heterotricha* Lindau)
alata S.Moore = *B. lancifolia*
albida Lindau = *B. senensis*
albi-pilosa Hainz PRE
breyeri Oberm. = *B. lugardii*
capitata Klotzsch GAB UCBG
cinereicaulis C.B.Clarke = *B. lancifolia*
coriacea Oberm. = *B. prionitis*
eenii S.Moore = *B. senensis*
galpinii C.B.Clarke PRE UCBG
halimoides Nees = *Petalidium halimoides*
hereroensis Engl. = *B. lancifolia*
heterotricha Lindau = *B. affinis*
irritans Nees var. *rigida* (Nees) C.B.Clarke = *B. rigida*
lancifolia T.Anderson GAB PRE PSUB UCBG
 (*B. alata* S.Moore)
 (*B. cinereicaulis* C.B.Clarke)
 (*B. hereroensis* Engl.)
 (*B. latiloba* Engl.)
 (*B. rautanenii* Schinz)
latiloba Engl. = *B. lancifolia*
lugardii C.B.Clarke GAB PRE PSUB UCBG
 (*B. breyeri* Oberm.)
 (*B. quadriloba* Oberm.)
mackenii Hook.f. GAB PRE PSUB UCBG
macrostegia Nees GAB PRE UCBG
matopensis S.Moore ♦ ?
megalosiphon Mildbr. PRE
petrophila Lindau = *B. senensis*
pretoriensis C.B.Clarke PRE UCBG

prionitis L. PRE

- (*B. coriacea* Oberm.)
quadriloba Oberm. = *B. lugardii*
randii S.Moore GAB PRE UCBG
rautanenii Schinz = *B. lancifolia*
rigida Nees PRE SRGH UCBG
 (*B. irritans* Nees var. *rigida* (Nees) C.B.Clarke)
 (*B. rigida* Nees var. *ilicina* (E.Mey. ex Anderson) Oberm.)
 (*B. schenckii* Schinz)
rigida Nees var. *ilicina* (E.Mey. ex Anderson) Oberm. = *B. rigida*
schenckii Schinz = *B. rigida*
senensis Klotzsch GAB PRE PSUB UCBG
 (*B. albida* Lindau)
 (*B. eenii* S.Moore)
 (*B. petrophila* Lindau)
 (*B. spathulata* N.E.Br.)
spathulata N.E.Br. = *B. senensis*
spinulosa Klotzsch PRE
virgula C.B.Clarke PRE

BLEPHARIS Juss.

- angusta* (Nees) T.Anders. UCBG
aspera Oberm. PRE
bainesii S.Moore ex C.B.Clarke PRE PSUB UCBG ♦
boerhaaviifolia Pers. = *B. maderaspatensis* subsp.
maderaspatensis
 var. *maderaspatensis*
caloneura S.Moore var. *angustifolia* Oberm. = *B. tenuiramea*
diversispina (Nees) C.B.Clarke GAB PRE PSUB UCBG
 (*Acanthodium diversispinum* Nees)
 (*B. grisea* S.Moore)
grisea S.Moore = *B. diversispina*
inaequalis C.B.Clarke PRE
integrifolia (L.f.) E.Mey. ex Schinz var. *integrifolia* PRE
 PSUB UCBG
 (*Acanthus integrifolius* L.f.)
 (*B. molluginifolia* Pers.)
leendertziae Oberm. GAB PRE UCBG
maderaspatensis (L.) B.Heyne ex Roth GAB PRE PSUB UCBG
 (*Acanthus maderaspatensis* L.)
 (*B. boerhaaviifolia* Pers.)
 (*B. maderaspatensis* (L.) B.Heyne ex Roth subsp. *rubiifolia*
 (Schumach.) Napper)
 (*B. rubiifolia* (Schumach.) Napper)
 (*B. teaguei* Oberm.)
maderaspatensis (L.) B.Heyne ex Roth subsp. *rubiifolia*
 (Schumach.) Napper = *B. maderaspatensis*
molluginifolia Pers. = *B. integrifolia* var. *integrifolia*
naegelsbachii Oberm. = *B. obmitrata*
obmitrata C.B.Clarke PRE UCBG
 (*B. naegelsbachii* Oberm.)
petalidioides Vollesen K PRE UCBG
pruinosa Engl. GAB PRE PSUB UCBG

rubiifolia (Schumach) Napper = *B. maderaspatensis*
serrulata (Nees) Ficalho & Hiern PRE UCBG
(*Acanthodium serrulatum* Nees)
teaguei Oberm. = *B. maderaspatensis* subsp. *maderaspatensis*
var. *maderaspatensis*
tenuiramea S.Moore PRE
(*B. caloneura* S.Moore var. *angustifolia* Oberm.)
transvaalensis Schinz PRE UCBG

CALOPHANES D.Don
setosus Nees = *Ruellia setosa*

CRABBEA Harv.
angustifolia Nees GAB UCBG
reticulata C.B.Clarke = *C. velutina*
velutina S.Moore GAB PRE PSUB
(*C. reticulata* C.B.Clarke)

DIANTHERA L.
bicalyculata Retz. = *Peristrophe paniculata*
debilis Forssk. = *Monechma debile*
paniculata Forssk. = *Peristrophe paniculata*

DICLIPTERA Juss.
clinopodia Nees GAB UCBG
hirta K.Balkwill PRE
minor C.B.Clarke subsp. *minor* PRE PSUB UCBG
spinulosa Hochst. ex K.Balkwill PRE PSUB
verticillata (Forssk.) C.Chr. PSUB UCBG

DUOSPERMA Dayton
crenatum (Lindau) P.G.Mey. GAB PRE PSUB
(*Hygrophila crenata* Lindau)
quadrangulare (Klotzsch) Brummitt PRE
(*Nomaphila quadrangularis* Klotzsch)

DYSCHORISTE Nees
fischeri Lindau GAB PRE UCBG
matopensis N.E.Br. GAB UCBG
monroi S.Moore PRE
radicans (Hochst. ex A.Rich.) Nees GAB PRE
PSUB UCBG
(*Ruellia radicans* Hochst. ex Rich.)
transvaalensis C.B.Clarke GAB PRE UCBG

ECBOLIUM Kurz
hamatum (Klotzsch) C.B.Clarke = *Megalochlamys hamata*
revolutum (Lindau) C.B.Clarke = *Megalochlamys revoluta*
subsp. *cognata*

ELYTRARIA Michx.
acaulis of authors not of (L.f.) Lindau = *E. lyrata*
lyrata Vahl
(*E. acaulis* of authors not of (L.f.) Lindau)

ERANTHEMUM L.
decurrens Hochst. ex Nees = *Ruspolia decurrens*

seticalyx C.B.Clarke = *Ruspolia seticalyx*
GENDARUSSA Nees
incana Nees = *Monechma incanum*

HEMIGRAPHIS Nees
prunelloides S.Moore = *Hygrophila prunelloides*

HYGROPHILA R.Br. emend. Heine
abyssinica (Hochst. ex Nees) T.Anders. ?
crenata Lindau = *Duosperma crenatum*
linearis Burkill GAB PSUB
pilosa Burkill GAB PRE PSUB
pobeguini Benoist GAB PRE ♦
prunelloides (S.Moore) Heine GAB PRE PSUB ♦
(*Hemigraphis prunelloides* S.Moore)

HYPOESTES Sol. ex R.Br.
forskaolii (Vahl) R.Br. GAB PRE PSUB
(*Justicia forskaolii* Vahl)

JUSTICIA L.
anselliana (Nees) T.Anderson GAB PRE UCBG
(*Adhatoda anselliana* Nees)
betonica L. GAB PRE PSUB UCBG
(*J. betonicoides* Burkill & C.B.Clarke)
(*J. cheiranthifolia* (Nees) C.B.Clarke)
(*J. pallidior* (Nees) C.B.Clarke)
(*J. trinervia* Vahl)
betonicoides Burkill & C.B.Clarke = *J. betonica*
canescens Lam. = *Nelsonia canescens*
cheiranthifolia (Nees) C.B.Clarke = *J. betonica*
dinteri S.Moore = *J. heterocarpa* subsp. *dinteri*
exigua S.Moore PRE PSUB
flava (Vahl) Vahl GAB PRE PSUB UCBG
(*Adhatoda flava* (Vahl) Nees)
forskaolii Vahl = *Hypoestes forskaolii*
glabra J.König ex Roxb. GAB PRE PSUB UCBG
heterocarpa T.Anders. subsp. *dinteri* (S.Moore) Hedrén
GAB PRE UCBG
(*J. dinteri* S.Moore)
incana (Nees) T.Anderson = *Monechma incanum*
kirkiana T.Anderson GAB PRE PSUB
lycioides Schinz = *J. odora*
matammensis (Schweinf.) Oliv. GAB
PSUB UCBG
odora (Forssk.) Vahl GAB PRE PSUB UCBG
(*J. lycioides* Schinz)
(*J. polymorpha* Schinz)
pallidior (Nees) C.B.Clarke = *J. betonica*
parvibracteata Immelman = *J. puberula*
polymorpha Schinz = *J. odora*
protracta (Nees) T.Anderson subsp. *rhodesiana* (S.Moore)
Immelman GAB PRE
(*J. rhodesiana* S.Moore)
puberula Immelman ?
(*J. parvibracteata* Immelman)
rhodesiana S.Moore = *J. protracta* subsp. *rhodesiana*

trinervia Vahl = *J. betonica*

LEPIDAGATHIS Willd.

scabra C.B.Clarke PRE PSUB

MEGALOCHELYMYS Lindau

hamata (Klotzsch) Vollesen GAB PRE PSUB

(*Ecbolium hamatum* (Klotzsch) C.B.Clarke)

marlothii (Engl.) Lindau

revoluta (Lindau) Vollesen subsp. **cognata** (N.E.Br.)

Vollesen PRE

(*Ecbolium cognatum* N.E.Br.)

(*Schwabea revoluta* Lindau)

MONECHMA Hochst.

angustissimum S.Moore = *M. divaricatum*

bracteatum Hochst = *M. debile*

debile (Forssk.) Nees GAB PRE PSUB UCBG

(*Dianthera debilis* Forssk.)

(*M. bracteatum* Hochst.)

(*M. monechmoides* (S.Moore) Hutch.)

(*M. tettense* C.B.Clarke)

divaricatum (Nees) C.B.Clarke GAB PRE

PSUB UCBG

(*Adhatoda divaricata* Nees)

(*M. angustissimum* S.Moore)

(*M. fimbriatum* C.B.Clarke)

(*M. floridum* C.B.Clarke)

(*M. namaense* (Schinz) C.B.Clarke)

(*M. nepeta* (S.Moore) C.B.Clarke)

(*M. nepetoides* C.B.Clarke)

(*M. terminale* S.Moore)

fimbriatum C.B.Clarke = *M. divaricatum*

floridum C.B.Clarke = *M. divaricatum*

genistifolium (Engl.) C.B.Clarke subsp. **australe**

(P.G.Mey.) Munday PRE

incanum (Nees) C.B.Clarke GAB PRE UCBG

(*Gendarussa incana* Nees)

(*Justicia incana* (Nees) T.Anderson)

monechmoides (S.Moore) Hutch. = *M. debile*

namaense (Schinz) C.B.Clarke = *M. divaricatum*

nepeta (S.Moore) C.B.Clarke = *M. divaricatum*

nepetoides C.B.Clarke = *M. divaricatum*

terminale S.Moore = *M. divaricatum*

tettense C.B.Clarke = *M. debile*

NELSONIA R.Br.

canescens (Lam.) Spreng. GAB PRE PSUB

(*Justicia canescens* Lam.)

NOMAPHILA Blume

quadrangularis Klotzsch = *Duosperma quadrangulare*

PERISTROPHE Nees

bicalyculata (Retz.) Nees = *P. paniculata*

decorticans K.Balkwill GAB PRE

(*P. kotschyana* in sense of K.Balkwill not of Nees)

kotschyana in sense of K.Balkwill not of Nees =

P. decorticans

paniculata (Forssk.) Brummitt GAB PRE PSUB UCBG

(*Dianthera bicalyculata* Retz.)

(*Dianthera paniculata* Forssk.)

(*P. bicalyculata* (Retz.) Nees)

transvaalensis (C.B.Clarke) K.Balkwill PRE

PETALIDIUM Nees

englerianum (Schinz) C.B.Clarke GAB PRE

PSUB UCBG

(*P. eurychlamys* Mildbr.)

(*P. latifolium* (Schinz) C.B.Clarke)

(*P. ovatum* (Schinz) C.B.Clarke)

(*Pseudobarleria engleriana* Schinz)

eurychlamys Mildbr. = *P. englerianum*

latifolium (Schinz) C.B.Clarke = *P. englerianum*

ovatum (Schinz) C.B.Clarke = *P. englerianum*

parvifolium C.B.Clarke ex Schinz PRE

(*P. wilmaniae* Oberm.)

variabile (Engl.) C.B.Clarke ?

wilmaniae Oberm. = *P. parvifolium*

PSEUDOBARLERIA T.Anders.

engleriana Schinz = *Petalidium englerianum*

RHINACANTHUS Nees

xerophilus A.Meeuse PRE

RUELLIA L.

otaviensis P.G.Mey. GAB PRE PSUB UCBG

patula Jacq. GAB PRE PSUB UCBG

radicans Hochst. ex Rich. = *Dyschoriste radicans*

RUELLIOPSIS C.B.Clarke

damarensis S.Moore PRE

setosa (Nees) C.B.Clarke GAB PRE PSUB UCBG

(*Calophanes setosus* Nees)

RUSPOLIA Lindau

decurrens (Hochst. ex Nees) Milne-Redh. GAB PRE PSUB

(*Eranthemum decurrens* Hochst. ex Nees)

hypocrateriformis (Vahl) Milne-Redh. var. **australis**

Milne Redh. PRE

seticalyx (C.B.Clarke) Milne-Redh. GAB PRE

(*Eranthemum seticalyx* C.B.Clarke)

SCHWABEA Endl.

revoluta Lindau = *Megalochlamys revoluta* subsp. **cognata**

SCLEROCHITON Harv.

ilicifolius A.Meeuse PRE

THUNBERGIA Retz.

***alata** Sims GAB

aurea N.E.Br. GAB PRE PSUB UCBG

neglecta Sond. GAB PRE UCBG

reticulata A.Rich. ?

AIZOACEAE

AIZOON L.

- schellenbergii** Adamson PRE UCBG
- secundum* L.f. = Galenia secunda
- virgatum** Welw. ex Oliv. PRE

GALENIA L.

- procumbens** L.f. PRE
- secunda** (L.f.) Sond. GAB K LISC PRE SRGH PSUB UCBG
- (*Aizoon secundum* L.f.)

PLINTHUS Fenzl

- arenarius* Adamson = P. sericeus
- laxifolius* Verdoorn = P. sericeus
- cryptocarpus** Fenzl PRE
- karooicus** I.Verd. PRE UCBG
- sericeus** Pax BM PRE SRGH UCBG
- (*P. arenarius* Adamson)
- (*P. laxifolius* Verdoorn)

SESUVIUM L.

- hydaspicum** (Edgew.) Gonç. GAB LISC PRE PSUB SRGH ♣
- (*Trianthema hydaspicum* Edgew.)
- (*Trianthema polysperma* Hochst. ex Oliv.)
- nyasicum** (Baker) Gonç. GAB PRE PSUB ♣
- (*Trianthema nyasica* Baker)

TETRAGONIA L.

- calycina** Fenzl PRE SRGH UCBG ♣
- spicata** L.f. var. **spicata** PRE UCBG

TRIANTHEMA L.

- hydaspicum* Edgew. = Sesuvium hydaspicum
- nyasica* Baker = Sesuvium nyasicum
- parvifolia** E.Mey. ex Steud. var. **parvifolia** GAB LISC PRE SRGH UCBG
- parvifolia** E.Mey. ex Steud. var. **rubens** (Sond.) Adamson PRE
- polysperma* Hochst. ex Oliv. = Sesuvium hydaspicum
- pentandra* L. = Zaleya pentandra
- salsoloides** Fenzl ex Oliv. var. **salsoloides** PRE PSUB ♣
- salsoloides** Fenzl ex Oliv. var. **stenophylla** Adamson K PSUB ♣
- salsoloides** Fenzl ex Oliv. var. **transvaalensis** (Schinz) Adamson PRE ♣
- triquetra** Rottler ex Willd. subsp. **triquetra** var. **triquetra** PRE PSUB ♣

ZALEYA Burm.f.

- pentandra** (L.) Jeffrey GAB PRE PSUB UCBG ♣
- (*Trianthema pentandra* L.)

AMARANTHACEAE

ACHYRANTHES L.

- aquatica* R.Br. = Centrostachys aquatica

- ✱ **aspera** L. var. **aspera** GAB PRE PSUB UCBG ♣
- (*A. aspera* L. var. *obtusifolia* (Lam.) Suess.)
- (*A. robusta* C.H.Wright)
- aspera* L. var. *obtusifolia* (Lam.) Suess. = A. aspera var. aspera
- ✱ **aspera** L. var. **pubescens** (Moq.) Towns. K SRGH ♣
- aspera** L. var. **sicula** L. K LISC PRE PSUB SRGH
- atropurpurea* Lam. = Pupalia lappacea var. lappacea
- corymbosa* L. = Polycarpaea corymbosa var. corymbosa
- lappacea* L. = Pupalia lappacea var. lappacea
- leptostachya* E.Mey. = Achyropsis leptostachya
- repens* L. = Alternanthera pungens
- robusta* C.H.Wright = A. aspera var. aspera

ACHYROPSIS (Moq.) Hook.f.

- leptostachya** (E.Mey. ex Meisn.) Baker & C.B.Clarke GAB K PRE SRGH UCBG
- (*Achyranthes leptostachya* E.Mey.)

AERVA Forssk.

- ambigua* Moq. = A. leucura
- javanica** (Burm.f.) Juss. ex Schult. var. **javanica** GAB K LISC PRE PSUB SRGH
- (*A. persica* (Burm.f.) Merr.)
- (*A. tomentosa* Forssk.)
- (*Iresine javanica* Burm.f.)
- lanata** (L.) Juss. ex Schult. PRE
- leucura** Moq. GAB K PRE PSUB SRGH UCBG
- (*A. ambigua* Moq.)
- persica* (Burm.f.) Merr. = A. javanica var. javanica
- tomentosa* Forssk. = A. javanica var. javanica

ALTERNANTHERA Forssk.

- achyrantha* R.Br. = A. pungens
- ✱ **caracasana** Kunth K
- ✱ **nodiflora** R.Br. GAB K LISC PRE PSUB SRGH UCBG
- (*A. sessilis* L. var. *nodiflora* (R.Br.) Kuntze)
- ✱ **pungens** Kunth GAB K PRE PSUB SRGH UCBG
- (*Achyranthes repens* L.)
- (*A. achyrantha* R.Br.)
- ✱ **sessilis** (L.) DC. C GAB K PRE PSUB SRGH UCBG ♣
- (*Gomphrena sessilis* L.)
- sessilis* L. var. *nodiflora* (R.Br.) Kuntze = A. nodiflora

AMARANTHUS L.

- cruentus* L. = A. hybridus subsp. cruentus
- dinteri** Schinz subsp. **dinteri** K SRGH
- graecizans** L. subsp. **graecizans** PRE PSUB
- ✱ **hybridus** L. subsp. **cruentus** (L.) Thell. GAB LISC PRE PSUB SRGH UCBG
- (*A. cruentus* L.)
- ✱ **hybridus** L. subsp. **hybridus** var. **erythrostachys** Moq. K PRE PSUB UCBG
- ✱ **hybridus** L. subsp. **hybridus** var. **hybridus** PRE
- praetermissus** Brenan K LISC PRE SRGH UCBG
- schinzianus** Thell. PRE

- ✱ **spinosus** L. C GAB K PRE SRGH UCBG
thunbergii Moq. GAB K PRE SRGH UCBG
BRAYULINEA Small
densa (Willd.) Small = *Guilleminea densa*

CELOSIA L.

- digyna* Suess. = *C. trigyna*
falcata Lopr. = *Hermbstaedia linearis*
fleckii Schinz = *Hermbstaedia fleckii*
humilis Suess. = *Hermbstaedia fleckii*
linearis (Schinz) Schinz = *Hermbstaedia linearis*
namaensis Schinz = *Hermbstaedia fleckii*
odorata Burch. = *Hermbstaedia odorata* var. *odorata*
recurva Burch. = *Hermbstaedia odorata* var. *odorata*
scabra (Schinz) Schinz = *Hermbstaedia scabra*
schaeferi Schinz = *Hermbstaedia schaeferi*
schinzii (C.B.Clarke) Suess. = *Hermbstaedia linearis*
trigyna L. GAB PRE PSUB SRGH
 (C. *digyna* Suess.)
 (C. *triloba* E.Mey. ex Meisn.)
triloba E.Mey. ex Meisn. = *C. trigyna*

CENTROSTACHYS Wall.

- aquatica** (R.Br.) Wall. ex Moq. GAB PRE PSUB ♣
 (*Achyranthes aquatica* R.Br.)

CYATHULA Blume

- angustifolia* Moq. = *Kyphocarpa angustifolia*
crispa Schinz = *C. lanceolata*
lanceolata Schinz C GAB K PRE PSUB SRGH UCBG
 (C. *crispa* Schinz)
orthacantha (Hochst. ex Asch.) Schinz GAB K PRE PSUB
 SRGH UCBG
 (*Pupalia orthacantha* Hochst. ex Asch.)

DESMOCHAETA DC.

- atropurpurea* DC. = *Pupalia lappacea* var. *lappacea*

GOMPHRENA L.

- ✱ **celosioides** Mart. GAB K PRE PSUB SRGH UCBG
 (G. *celosioides* Mart. forma *villosa* Suess.)
 (G. *decumbens* Jacq.)
celosioides Mart. forma *villosa* Suess. = G. *celosioides*
decumbens Jacq. = G. *celosioides*
sessilis L. = *Alternanthera sessilis*

GUILLEMINEA Kunth

- ✱ **densa** (Willd. ex Roem. & Schult.) Moq. GAB K PRE
 PSUB SRGH UCBG
 (*Brayulinea densa* (Willd.) Small)
 (*Illecebrum densum* Willd. ex Roem. & Schult.)

HERMBSTAEDIA Rchb.

- dammarensis* C.B.Clarke = H. *odorata* var. *odorata*
elegans Moq. = H. *odorata* var. *odorata*
elegans Moq. var. *aurantiaca* Suess. = H. *odorata* var. *aurantiaca*
fleckii (Schinz) Baker & C.B.Clarke K PRE SRGH UCBG

- (*Celosia fleckii* Schinz)
 (*Celosia humilis* Suess.)
 (*Celosia namaensis* Schinz)
 (H. *rogersii* Burt Davy)

laxiflora Lopr. = H. *odorata* var. *odorata*

linearis Schinz GAB K PRE PSUB SRGH UCBG

- (*Celosia falcata* Lopr.)
 (*Celosia linearis* (Schinz) Schinz)
 (*Celosia schinzii* (C.B.Clarke) Suess.)
 (H. *schinzii* C.B.Clarke)

odorata (Burch.) T.Cooke var. **albi-rosea** Suess. GAB K PRE
 PSUB SRGH UCBG

odorata (Burch.) T.Cooke var. **aurantiaca** (Suess.)

- C.C.Towns.
 GAB PSUB UCBG
 (H. *elegans* Moq. var. *aurantiaca* Suess.)

odorata (Burch.) T.Cooke var. **odorata** GAB PRE
 PSUB UCBG

- (*Celosia odorata* Burch.)
 (*Celosia recurva* Burch.)
 (H. *dammarensis* C.B.Clarke)
 (H. *elegans* Moq.)
 (H. *laxiflora* Lopr.)
 (H. *recurva* (Burch.) C.B.Clarke)
 (H. *rubromarginata* C.H.Wright)
 (H. *tetrastigma* Suess.)
 (H. *transvaalensis* Gand.)
 (H. *transvaalensis* Lopr.)

ovata Dinter = H. *scabra*

recurva (Burch.) C.B.Clarke = H. *odorata* var. *odorata*

rogersii Burt Davy = H. *fleckii*

rubromarginata C.H.Wright = H. *odorata* var. *odorata*

scabra Schinz K PRE PSUB SRGH
 (*Celosia scabra* (Schinz) Schinz)
 (H. *ovata* Dinter)

schaeferi (Schinz) Schinz & Dinter PRE

- (*Celosia schaeferi* Schinz)
schinzii C.B.Clarke = H. *linearis*
tetrastigma Suess. = H. *odorata* var. *odorata*
transvaalensis Gand. = H. *odorata* var. *odorata*
transvaalensis Lopr. = H. *odorata* var. *odorata*

ILLECEBRUM L.

densum Willd. ex Roem. & Schult. = *Guilleminea densa*

IREGINE P.Browne

javanica Burm.f. = *Aerva javanica* var. *javanica*

KYPHOCARPA (Fenzl) Lopr.

- angustifolia** (Moq.) Lopr. GAB K PRE PSUB SRGH UCBG
 (*Cyathula angustifolia* Moq.)
 (K. *zeyheri* (Moq.) Lopr.)
 (*Sericocoma angustifolia* (Moq.) Hook.f.)
 (*Sericocoma hereroensis* Suess. & Beyerle)
cruciata (Schinz) Schinz PRE
quadrangula (Engl.) C.B.Clarke = *Nelsia quadrangula*
zeyheri (Moq.) Lopr. = K. *angustifolia*

LEUCOSPHEAERA Gilg

bainesii (Hook.f.) Gilg GAB K LISC PRE PSUB

SRGH UCBG

(*L. pfeilii* Gilg)

(*Marcellia bainesii* (Hook.f.) C.B.Clarke)

(*Sericocoma bainesii* Hook.f.)

(*Sericocomopsis bainesii* (Hook.f.) Schinz)

pfeilii Gilg = *L. bainesii*

MARCELLIA Baill.

bainesii (Hook.f.) C.B.Clarke = *Leucosphaera bainesii*

sericea (Schinz) C.B.Clarke = *Sericorema sericea*

NELSIA Schinz

quadrangula (Engl.) Schinz GAB K PRE PSUB SRGH

(*Kyphocarpa quadrangula* (Engl.) C.B.Clarke)

(*Sericocoma quadrangula* Engl.)

(*Sericocomopsis quadrangula* (Engl.) Lopr.)

PUPALIA Juss.

atropurpurea (Lam.) Moq. = *P. lappacea* var. *lappacea*

***lappacea** (L.) A.Juss. var. **lappacea** GAB K PRE PSUB

SRGH UCBG

(*Achyranthes atropurpurea* Lam.)

(*Achyranthes lappacea* L.)

(*Desmochaeta atropurpurea* DC.)

(*P. atropurpurea* (Lam.) Moq.)

***lappacea** (L.) A.Juss. var. **velutina** (Moq.) Hook. f. PRE

micrantha Hauman K PRE SRGH

orthacantha Hochst. ex Asch. = *Cyathula orthacantha*

remotiflora Moq. = *Sericorema remotiflora*

SERICOCOMA Fenzl

angustifolia (Moq.) Hook.f. = *Kyphocarpa angustifolia*

bainesii Hook.f. = *Leucosphaera bainesii*

hereroensis Suess. & Beyerle = *Kyphocarpa*

angustifolia

quadrangula Engl. = *Nelsia quadrangula*

remotiflora Hook.f. = *Sericorema remotiflora*

sericea Schinz = *Sericorema sericea*

SERICOCOMOPSIS Schinz

bainesii (Hook.f.) Schinz = *Leucosphaera bainesii*

quadrangula (Engl.) Lopr. = *Nelsia quadrangula*

SERICOREMA (Hook.f.) Lopr.

remotiflora (Hook.f.) Lopr. C GAB K LISC PRE PSUB

SRGH UCBG

(*Pupalia remotiflora* Moq.)

(*Sericocoma remotiflora* Hook.f.)

(*Trichinium remotiflorum* Hook.)

sericea (Schinz) Lopr. BM K LISC PRE PSUB SRGH UCBG

(*Marcellia sericea* (Schinz) C.B.Clarke)

(*Sericocoma sericea* Schinz)

TRICHINIUM Moq.

remotiflorum Hook. = *Sericorema remotiflora*

ANACARDIACEAE

HEERIA Meisn.

insignis (Delile) Kuntze var. **reticulata** Baker f. =

Ozoroa insignis subsp. *reticulata*

longipes Engl. & Gilg = *Ozoroa longipes*

reticulata (Baker f.) Engl. = *Ozoroa insignis* subsp. *reticulata*

LANNEA A.Rich.

discolor (Sond.) Engl. GAB PRE PSUB SRGH UCBG 🌳

(*Odina discolor* Sond.)

edulis (Sond.) Engl. var. **edulis** GAB PRE PSUB SRGH

(*Odina edulis* Sond.)

gossweileri Exell & Mendonça subsp. **gossweileri** PRE

kirkii Burtt Davy = *L. schweinfurthii* var. *stuhlmannii*

schweinfurthii (Engl.) Engl. var. **stuhlmannii** (Engl.) Kokwaro

PRE SRGH 🌳

(*Commiphora porensis* Engl.)

(*L. kirkii* Burtt Davy)

(*L. stuhlmannii* (Engl.) Engl.)

schweinfurthii (Engl.) Engl. var. **tomentosa** (Dunkley)

Kokwaro

GAB PSUB SRGH UCBG 🌳

(*L. stuhlmannii* (Engl.) Engl. var. **tomentosa** Dunkley)

stuhlmannii (Engl.) Engl. = *L. schweinfurthii* var. *stuhlmannii*

stuhlmannii (Engl.) Engl. var. **tomentosa** Dunkley =

L. schweinfurthii var. *tomentosa*

ODINA Engl.

discolor Sond. = *Lannea discolor*

edulis Sond. = *Lannea edulis* var. *edulis*

OZOROA Delile

albicans R.Fern. & A.Fern. PRE 🌳

engleri R.Fern. & A.Fern. SRGH UCBG 🌳

insignis Delile subsp. **reticulata** (Baker f.) J.B.Gillett COI GAB

PRE PSUB SRGH 🌳

(*Heeria insignis* (Delile) Kuntze var. *reticulata* Baker f.)

(*Heeria reticulata* (Baker f.) Engl.)

(*O. reticulata* (Baker f.) R.Fern. & A.Fern.)

longipes (Engl. & Gilg) R.Fern. & A.Fern. LISC PRE SRGH 🌳

(*Heeria longipes* Engl. & Gilg)

nitida (Engl. & Brehm.) R.Fern. & A.Fern. PSUB UCBG 🌳

paniculosa (Sond.) R.Fern. & A.Fern. var. **paniculosa** COI

GAB PRE PSUB SRGH UCBG 🌳

(*Rhus paniculosa* Sond.)

paniculosa (Sond.) R.Fern. & A.Fern. var. **salicina** (Sond.)

R.Fern. & A.Fern. GAB K M PRE PSUB SRGH UCBG 🌳

(*Ipomoea angustifolia* Jacq.)

(*Rhus salicina* Sond.)

reticulata (Baker f.) R.Fern. & A.Fern. = *O. insignis*

subsp. *reticulata*

schinzii (Engl.) R.Fern. & A.Fern. PRE 🌳

RHUS L.

amerina Meikle = *R. leptodictya*

baurii Schönland = *R. pyroides* var. *pyroides*

burkeana Sond. = *R. magalismontana* subsp. *magalismontana*

ciliata Licht. ex Schult. PRE SRGH 🌿

(*R. ciliata* Licht. ex Schult. forma *fastigiata* Schönland)

(*R. ciliata* Licht. ex Schult. forma *lepidota* Burtt Davy)

ciliata Licht. ex Schult. forma *fastigiata* Schönland = *R. ciliata*

ciliata Licht. ex Schult. forma *lepidota* Burtt Davy = *R. ciliata*

cinerea R.Fern. & A.Fern. = *R. magalismontana* subsp.

magalismontana

commiphoroides Engl. & Gilg = *R. tenuinervis* var. *tenuinervis*

coriacea Engl. = *R. magalismontana* subsp. *magalismontana*

gueinzii Sond. ?

lancea L.f. BM GAB PRE PSUB SRGH UCBG UPS 🌿

(*R. viminalis* Aiton)

leptodictya Diels GAB K PRE SRGH UCBG 🌿

(*R. amerina* Meikle)

(*R. rhombocarpa* R.Fern. & A.Fern.)

lucens Hutch. K PRE SRGH 🌿

magalismontana Sond. subsp. *magalismontana* GAB PRE

SRGH UCBG 🌿

(*R. burkeana* Sond.)

(*R. cinerea* R.Fern. & A.Fern.)

(*R. coriacea* Engl.)

(*R. oblancoolata* Schinz)

magalismontana Sond. subsp. *magalismontana* x *pyroides*

Burch. var. *pyroides* PRE 🌿

(? *R. milleri* R.Fern. & A.Fern.)

marlothii Engl. BM PRE SRGH 🌿

milleri R.Fern. & A.Fern. = ? *R. magalismontana* Sond. subsp.

magalismontana x *R. pyroides* Burch. var. *pyroides*

oblancoolata Schinz = *R. magalismontana* subsp.

magalismontana

pallens Eckl. & Zeyh. PRE 🌿

paniculosa Sond. = *Ozoroa paniculosa* var. *paniculosa*

puberula Eckl. & Zeyh. = *R. pyroides* var. *pyroides*

pyroides Burch. var. *puberula* (Eckl. & Zeyh.) Schönland =

R. pyroides var. *pyroides*

pyroides Burch. var. *pyroides* COI GAB K PRE PSUB SRGH

UCBG 🌿

(*R. baurii* Schönland)

(*R. puberula* Eckl. & Zeyh.)

(*R. pyroides* Burch. var. *puberula* (Eckl. & Zeyh.) Schönland)

(*R. vulgaris* Meikle)

quartiniana A.Rich. var. *acutifoliata* (Engl.) Meikle =

R. quartiniana

quartiniana A.Rich. BM GAB K PRE PSUB SRGH 🌿

(*R. quartiniana* A.Rich. var. *acutifoliolata* (Engl.) Meikle)

(*R. quartiniana* A.Rich. var. *zambesiensis* R.Fern. & A.Fern.)

quartiniana A.Rich. var. *zambesiensis* R.Fern. & A.Fern. =

R. quartiniana

rhombocarpa R.Fern. & A.Fern. = *R. leptodictya*

salicina Sond. = *Ozoroa paniculosa* var. *salicina*

tenuinervis Engl. BM COI GAB M PRE PSUB SRGH

UCBG 🌿

(*R. commiphoroides* Engl. & Gilg)

undulata Jacq. SRGH 🌿

viminalis Aiton = *R. lancea*

vulgaris Meikle = *R. pyroides* var. *pyroides*

SCHINUS L.

**molle* L. PRE PSUB SRGH UCBG 🌿🌿

SCLEROCARYA Hochst.

birrea (A.Rich.) Hochst. subsp. *caffra* (Sond.) Kokwaro GAB K

PRE PSUB SRGH UCBG 🌿

(*Commiphora subglauca* Engl.)

(*S. caffra* Sond.)

(*S. schweinfurthiana* Schinz)

caffra Sond. = *S. birrea* subsp. *caffra*

schweinfurthiana Schinz = *S. birrea* subsp. *caffra*

ANNONACEAE

ANNONA L.

arenaria Thonn. ex Schumach. = *A. senegalensis*

subsp. *senegalensis*

chrysophylla Bojer = *A. senegalensis* subsp. *senegalensis*

chrysophylla Bojer var. *porpetac* (Boiv. ex Baill.) Robyns &

Ghesq. = *A. senegalensis* subsp. *senegalensis*

friesii Robyns & Ghesq. = *A. stenophylla* subsp. *nana*

friesii Robyns & Ghesq. var. *elongata* Robyns & Ghesq. =

A. stenophylla subsp. *nana*

nana Exell = *A. stenophylla* subsp. *nana*

porpetac Boiv. ex Baill. = *A. senegalensis* subsp. *senegalensis*

senegalensis Pers. subsp. *senegalensis* PRE SRGH 🌿

(*A. arenaria* Thonn. ex Schumach.)

(*A. chrysophylla* Bojer)

(*A. chrysophylla* Bojer var. *porpetac* (Boiv. ex Baill.)

Robyns & Ghesq.)

(*A. porpetac* Boiv. ex Baill.)

(*A. senegalensis* Pers. var. *chrysophylla* (Bojer) Sillans)

(*A. senegalensis* Pers. var. *latifolia* Oliv.)

(*A. senegalensis* Pers. var. *porpetac* (Boiv. ex Baill.) Diels)

senegalensis Pers. var. *chrysophylla* (Bojer) Sillans =

A. senegalensis subsp. *senegalensis*

senegalensis Pers. var. *latifolia* Oliv. = *A. senegalensis*

subsp. *senegalensis*

senegalensis Pers. var. *porpetac* (Boiv. ex Baill.)

Diels = *A. senegalensis* subsp. *senegalensis*

stenophylla Engl. & Diels subsp. *nana* (Exell) N.Robson

GAB PRE PSUB SRGH

(*A. friesii* Robyns & Ghesq.)

(*A. friesii* Robyns & Ghesq. var. *elongata* Robyns & Ghesq.)

(*A. nana* Exell)

(*A. stenophylla* Engl. & Diels var. *nana* R.E.Fr.)

stenophylla Engl. & Diels var. *nana* R.E.Fr. = *A. stenophylla*

subsp. *nana*

ARTABOTRYS R.Br.

brachypetalus Benth. GAB K PRE SRGH UCBG 🌿

FRIESODIELSIA Steenis

obovata (Benth.) Verdc. BM GAB K PRE PSUB 🌿

(*Popowia obovata* (Benth.) Engl. & Diels)

(*Popowia stormsii* De Wild)

(*Unona obovata* Benth.)

HEXALOBUS A.DC.

- glabrescens* Hutch. & Dalziel ex Burtt Davy =
H. monopetalus var. monopetalus
- huillensis* (Engl. & Diels) Engl. & Diels = H. monopetalus
var. monopetalus
- monopetalus** (A.Rich.) Engl. & Diels var. **monopetalus** K PRE
PSUB SRGH UCBG 🌳
(*H. glabrescens* Hutch. & Dalziel ex Burtt Davy)
(*H. huillensis* (Engl. & Diels) Engl. & Diels)
(*H. monopetalus* (A.Rich.) Engl. var. *parvifolius* Baker f.)
(*H. senegalensis* A.DC.)
(*Uvaria huillensis* Engl. & Diels)
(*Uvaria monopetala* A.Rich.)
- monopetalus* (A.Rich.) Engl. var. *parvifolius* Baker f. =
H. monopetalus var. monopetalus
- senegalensis* A.DC. = H. monopetalus var. monopetalus

POPOWIA Endl.

- obovata* (Benth.) Engl. & Diels = Friesodielsia obovata
- stormsii* De Wild = Friesodielsia obovata

UNONA L

- obovata* Benth. = Friesodielsia obovata

UVARIA L.

- huillensis* Engl. & Diels = Hexalobus monopetalus
var. monopetalus
- monopetala* A.Rich. = Hexalobus monopetalus var.
monopetalus

XYLOPIA L.

- antunesii* Engl. & Diels = X. odoratissima
- mendoncae* Exell = X. tomentosa
- odoratissima** Welw. ex Oliv. BM FHO GAB PRE
PSUB SRGH 🌳
(*X. antunesii* Engl. & Diels)
(*Xylopicrum odoratissimum* (Welw. ex Oliv.) Kuntze)
- tomentosa** Exell PRE SRGH 🌳
(*X. mendoncae* Exell)

XYLOPICRUM P.Browne

- odoratissimum* (Welw. ex Oliv.) Kuntze = Xylopia odoratissima

APIACEAE (UMBELLIFERAE)

ANNESORHIZA Cham. & Schltldl.

- abyssinica* A.Braun = Heteromorpha arborescens
var. abyssinica

APIUM L.

- ***graveolens** L. PRE
- leptophyllum* (Pers.) F.Muell. ex Benth. = Cyclosporum
leptophyllum

BUPLEURUM L.

- trifoliatum* H.L.Wendl. = Heteromorpha arborescens
var. abyssinica

CYCLOSPERMUM Lag.

- ***leptophyllum** (Pers.) Sprague BM GAB PRE SRGH
(*Apium leptophyllum* (Pers.) F.Muell. ex Benth.)
(*Pimpinella leptophylla* Pers.)
- DEVERRA** DC.
aphylla (Cham. & Schltldl.) DC. = D. denudata subsp. *aphylla*
(*Pituranthos aphyllus* (Cham. & Schltldl.) Benth. & Hook.f.
ex Schinz)
- burchellii** (DC.) Eckl. & Zeyh. BM GAB PRE SRGH
(*Pituranthos burchellii* (DC.) Benth. & Hook.f. ex Schinz)
- denudata** (Viv.) Pfisterer & Podlech subsp. **aphylla** (Cham. &
Schltldl.) Pfisterer & Podlech PRE
(*D. aphylla* (Cham. & Schltldl.) DC.)
(*Pituranthos aphyllus* (Cham. & Schltldl.) Benth. & Hook.f. ex
Schinz)

HETEROMORPHA Cham. & Schltldl.

- abyssinica* Hochst. ex A.Rich. var. *abyssinica* = H. arborescens
var. abyssinica
- abyssinica* Hochst. ex A.Rich. var. *simplicifolia* A.Rich. =
H. arborescens var. abyssinica
- arborescens** (Spreng.) Cham. & Schltldl. var. **abyssinica** (A.Rich.)
H.Wolff GAB K PRE PSUB SRGH UCBG 🌳🌳
(*Annesorhiza abyssinica* A.Braun)
(*Bupleurum trifoliatum* H.L.Wendl.)
(*H. abyssinica* Hochst. ex A.Rich. var. *abyssinica*)
(*H. abyssinica* Hochst. ex A.Rich. var. *simplicifolia* A.Rich.)
(*H. arborescens* (Spreng.) Cham. & Schltldl. var.
trifoliata (H.L.Wendl.) Sond.)
(*H. trifoliata* (H.L.Wendl.) Eckl. & Zeyh.)
- arborescens** (Spreng.) Cham. & Schltldl. var. **arborescens**
PRE 🌳🌳
arborescens (Spreng.) Cham. & Schltldl. var. *trifoliata*
(H.L.Wendl.) Sond. = H. arborescens var. abyssinica
trifoliata (H.L.Wendl.) Eckl. & Zeyh. = H. arborescens
var. abyssinica

PIMPINELLA L.

- leptophylla* Pers. = Cyclosporum leptophyllum

PITURANTHOS Viv.

- aphyllus* (Cham. & Schltldl.) Benth. & Hook.f. ex Schinz
= Deverra denudata subsp. *aphylla*
- burchellii* (DC.) Benth. & Hook.f. ex Schinz = Deverra
burchellii

STEGANOTAENIA Hochst.

- araliacea** Hochst. var. **araliacea** BM GAB K PRE PSUB
SRGH UCBG 🌳🌳

APOCYNACEAE

ACOKANTHERA G.Don

- oppositifolia** (Lam.) Codd PRE

ADENIUM Roem. & Schult.

- boehmianum** Schinz SRGH 🌳🌳

oleifolium Stapf GAB PRE SRGH UCBG ♦♦

ANCYLOBOTRYS Pierre

capensis (Oliv.) Pichon GAB PRE SRGH UCBG
(*Landolphia capensis* Oliv.)

ASCLEPIAS L.

abyssinica (Hochst.) N.E.Br. = *Gomphocarpus fruticosus*
subsp. *fruticosus*
albida N.E.Br. = *Gomphocarpus fruticosus* subsp. *fruticosus*
aphylla Thunb. = *Sarcostemma viminale* subsp. *viminale*
aurea (Schltr.) Schltr. PRE
burchellii Schltr. = *Gomphocarpus tomentosus*
subsp. *tomentosus*
crassifolia Decne. = *Gomphocarpus fruticosus* subsp. *fruticosus*
crinita (Bertol.) N.E.Br. = *Gomphocarpus fruticosus* subsp. *fruticosus*
daemia Forssk. = *Pergularia daemia* var. *daemia*
decipiens N.E.Br. = *Gomphocarpus fruticosus* subsp. *decipiens*
euphorbioides A.Chev. = *Gomphocarpus fruticosus*
subsp. *fruticosus*
flavida N.E.Br. = *Gomphocarpus fruticosus* subsp. *fruticosus*
fruticosa L. = *Gomphocarpus fruticosus* subsp. *fruticosus*
fruticosa L. var. *angustissima* (Engl.) Schltr. = *Gomphocarpus*
fruticosus subsp. *fruticosus*
geminata Roxb. = *Marsdenia sylvestris*
glabra Mill. = *Gomphocarpus fruticosus* subsp. *fruticosus*
lanata (E.Mey.) Druce = *Gomphocarpus fruticosus*
subsp. *fruticosus*
leucotricha Schltr. = *Xysmalobium undulatum*
meliodora (Schltr.) Schltr. var. *meliodora* PRE SRGH
nuda Schumach. & Thonn. = *Sarcostemma viminale*
subsp. *viminale*
phillipsiae N.E.Br. = *Gomphocarpus fruticosus* subsp. *fruticosus*
pubiseta N.E.Br. = *Gomphocarpus fruticosus* subsp. *fruticosus*
rostrata N.E.Br. = *Gomphocarpus fruticosus* subsp. *rostratus*
setosa Forssk. = *Gomphocarpus fruticosus* subsp. *fruticosus*
undulata L. = *Xysmalobium undulatum*

BAISSEA A.DC.

wulffhorstii Schinz GAB PRE PSUB SRGH UCBG

BARROWIA Decne.

jasminiflora Decne. = *Orthanthera jasminiflora*

BRACHYSTELMA R.Br.

arnotii Baker PRE SRGH ♦
(*B. grossartii* Dinter)
barberae Harv. ex Hook.f. ♦
(*Dichaelia barberae* (Harv. ex Hook.f.) Bullock)
burchellii (Decne.) Peckover var. *burchellii*
(*Macropetalum burchellii* Decne. var. *burchellii*)
circinatum E.Mey. PRE SRGH ♦
(*B. galpinii* (Schltr.) N.E.Br.)
(*B. pallidum* (Schltr.) N.E.Br.)
(*Dichaelia circinata* (E.Mey.) Schltr.)
cupulatum R.A.Dyer PRE ♦
distinctum N.E.Br. = *B. elongatum*

elongatum (Schltr.) N.E.Br. PRE ♦

(*B. distinctum* N.E.Br.)
(*Dichaelia elongata* Schltr.)

foetidum Schltr. GAB PRE ♦

(*B. rehmannii* Schltr.)

galpinii (Schltr.) N.E.Br. = *B. circinatum*

gracile E.A.Bruce PRE SRGH ♦

grossartii Dinter = *B. arnotii*

gymnopodium (Schltr.) Bruyns GAB PRE ♦?

(*Ceropegia gymnopoda* Schltr.)

(*Ceropegia pumila* N.E.Br.)

(*Ceropegia pygmaea* Schinz)

pallidum (Schltr.) N.E.Br. = *B. circinatum*

rehmannii Schltr. = *B. foetidum*

schultzei (Schltr.) Bruyns ♦

(*Tenaris schultzei* (Schltr.) E.Phillips)

CARALLUMA R.Br.

caudata N.E.Br. = *Orbea caudata*
knobelii (E.Phillips) E.Phillips = *Orbea knobelii*
lateritia N.E.Br. = *Orbeopsis lutea* subsp. *lutea*
lateritia N.E.Br. var. *stevensonii* A.C.White & B.Sloane =
Orbeopsis lutea subsp. *lutea*
lateritia N.E.Br. var. *vansonii* (Bremek. & Oberm.)
C.A.Lückh. = *Orbeopsis lutea* subsp. *lutea*
lugardii N.E.Br. = *Orbea lugardii*
lutea N.E.Br. = *Orbea lutea* subsp. *lutea*
rogersii (L.Bolus) E.A.Bruce & R.A.Dyer = *Orbea rogersii*
vansonii Bremek. & Oberm. = *Orbea lutea* subsp. *lutea*

CARISSA L.

bispinosa (L.) Desf. ex Brenan subsp. *bispinosa* GAB PRE
SRGH UCBG ♦
edulis Vahl GAB PRE PSUB SRGH ♦
(*Azima pubescens* Suess.)

CATHARANTHUS G.Don

***roseus** (L.) G.Don GAB SRGH UCBG ♦

CEROPEGIA L.

acaciatorum Schltr. = *C. pachystelma* subsp. *pachystelma*
ampliata E.Mey. UCBG ♦
bonafouxii K.Schum. SRGH ♦
carnosa E.Mey. ?
(*C. racemosa* N.E.Br. subsp. *setifera* (Schltr.) H.Huber)
crassifolia Schltr. var. *crassifolia* PRE SRGH ♦
floribunda N.E.Br. PRE PSUB ♦♦
gymnopoda Schltr. = *Brachystelma gymnopodium*
kassneri S.Moore = *C. purpurascens* subsp. *purpurascens*
kwebensis N.E.Br. = *C. purpurascens* subsp. *purpurascens*
lugardiae N.E.Br. PRE SRGH ♦
multiflora Baker subsp. *tentaculata* (N.E.Br.) H.Huber GAB
PSUB SRGH ♦
nilotica Kotschy PRE PSUB SRGH ♦
obscura N.E.Br. = *C. pachystelma* subsp. *pachystelma*
pachystelma Schltr. subsp. *pachystelma* PRE ♦
(*C. acaciatorum* Schltr.)

(*C. obscura* N.E.Br.)
 (*C. schinziana* Bull.)
 (*C. undulata* N.E.Br.)
pumila N.E.Br. = *Brachystelma gymnopodium*
purpurascens K.Schum. subsp. **purpurascens** PRE ♣
 (*C. kassneri* S.Moore)
 (*C. kwebensis* N.E.Br.)
pygmaea Schinz = *Brachystelma gymnopodium*
racemosa N.E.Br. subsp. *setifera* (Schltr.) H.Huber = *C. carnososa*
rendallii N.E.Br. ♣? ?
schinziana Bull. = *C. pachystelma* subsp. *pachystelma*
undulata N.E.Br. = *C. pachystelma* subsp. *pachystelma*

CRYPTOLEPIS R.Br.

angolensis Welw. ex Hiern = *C. oblongifolia*
baumii N.E.Br. = *C. oblongifolia*
brazzaei Baill. = *C. oblongifolia*
buxifolia Chiov. = *C. oblongifolia*
debeerstii De Wild. = *C. oblongifolia*
elliottii Schltr. = *C. oblongifolia*
hensii N.E.Br. = *C. oblongifolia*
linearis N.E.Br. = *C. oblongifolia*
monteiroae Oliv. = *Stomatostemma monteiroae*
myrtifolia (Baill.) Schltr. = *C. oblongifolia*
nigritana (Benth.) N.E.Br. = *C. oblongifolia*
oblongifolia (Meisn.) Schltr.
 (*C. angolensis* Welw. ex Hiern)
 (*C. baumii* N.E.Br.)
 (*C. brazzaei* Baill.)
 (*C. buxifolia* Chiov.)
 (*C. debeerstii* De Wild.)
 (*C. elliottii* Schltr.)
 (*C. hensii* N.E.Br.)
 (*C. linearis* N.E.Br.)
 (*C. myrtifolia* (Baill.) Schltr.)
 (*C. nigritana* (Benth.) N.E.Br.)
 (*C. oblongifolia* (Meisn.) Schltr.)
 (*C. scandens* (K.Schum.) Schltr.)
 (*C. sizenandi* Rolfe)
 (*C. suffruticosa* (K.Schum.) N.E.Br.)
 (*C. welwitschii* (Baill.) Schltr.)
 (*C. welwitschii* (Baill.) Schltr.
 var. *luteola* Hiern)
 (*Ectadiopsis acutifolia* Benth.)
 (*Ectadiopsis buettneri* K.Schum.)
 (*Ectadiopsis lanceolata* Baill.)
 (*Ectadiopsis myrtifolia* Baill.)
 (*Ectadiopsis nigritana* Benth.)
 (*Ectadiopsis nigritana* Benth. var. *congesta*
 K.Schum.)
 (*Ectadiopsis ruspolii* Chiov.)
 (*Ectadiopsis scandens* K.Schum.)
 (*Ectadiopsis suffruticosa* K.Schum.)
 (*Ectadiopsis welwitschii* Baill.)
 (*Ectadium oblongifolium* Meisn.)
 (*Secamone acutifolia* Sond.)
scandens (K.Schum.) Schltr. = *C. oblongifolia*

sizenandi Rolfe = *C. oblongifolia*
suffruticosa (K.Schum.) N.E.Br. = *C. oblongifolia*
welwitschii (Baill.) Schltr. = *C. oblongifolia*
welwitschii (Baill.) Schltr. var. *luteola* Hiern =
 C. oblongifolia

CYNANCHUM L.

aphyllum (Thunb.) Schltr. = *Sarcostemma viminale*
 subsp. *viminale*
brevidens N.E.Br. = *C. schistoglossum*
brevidens N.E.Br. var. *zambesiaca* N.E.Br. = *C. schistoglossum*
minutiflorum Schumach. = *C. schistoglossum*
omissum Bullock = *Fockea angustifolia*
orangeanum (Schltr.) N.E.Br. GAB PRE PSUB SRGH UCBG
 (*Flanaganiana orangeana* Schltr.)
schistoglossum Schltr. GAB PRE PSUB
 (*C. brevidens* N.E.Br.)
 (*C. brevidens* N.E.Br. var. *zambesiaca* N.E.Br.)
 (*C. minutiflorum* Schumach.)
 (*C. vagum* N.E.Br.)
vagum N.E.Br. = *C. schistoglossum*

DAEMIA Poir.

extensa R.Br. = *Pergularia daemia* var. *daemia*

DECABELONE Decne.

barklyi T.-Dyer = *Tavaresia barklyi*
grandiflora Dinter = *Tavaresia barklyi*

DICHAELIA Harv.

barberae (Harv. ex Hook.f.) Bullock =
Brachystelma barberae
circinata (E.Mey.) Schltr. = *Brachystelma circinatum*
elongata Schltr. = *Brachystelma elongatum*

DIPLORHYNCHUS Welw. ex Ficalho & Hiern

condylocarpon (Müll.Arg.) Pichon GAB PRE PSUB SRGH UCBG ♣

DREGEA E.Mey.

macrantha Klotzsch = *Marsdenia macrantha*

DUVALIA Haw.

dentata N.E.Br. = *D. polita* var. *polita*
polita N.E.Br. var. **polita** GAB PRE SRGH ♣
 (*D. dentata* N.E.Br.)
 (*D. polita* N.E.Br. var. *parviflora* (L.Bolus) A.C.White &
 B.Sloane)
 (*D. polita* N.E.Br. var. *polita* forma *intermedia* A.C.White &
 B.Sloane)
 (*D. polita* N.E.Br. var. *transvaalensis* (Schltr.) A.C.White &
 B.Sloane)
 (*D. transvaalensis* Schltr.)
 (*D. transvaalensis* Schltr. var. *parviflora* L.Bolus)
polita N.E.Br. var. *parviflora* (L.Bolus) A.C.White & B.Sloane =
 D. polita var. *polita*
polita N.E.Br. var. *polita* forma *intermedia* A.C.White &
 B.Sloane = *D. polita* var. *polita*

polita N.E.Br. var. *transvaalensis* (Schltr.) A.C.White & B.Sloane = *D. polita* var. *polita*
transvaalensis Schltr. = *D. polita* var. *polita*
transvaalensis Schltr. var. *parviflora* L.Bolus = *D. polita* var. *polita*

ECTADIOPSIS Benth.

acutifolia Benth. = *Cryptolepis oblongifolia*
buettneri K.Schum. = *Cryptolepis oblongifolia*
lanceolata Baill. = *Cryptolepis oblongifolia*
myrtifolia Baill. = *Cryptolepis oblongifolia*
nigritana Benth. = *Cryptolepis oblongifolia*
nigritana Benth. var. *congesta* K.Schum. = *Cryptolepis oblongifolia*
oblongifolia (Meisn.) Benth. ex Schltr. = *C. oblongifolia*
ruspolii Chiov. = *Cryptolepis oblongifolia*
scandens K.Schum. = *Cryptolepis oblongifolia*
suffruticosa K.Schum. = *Cryptolepis oblongifolia*
welwitschii Baill. = *Cryptolepis oblongifolia*

ECTADIUM E.Mey.

oblongifolium Meisn. = *Cryptolepis oblongifolia*

EUPHORBIA

antunesii Pax = *Tavaresia barklyi*

FLANAGANIA Schltr.

orangeana Schltr. = *Cynanchum orangeanum*

FOCKEA Endl.

angustifolia K.Schum. GAB PRE PSUB SRGH UCBG ♣
 (*Cynanchum omisum* Bullock)
 (*F. dammarana* Schltr.)
 (*F. lugardii* N.E.Br.)
 (*F. sessiliflora* Schltr.)

dammarana Schltr. = *F. angustifolia*

lugardii N.E.Br. = *F. angustifolia*

monroi S.Moore PRE ♣ ?

multiflora K.Schum. PRE PSUB UCBG ♣

sessiliflora Schltr. = *F. angustifolia*

GOMPHOCARPUS R.Br.

abyssinicus Hochst. = *G. fruticosus* subsp. *fruticosus*
cornutus Decne. = *G. fruticosus* subsp. *fruticosus*
crinitus Bertol. = *G. fruticosus* subsp. *fruticosus*
frutescens E.Mey. = *G. fruticosus* subsp. *fruticosus*
fruticosus (L.) Aiton f. subsp. *fruticosus* GAB PRE PSUB SRGH UCBG
 (*Asclepias abyssinica* (Hochst.) N.E.Br.)
 (*Asclepias albida* N.E.Br.)
 (*Asclepias crassifolia* Decne.)
 (*Asclepias crinita* (Bertol.) N.E.Br.)
 (*Asclepias euphorbioides* A.Chev.)
 (*Asclepias flavida* N.E.Br.)
 (*Asclepias fruticosa* L.)
 (*Asclepias fruticosa* L. var. *angustissima* (Engl.) Schltr.)

(*Asclepias glabra* Mill.)
 (*Asclepias lanata* (E.Mey.) Druce)
 (*Asclepias phillipsiae* N.E.Br.)
 (*Asclepias pubiseta* N.E.Br.)
 (*Asclepias setosa* Forssk.)
 (*G. abyssinicus* Hochst.)
 (*G. cornutus* Decne.)
 (*G. crinitus* Bertol.)
 (*G. frutescens* E.Mey.)
 (*G. fruticosus* (L.) Aiton f. var. *angustissimus* Engl.)
 (*G. fruticosus* (L.) Aiton f. var. *purpureus* Schweinf.)
 (*G. lanatus* E.Mey.)
 (*G. purpurascens* A.Rich.)
 (*G. setosus* (Forssk.) Decne.)
 (*G. verticillatus* Turcz.)

fruticosus (L.) Aiton f. subsp. *rostratus* (N.E.Br.) Goyder & Nicholas PRE SRGH UCBG
 (*Asclepias rostrata* N.E.Br.)
 (*G. rostratus* (N.E.Br.) Bullock)

fruticosus (L.) Aiton f. var. *angustissimus* Engl. = *G. fruticosus* subsp. *fruticosus*

fruticosus (L.) Aiton f. var. *purpureus* Schweinf. = *G. fruticosus* subsp. *fruticosus*

fruticosus (L.) Aiton f. var. *tomentosus* K.Schum. = *G. tomentosus*

lanatus E.Mey. = *G. tomentosus* subsp. *tomentosus*

physocarpus E.Mey. PRE

purpurascens A.Rich. = *G. fruticosus* subsp. *fruticosus*

rostratus (N.E.Br.) Bullock = *G. fruticosus* subsp. *rostratus*

setosus (Forssk.) Decne. = *G. fruticosus* subsp. *fruticosus*

tomentosus Burch. subsp. *tomentosus* GAB PRE PSUB SRGH UCBG

(*Asclepias burchellii* Schltr.)

(*G. fruticosus* (L.) Aiton f. var. *tomentosus* K.Schum.)

(*G. lanatus* E.Mey.)

verticillatus Turcz. = *G. fruticosus*

GYMNEMA R.Br.

parvifolium Oliv. = *Secamone parvifolia*

sylvestre (Retz.) Schult. = *Marsdenia sylvestris*

HOODIA Sweet ex Decne.

currorii (Hook.) Decne. subsp. *lugardii* (N.E.Br.)

Bruyns PRE SRGH UCBG ♣♣

(*H. lugardii* N.E.Br.)

gordonii (Masson) Sweet & Decne. PRE ♣

lugardii N.E.Br. = *H. currorii* subsp. *lugardii*

parviflora N.E.Br. PRE SRGH UCBG ♣

HUERNIA R.Br.

blackbeardiae R.A.Dyer = *H. zebrina* subsp. *magniflora*

brevirostris N.E.Br. subsp. *intermedia* (N.E.Br.)

L.C.Leach PRE ♣

levyi Oberm. GAB PRE SRGH ♣♣

longituba N.E.Br. subsp. *longituba* PRE SRGH ♣

verekeri Stent var. *verekeri* PRE PSUB ♣

zebrina N.E.Br. subsp. *magniflora* (E.Phillips) L.C.Leach PRE SRGH ♣

- (*H. blackbeardiae* R.A.Dyer)
(*H. zebrina* N.E.Br. var. *magniflora* E.Phillips)
zebrina N.E.Br. subsp. **zebrina** SRGH ♣
zebrina N.E.Br. var. *magniflora* E.Phillips = *H. zebrina*
subsp. *magniflora*
- HUERNIOPSIS** N.E.Br.
atrosanguinea (N.E.Br.) A.C.White & B.Sloane
= *Piранthus atrosanguineus*
(*H. gibbosa* Nel)
decipiens N.E.Br. = *Piранthus decipiens*
gibbosa Nel = *Piранthus atrosanguineus*
- KANAHIA** R.Br.
laniflora (Forssk.) R.Br. GAB
- LANDOLPHIA** P.Beauv.
capensis Oliv. = *Ancylobotrys capensis*
- MACROPETALUM** Burch. ex Decne.
burchellii Decne. var. *burchellii* = *Brachystelma burchellii*
var. *burchellii*
- MARSDENIA** R.Br.
macrantha (Klotzsch) Schltr. GAB PRE PSUB
SRGH UCBG
(*Dregea macrantha* Klotzsch)
sylvestris (Retz.) P.I.Forst. GAB PRE SRGH UCBG
(*Asclepias geminata* Roxb.)
(*Gymnema sylvestre* (Retz.) Schult.)
(*Periploca sylvestris* Retz.)
- ORBEA** Haw.
caudata (N.E.Br.) Bruyns subsp. **rhodesiaca**
(L.C.Leach) Bruyns ♣
(*Caralluma caudata* (N.E.Br.) Bruyns)
(*Orbeopsis caudata* (N.E.Br.) L.C.Leach)
gossweileri (S.Moore) Bruyns ♣
huillensis (Hiern) Bruyns subsp. **huillensis** PRE ♣
(*Orbeopsis tsumebensis* (Oberm.) L.C.Leach)
knobelii (E.Phillips) Bruyns PRE ♣
(*Caralluma knobelii* (E.Phillips) E.Phillips)
(*Orbeopsis knobelii* (E.Phillips) L.C.Leach)
(*Stapelia knobelii* E.Phillips)
lugardii (N.E.Br.) Bruyns ♣
(*Caralluma lugardii* N.E.Br.)
(*Pachycumbium lugardii* (N.E.Br.) M.G.Gilbert)
lutea (N.E.Br.) Bruyns subsp. **lutea** GAB PRE PSUB SRGH ♣
(*Caralluma lateritia* N.E.Br.)
(*Caralluma lateritia* N.E.Br. var. *stevensonii* A.C.White & B.Sloane)
(*Caralluma lateritia* N.E.Br. var. *vansonii* (Bremek. &
Oberm.) C.A.Lückh.)
(*Caralluma lutea* N.E.Br.)
(*Caralluma vansonii* Bremek. & Oberm.)
(*Orbeopsis lutea* (N.E.Br.) L.C.Leach subsp. *lutea*)
maculata (N.E.Br.) L.C.Leach subsp. **maculata** PRE SRGH ♣
rogersii (L.Bolus) Bruyns ♣

- (*Caralluma rogersii* E.A.Bruce & R.A.Dyer)
(*Stapelia rogersii* L.Bolus)
tapscottii (I.Verd.) L.C.Leach K KMG PRE SRGH UCBG ♦♦
(*Stapelia tapscottii* I.Verd.)
(*Stultitia tapscottii* (I.Verd.) E.Phillips)
valida (N.E.Br.) Bruyns PRE ♣?
variegata (L.) Haw. SRGH ♣
- ORBEOPSIS** L.C.Leach
caudata (N.E.Br.) L.C.Leach = *Orbea caudata* (N.E.Br.)
Bruyns
knobelii (E.Phillips) L.C.Leach = *Orbea knobelii*
lutea (N.E.Br.) L.C.Leach subsp. *lutea* = *Orbea lutea*
tsumebensis (Oberm.) L.C.Leach = *Orbea huillensis*
subsp. *huillensis*
- ORTHANTHERA** Wight
browniana Schinz = *O. jasminiflora*
jasminiflora (Decne.) Schinz GAB PRE PSUB SRGH UCBG
(*Barrowia jasminiflora* Decne.)
(*O. browniana* Schinz)
- PACHYCARPUS** E.Mey.
concolor E.Mey. PRE ♣
- PACHYCYMBIUM** L.C.Leach
keithii (R.A.Dyer) Leach = *Orbea carnosa* subsp. *keithii*
lugardii (N.E.Br.) M.G.Gilbert = *Orbea lugardii*
rogersii (L.Bolus) M.G.Gilbert = *Orbea rogersii*
- PACHYPODIUM** Lindl.
lealii Welw. ♦♦?
- PARAPODIUM** E.Mey.
costatum E.Mey. PRE
- PENTARRHINUM** E.Mey.
insipidum E.Mey. GAB PRE PSUB SRGH UCBG
- PERGULARIA** L.
daemia (Forssk.) Chiov. var. **daemia** GAB PRE PSUB
SRGH UCBG
(*Asclepias daemia* Forssk.)
(*Daemia extensa* R.Br.)
(*P. daemia* (Forssk.) Chiov. var. *macrantha* Chiov.)
(*P. extensa* N.E.Br.)
daemia (Forssk.) Chiov. var. *macrantha* Chiov. = *P. daemia*
var. *daemia*
extensa N.E.Br. = *P. daemia* var. *daemia*
- PERIGLOSSUM** Decne.
mackenii Harv. PRE
(*P. mossambicense* Schltr.)
mossambicense Schltr. = *P. mackenii* Harv.
- PERIPLLOCA** L.
sylvestris Retz. = *Marsdenia sylvestris*

PIARANTHUS R.Br.**atrosanguineus** (N.E.Br.) Bruyns PRE*(Huerniopsis atrosanguinea* (N.E.Br.) A.C.White & B.Sloane)*(Huerniopsis gibbosa* Nel)**decipiens** (N.E.Br.) Bruyns PRE*(Huerniopsis decipiens* N.E.Br.)**RAPHIONACME** Harv.*burkei* N.E.Br. = *R. velutina**dinteri* Schltr. ex Schinz = *R. burkei**divaricata* Harv. = *R. hirsuta***hirsuta** (E.Mey.) R.A.Dyer ex E.Phillips GAB PRE ♣*(R. divaricata* Harv.)**inconspicua** H.Huber ♣**lanceolata** Schinz PRE ♣*(R. lanceolata* Schinz var. *latifolia* N.E.Br.)*lanceolata* Schinz var. *latifolia* N.E.Br. = *R. lanceolata***velutina** Schltr. PRE ♣*(R. burkei* N.E.Br.)*(R. dinteri* Schltr. ex Schinz)**SARCOSTEMMA** R.Br.*andongonense* Hiern = *S. viminale* subsp. *viminale**aphylla* Thunb. = *S. viminale* subsp. *viminale**aphyllum* (L.) R.Br. = *S. viminale* subsp. *viminale**nudum* C.Sm. ex Decne. = *S. viminale* subsp. *viminale***viminale** (L.) R.Br. subsp. **viminale** GAB PRE PSUB SRGH

UCBG ♣

(Asclepias aphylla Thunb.)*(Asclepias nuda* Schumach. & Thonn.)*(Cynanchum aphyllum* (Thunb.) Schltr.)*(S. andongonense* Hiern)*(S. aphylla* Thunb.)*(S. aphyllum* (L.) R.Br.)*(S. nudum* C.Sm. ex Decne.)**SCHIZOGLOSSUM** E.Mey*aciculare* N.E.Br. = *Stenostelma capense**capense* (Schltr.) H.Huber = *Stenostelma capense***SECAMONE** R.Br.*acutifolia* Sond. = *Cryptolepis oblongifolia***alpini** Schult. PRE*emetica* (Retz.) R.Br. ex Schult. var. *glabra* K.Schum. =*S. parvifolia**mombasiana* N.E.Br. = *S. parvifolia***parvifolia** (Oliv.) Bullock GAB SRGH*(Gymnema parvifolium* Oliv.)*(S. emetica* (Retz.) R.Br. ex Schult. var. *glabra* K.Schum.)*(S. mombasiana* N.E.Br.)*(S. schweinfurthii* K.Schum.)*(S. usambarica* N.E.Br.)*(S. zambeziaca* Schltr.)*(S. zambeziaca* Schltr. var. *parvifolia* N.E.Br.)*schweinfurthii* K.Schum. = *S. parvifolia**usambarica* N.E.Br. = *S. parvifolia**zambeziaca* Schltr. = *S. parvifolia**zambeziaca* Schltr. var. *parvifolia* N.E.Br. = *S. parvifolia***STAPELIA** L.*auobensis* Nel = *Tridentea marientalensis*subsp. *marientalensis***gettliffei** R.Pott PRE SRGH ♣**gigantea** N.E.Br. PRE SRGH UCBG ♣*knobelii* E.Phillips = *Orbea knobelii***kwebensis** N.E.Br. GAB PRE PSUB SRGH ♣*marientalensis* Nel = *Tridentea marientalensis*subsp. *marientalensis**rogersii* L.Bolus = *Orbea rogersii***schinzii** A.Berger & Schltr. SRGH ♣*tapscottii* I.Verd. = *Orbea tapscottii***unicornis** C.A.Lückh. PRE ♣**STATHMOSTELMA** K.Schum.**fornicatum** (N.E.Br.) Bullock subsp. **fornicatum** PRE**STENOSTELMA** Schltr.**capense** Schltr. PRE PSUB SRGH*(Schizoglossum aciculare* N.E.Br.)*(Schizoglossum capense* (Schltr.) H.Huber)**STOMATOSTEMMA** N.E.Br.**monteiroae** (Oliv.) N.E.Br. GAB PRE UCBG ♣*(Cryptolepis monteiroae* Oliv.)**STROPHANTHUS** DC.**kombe** Oliv. SRGH**STULTITIA** E.Phillips*tapscottii* (I.Verd.) E.Phillips = *Orbea tapscottii***TACAZZEA** Decne.**apiculata** Oliv. GAB PRE PSUB SRGH ♣*(T. apiculata* Oliv. var. *benedicta* Scott-Elliot)*(T. apiculata* Oliv. var. *glabra* K.Schum.)*(T. bagshawei* S.Moore)*(T. bagshawei* S.Moore var. *occidentalis* C.Norman)*(T. barteri* Baill.)*(T. brazzaeana* Baill.)*(T. kirkii* N.E.Br.)*(T. laxiflora* Engl.)*(T. nigriflora* N.E.Br.)*(T. stipularis* N.E.Br.)*(T. thollonii* Baill.)*(T. verticillata* K.Schum.)*(T. welwitschii* Baill.)*apiculata* Oliv. var. *benedicta* Scott-Elliot = *T. apiculata**apiculata* Oliv. var. *glabra* K.Schum. = *T. apiculata**bagshawei* S.Moore = *T. apiculata**bagshawei* S.Moore var. *occidentalis* C.Norman= *T. apiculata**barteri* Baill. = *T. apiculata**brazzaeana* Baill. = *T. apiculata**kirkii* N.E.Br. = *T. apiculata*

laxiflora Engl. = *T. apiculata*
nigritana N.E.Br. = *T. apiculata*
stipularis N.E.Br. = *T. apiculata*
thollonii Baill. = *T. apiculata*
verticillata K.Schum. = *T. apiculata*
welwitschii Baill. = *T. apiculata*

TAVARESIA Welw.

barklyi (T.-Dyer) N.E.Br. GAB PRE SRGH 🌳
(*Decabelone barklyi* T.-Dyer)
(*Decabelone grandiflora* Dinter)
(*Euphorbia antunesii* Pax)
(*T. grandiflora* (Dinter) A.Berger)
(*T. grandiflora* (Dinter) A.Berger var. *recta* Van Son)
(*T. grandiflora* K.Schum.)
grandiflora (Dinter) A.Berger = *T. barklyi*
grandiflora (Dinter) A.Berger var. *recta* Van Son = *T. barklyi*
grandiflora K.Schum. = *T. barklyi*

TENARIS E.Mey

schultzei (Schltr.) E.Phillips = *Brachystelma schultzei*

TRIDENTEA Haw.

marientalensis (Nel) L.C.Leach subsp. **marientalensis** SRGH 🌳
(*Stapelia auobensis* Nel)
(*Stapelia marientalensis* Nel)

WOODIA Schltr.

trilobata Schltr. = *Xysmalobium undulatum*

XYSMALOBIUM R.Br.

amplifolium Weim. = *X. undulatum*
angolense Scott-Elliot = *X. undulatum*
barbigerum N.E.Br. = *X. undulatum*
brownianum S.Moore PRE
dilatatum Weim. = *X. undulatum*
dispar N.E.Br. = *X. undulatum*
ensifolium Burch. ex Scott-Elliot = *X. undulatum*
leucotrichum (Schltr.) N.E.Br. = *X. undulatum*
prismatostigma K.Schum. = *X. undulatum*
trilobatum (Schltr.) N.E.Br. = *X. undulatum*
undulatum (L.) Aiton f. GAB PRE PSUB SRGH
(*Asclepias leucotricha* Schltr.)
(*Asclepias undulata* L.)
(*Woodia trilobata* Schltr.)
(*X. amplifolium* Weim.)
(*X. angolense* Scott-Elliot)
(*X. barbigerum* N.E.Br.)
(*X. dilatatum* Weim.)
(*X. dispar* N.E.Br.)
(*X. ensifolium* Burch. ex Scott-Elliot)
(*X. leucotrichum* (Schltr.) N.E.Br.)
(*X. prismatostigma* K.Schum.)
(*X. trilobatum* (Schltr.) N.E.Br.)

ARALIACEAE

CENTELLA L.

❄️ **asiatica** (L.) Urb. GAB PRE UCBG 🍄

(*Hydrocotyle asiatica* L.)

CUSSONIA Thunb.

natalensis Sond. UCBG 🌳
paniculata Eckl. & Zeyh. subsp. **paniculata** PRE 🌳🍄
paniculata Eckl. & Zeyh. subsp. **sinuata** (Reyneke & Kok)
De Winter K LISC PRE SRGH UCBG 🌳🍄
(*C. paniculata* Eckl. & Zeyh. var. *sinuata* Reyneke & Kok)
paniculata Eckl. & Zeyh. var. *sinuata* Reyneke & Kok =
C. *paniculata* subsp. *sinuata*
spicata Thunb. UCBG 🌳🍄

HYDROCOTYLE L.

asiatica L. = *Centella asiatica*
bonariensis Lam. PSUB 🍄
❄️ **ranunculoides** L.f. GAB PRE PSUB 🍄
verticillata Thunb. GAB K PRE PSUB 🍄

ARISTOLOCHACEAE

ARISTOLOCHIA L.

❄️ **elegans** Mast. SRGH 🍄

ASTERACEAE (COMPOSITAE)

ACANTHOSPERMUM Schrank

❄️ **glabratum** (DC.) Wild GAB SRGH UCBG
❄️ **hispidum** DC. GAB PRE PSUB SRGH UCBG

ACHILLEA L.

❄️ **millefolium** L. PRE
(*A. millefolium* L. subsp. *lanulosa* (Nutt.) Piper)
millefolium L. subsp. *lanulosa* (Nutt.) Piper = *A. millefolium*

ACHYROCLINE (Less.) DC.

stenoptera (DC.) Hilliard & B.L.Burt = *Helichrysum stenopteron*

ADENOSTEMMA J.R.Forst. & G.Forst.

caffrum DC. GAB PRE SRGH 🍄

AGERATUM L.

❄️ **conyzoides** L. PRE SRGH 🍄

AMBROSIA L.

❄️ **artemisiifolia** L. ?

AMELLUS L.

reductus Rommel ?

AMPHIDOX DC.

filaginea Ficalho & Hiern = *Gnaphalium filagopsis*
filaginea Ficalho & Hiern var. *transiens* Merxm. = *Gnaphalium filagopsis*
glandulosa Klatt = *Denekia capensis*
villosa O.Hoffm. = *Artemisiopsis villosa*

ARCTOTIS L.

venusta Norl. K PRE SRGH UCBG

ARTEMISIA L.

afra Jacq. ex Willd. PRE PSUB SRGH

ARTEMISIOPSIS S.Moore

villosa (O.Hoffm.) Schweick. PRE SRGH
(*Amphidoxa villosa* O.Hoffm.)

ASPILIA Thouars

eylesii S.Moore = *Melanthera albinervia*

subsp. *albinervia*

klotschyi (Sch.Bip. ex Hochst.) Oliv. SRGH

mossambicensis (Oliv.) Wild GAB PRE SRGH

(*Wedelia diversipapposa* S.Moore)

(*Wedelia mossambicensis* Oliv.)

ASTER L.

muricatus Thunb. = *Felicia muricata* subsp. *muricata*

muricatus Thunb. var. *chrysocomoides* Sond. = *Felicia muricata*
subsp. *muricata*

obtusatus Thunb. = *Chrysocoma obtusata*

***squamatus** (Spreng.) Hieron. GAB PRE SRGH

(*Conyza squamata* Spreng.)

villosus Thunb. = *Felicia muricata*

subsp. *muricata*

ATHRIXIA Ker Gawl

elata Sond. UCBG

BACCHARIS L.

dioscoridis L. = *Pluchea dioscoridis*

ivifolia L. = *Conyza scabrida*

BACCHAROIDES Moench

anthelmintica (L.) Moench

(*Conyza anthelmintica* L.)

(*Vernonia anthelmintica* (L.) Willd.)

(*Vernonia stenolepis* Oliv.)

BERKHEYA Ehrh.

adlami Hook.f. = *B. radula*

gazanioides Harv. = *Hirpicium gazanioides*

gorterioides Oliv. & Hiern = *Hirpicium gorterioides*

subsp. *gorterioides*

multijuga (DC.) Roessler PRE

radula (Harv.) De Wild. GAB K PRE PSUB SRGH UCBG

(*B. adlami* Hook.f.)

(*Stobaea radula* Harv.)

BERKHEYOPSIS O.Hoffm.

angolensis O.Hoffm. = *Hirpicium gorterioides*

subsp. *gorterioides*

bechuanensis S.Moore = *Hirpicium bechuanense*

brevisquama Mattf. = *Hirpicium bechuanense*

gorterioides (Oliv. & Hiern) Thell. = *Hirpicium gorterioides*

subsp. *gorterioides*

gossweileri S.Moore = *Hirpicium gorterioides*

subsp. *gorterioides*

langii Bremek. & Oberm. = *Hirpicium gorterioides*

subsp. *gorterioides*

pechuelii (Kuntze) O.Hoffm. =

Hirpicium gazanioides

rehmannii Thell. = *Hirpicium bechuanense*

BIDENS L.

***bipinnata** L. PRE

***bitermata** (Lour.) Merr. & Sherff SRGH UCBG

(*Coreopsis bitermata* Lour.)

leucantha (L.) Willd. = *B. pilosa*

***pilosa** L. GAB PRE PSUB SRGH UCBG

(*B. leucantha* (L.) Willd.)

prolixa S.Moore = *B. schimper*

***schimper** Sch.Bip. ex Walp. PRE PSUB SRGH

(*B. prolixa* S.Moore)

BLAINVILLEA Cass.

gayana Cass. GAB PRE PSUB SRGH

(*Wedelia gossweileri* S.Moore)

BLUMEA DC.

alata of authors not of (D.Don) DC. =

Laggera crispata

aurita (L.f.) DC. = *Pseudoconyza viscosa*

cafra (DC.) O.Hoffm. = *Doellia cafra*

crispata (Vahl) Merxm. = *Laggera crispata*

decurrens (Vahl) Merxm. GAB SRGH UCBG

dregeanoides Sch.Bip. ex A.Rich. PRE

(*B. mollis* (D.Don) Merr.)

gariepina DC. = *Laggera decurrens*

mollis (D.Don) Merr. = *B. dregeanoides*

pterodonta DC. = *Laggera crispata*

solidaginoides (Poir.) DC. GAB

viscosa (Mill.) V.M.Badillo = *Pseudoconyza viscosa*

BRACHYLAENA R.Br.

discolor DC. SRGH

(*B. discolor* DC. subsp. *discolor* var.

mossambicensis Paiva)

discolor DC. subsp. *discolor* var. *mossambicensis* Paiva =

B. discolor

huillensis O.Hoffm PRE UCBG 📌

ilicifolia (Lam.) E.Phillips & Schweick. SRGH 📌

rhodesiana S.Moore = *B. rotundata*

rotundata S.Moore GAB K PRE SRGH UCBG 📌

(*B. rhodesiana* S.Moore)

CACALIA L.

acaulis L.f. = *Senecio acaulis*

CALENDULA L.

cuneata Thunb. = *Dimorphotheca cuneata*

CALOSTEPHANE Benth.

divaricata Benth. GAB PRE SRGH

(*C. foliosa* Klatt)

- (*C. schinzii* O.Hoffm.)
foliosa Klatt = *C. divaricata*
schinzii O.Hoffm. = *C. divaricata*
CHRYSANTHEMUM L.
incanum Thunb. = *Pentzia incana*
- CHRYSOCOMA** L.
dinteri Muschl. = *Nolletia arenosa*
obtusata (Thunb.) Ehr.Bayer GAB PRE UCBG
(*Aster obtusatus* Thunb.)
(*C. polygalifolia* S.Moore)
polygalifolia S.Moore = *C. obtusata*
- CINERARIA** L.
burkei Burtt Davy ?
coronata Thunb. = *Senecio coronatus*
eenii S.Moore = *Senecio eenii*
vallis-pacis Dinter ex Merxm. PRE SRGH
- CONYZA** Less.
aegyptiaca (L.) Aiton PRE PSUB SRGH
(*C. transvaalensis* Bremek.)
***albida** Spreng. GAB PRE SRGH
(*C. floribunda* Kunth)
(*C. sumatrensis* (Retz.) E.Walker)
(*Erigon floribundus* (Kunth) Sch.Bip.)
(*Erigon sumatrensis* Retz.)
anthelmintica L. = *Baccharoides anthelmintica*
aurita L.f. = *Pseudoconyzia viscosa*
***bonariensis** (L.) Cronquist PRE PSUB SRGH UCBG
cafra DC. = *Doellia cafra*
floribunda Kunth = *C. albida*
ivifolia (L.) Less. = *C. scabrida*
scabrida DC. PRE SRGH
(*Baccharis ivifolia* L.)
(*C. ivifolia* (L.) Less.)
squamata Spreng. = *Aster squamatus*
sumatrensis (Retz.) E.Walker = *C. albida*
transvaalensis Bremek. = *C. aegyptiaca*
- COREOPSIS** L.
biternata Lour. = *Bidens biternata*
- COTULA** L.
anthemoides L. GAB PRE PSUB SRGH UCBG
(*C. microcephala* DC.)
microcephala DC. = *C. anthemoides*
- CRASSOCEPHALUM** Moench
obtusata (Thunb.) E.Berger ?
x **picridifolium** (DC.) S.Moore GAB PRE PSUB SRGH ♦
(*Senecio picridifolius* DC.)
- DENEKIA** Thunb.
capensis Thunb. GAB PRE PSUB SRGH UCBG
(*Amphidoxa glandulosa* Klatt)

- (*D. glabrata* DC.)
glabrata DC. = *D. capensis*
- DETRIS** Adans.
dinteri S.Moore = *Felicia muricata* subsp. *cinerascens*
ericifolia (Forssk.) Hiern var. *anthemidodes* Hiern = *Felicia anthemidodes*
mossamedensis Hiern = *Felicia mossamedensis*
- DICOMA** Cass.
anomala Sond. subsp. **anomala** PRE
anomala Sond. subsp. **gerrardii** (Harv. ex F.C.Wilson) S.Ortiz & Rodr.Oubiña C GAB K PRE SRGH
(*D. anomala* Sond. var. *microcephala* Harv.)
(*D. gerrardii* Harv. ex F.C.Wilson)
anomala Sond. var. *microcephala* Harv. = *D. anomala* subsp. *gerrardii*
arenaria Bremek. K SRGH
arenicola Muschl. ex Dinter = *D. schinzii*
capensis Less. K SRGH
gerrardii Harv. ex F.C.Wilson = *D. anomala* subsp. *gerrardii*
kirkii Harv. subsp. *kirkii* = *Macledium kirkii* subsp. *kirkii*
lanata Muschl. ex Dinter = *D. schinzii*
macrocephala DC. PRE SRGH
schinzii O.Hoffm. GAB K PRE PSUB SRGH UCBG
(*D. arenicola* Muschl. ex Dinter)
(*D. lanata* Muschl. ex Dinter)
sessiliflora Harv. subsp. *kirkii* (Harv.) Wild SRGH = *Macledium kirkii* subsp. *kirkii*
tomentosa Cass. GAB K PRE PSUB SRGH UCBG
- DIMORPHOTHECA** Vaill. ex Moench
cuneata (Thunb.) Less. GAB PRE SRGH
(*Calendula cuneata* Thunb.)
zeyheri Sond. PRE
- DISTEPHANUS** (Cass.) Cass.
divaricatus (Steetz) H.Rob. & B.Kahn PRE
(*Gongrothamnus aurantiacus* O.Hoffm.)
(*Vernonia aurantiaca* (O.Hoffm.) N.E.Br.)
- DOELLIA** Sch.Bip. emend. Anderb.
cafra (DC.) Anderb. GAB PRE SRGH
(*Blumea cafra* (DC.) O.Hoffm.)
(*Conyza cafra* DC.)
- ECLIPTA** L.
alba (L.) Hassk. = *E. prostrata*
erecta L. = *E. prostrata*
***prostrata** (L.) L. GAB PRE PSUB SRGH
(*E. alba* (L.) Hassk.)
(*E. erecta* L.)
- EMILIA** Cass.
ambifaria (S.Moore) C.Jeffrey PRE PSUB SRGH UCBG
(*Othonna ambifaria* S.Moore)
(*Othonna polycephala* Klatt)

(*Othonna rosea* Klatt)
(*Senecio dinteri* Muschl. ex Dinter)
(*Senecio schinzii* O.Hoffm.)

tenellula (S.Moore) C.Jeffrey GAB PSUB SRGH
(*Senecio tenellulus* S.Moore)
transvaalensis (Bolus) C.Jeffrey PRE
SRGH UCBG
(*Senecio thermarum* Bolus)
(*Senecio transvaalensis* Bolus)

EPALTES Cass.
gariepina (DC.) Steetz = *Litogyne gariepina*

ERIGERON L.
aegyptiacus L. = *Conyza aegyptiaca*
alatum D.Don = *Laggera crispata*
bonariensis L. = *Conyza bonariensis*
crispus Pourr. = *Conyza bonariensis*
floribundus (Kunth) Sch.Bip. = *Conyza albida*
linifolius Willd. = *Conyza bonariensis*
scabrum Thunb. = *Pulicaria scabra*
sumatrensis Retz. = *Conyza albida*

ERIOCEPHALUS L.
ambiguus (DC.) M.A.N.Müller PRE
(*E. aspalathoides* DC. var. *ambiguus* DC.)
aspalathoides DC. var. *ambiguus* DC. =
E. *ambiguus*
eenii S.Moore = E. *luederitzianus*
hirsutus Burt Davy = E. *luederitzianus*
luederitzianus O.Hoffm. PRE
(E. *eenii* S.Moore)
(E. *hirsutus* Burt Davy)
(E. *squarrosus* Muschl.)
microphyllus DC. var. **pubescens** (DC.) M.A.N.Müller GAB
PRE PSUB UCBG
(E. *pubescens* DC.)
pubescens DC. = E. *microphyllus* var. *pubescens*
racemosus L. UCBG
squarrosus Muschl. = E. *luederitzianus*

ERIOSPHAERA Less.
stenolepis (S.Moore) Hilliard & B.L.Burt =
Galeomma stenolepis

ERLANGEA Sch.Bip.
misera (Oliv. & Hiern) S.Moore BM GAB K LISC
PRE PSUB SRGH UCBG
(E. *schinzii* O.Hoffm.)
(*Vernonia merenskiana* Dinter ex Merxm.)
(*Vernonia misera* Oliv. & Hiern)
remifolia Wild & G.V.Pope K PRE PSUB SRGH
schinzii O.Hoffm. = E. *misera*

ETHULIA L.f.
***conyzoides** L.f. subsp. **conyzoides** GAB K PRE
PSUB SRGH ♣

EUPATORIUM L.
coloratum Willd. = *Vernonia colorata* subsp. *colorata*
retrofractum Thunb. = *Pegolettia retrofracta*

EURYOPS (Cass.) Cass.
subcarnosus DC. subsp. **foetidus** B.Nord. PRE

FELICIA Cass.
anthemidodes (Hiern) Mendonça PRE PSUB
(*Detris ericifolia* (Forssk.) Hiern var. *anthemidodes* Hiern)
clavipilosa Grau subsp. **clavipilosa** GAB PRE SRGH UCBG
clavipilosa Grau subsp. **transvaalensis** Grau GAB PRE PSUB UCBG
frutescens R.E.Fr. = F. *muricata* subsp. *muricata*
hyssopifolia (P.J.Bergius) Nees var. *straminea* (Hiern) Mendonça
= F. *mossamedensis*
minima (Hutch.) Grau GAB SRGH
mossamedensis (Hiern) Mendonça GAB PRE PSUB
SRGH UCBG
(*Detris mossamedensis* Hiern)
(F. *hyssopifolia* (P.J.Bergius) Nees var. *straminea* (Hiern)
Mendonça)
muricata (Thunb.) Nees subsp. **cinerascens** Grau GAB PRE
PSUB SRGH UCBG
(*Detris dinteri* S.Moore)
muricata (Thunb.) Nees subsp. **muricata** GAB PRE PSUB
SRGH UCBG
(*Aster muricatus* Thunb.)
(*Aster muricatus* Thunb. var. *chrysocomoides* Sond.)
(*Aster villosus* Thunb.)
(F. *frutescens* R.E.Fr.)

FLAVERIA Juss.
***bidentis** (L.) Kuntze GAB PRE PSUB SRGH UCBG
(F. *contrayerba* (Cav.) Pers.)
contrayerba (Cav.) Pers. = F. *bidentis*

FRESENIA DC.
foliosa Klatt = *Pegolettia retrofracta*

GALEOMMA Rauschert
stenolepis (S.Moore) Hilliard PRE
(*Eriosphaera stenolepis* (S.Moore) Hilliard & B.L.Burt)
(*Gnaphalium stenolepis* S.Moore)

GALINSOGA Ruiz & Pav.
***parviflora** Cav. PRE PSUB SRGH

GAZANIA Gaertn.
arctotoides Less. = G. *krebsiana* subsp. *arctotoides*
bracteata N.E.Br. = G. *krebsiana* subsp. *serrulata*
canescens Harv. = G. *krebsiana* subsp. *serrulata*
krebsiana Less. subsp. **arctotoides** (Less.) Roessler
PRE SRGH
(G. *arctotoides* Less.)
(G. *leptophylla* DC.)
(G. *longifolia* Less.)
(G. *pavonia* (Andrews) R.Br. var. *zeyheri* Harv.)

- (*G. rogersii* S.Moore)
- krebsiana** Less. subsp. **serrulata** (DC.) Roessler C GAB K PRE
SRGH UCBG
- (*G. bracteata* N.E.Br.)
- (*G. canescens* Harv.)
- (*G. montana* Spreng.)
- (*G. munroi* E.Phillips)
- (*G. pygmaea* Sond.)
- (*G. schinzii* O.Hoffm.)
- (*G. serrulata* DC.)
- leptophylla* DC. = *G. krebsiana* subsp. *arctotoides*
- longifolia* Less. = *G. krebsiana* subsp. *arctotoides*
- montana* Spreng. = *G. krebsiana* subsp. *serrulata*
- munroi* E.Phillips = *G. krebsiana* subsp. *serrulata*
- pavonia* (Andrews) R.Br. var. *zeyheri* Harv. = *G. krebsiana*
subsp. *arctotoides*
- pygmaea* Sond. = *G. krebsiana* subsp. *serrulata*
- rogersii* S.Moore = *G. krebsiana* subsp. *arctotoides*
- schinzii* O.Hoffm. = *G. krebsiana* subsp. *serrulata*
- serrulata* DC. = *G. krebsiana* subsp. *serrulata*
- GEIGERIA** Griess.
- acaulis** (Sch.Bip.) Benth. & Hook.f. ex Oliv. & Hiern
SRGH UCBG
- africana* Griess. subsp. *africana* = *G. ornativa*
- africana* Griess. subsp. *filifolia* (Mattf.) Merxm. = *G. filifolia*
- africana* Griess. subsp. *ornativa* (O.Hoffm.) Merxm. =
G. ornativa
- appendiculata* O.Hoffm. & Muschl. = *G. ornativa*
- brevifolia** (DC.) Harv. GAB PRE UCBG
(*Polychaetia brevifolia* DC.)
- burkei** Harv. subsp. **burkei** var. **zeyheri** (Harv.) Merxm. GAB
PRE UCBG
(*G. zeyheri* Harv.)
- burkei** Harv. subsp. **diffusa** (Harv.) Merxm. SRGH
(*G. burkei* Harv. var. *diffusa* Harv.)
(*G. natalensis* J.M.Wood & M.S.Evans)
(*G. protensa* Harv.)
- burkei** Harv. subsp. **fruticulosa** Merxm. PRE
- burkei* Harv. var. *diffusa* Harv. = *G. burkei* subsp. *diffusa*
- eenii* S.Moore = *G. ornativa*
- engleriana** Muschl. ?
- filifolia** Mattf. GAB PRE PSUB SRGH
(*G. africana* Griess. subsp. *filifolia* (Mattf.) Merxm.)
(*G. passerinoides* Harv. in part)
- luederitziana* O.Hoffm. = *G. ornativa*
- natalensis* J.M.Wood & M.S.Evans = *G. burkei* subsp. *diffusa*
- nonikamensis* Heering = *G. ornativa*
- ornativa** O.Hoffm. PRE PSUB SRGH UCBG
(*G. africana* Griess. subsp. *africana*)
(*G. africana* Griess. subsp. *ornativa* (O.Hoffm.) Merxm.)
(*G. appendiculata* O.Hoffm. & Muschl.)
(*G. eenii* S.Moore)
(*G. luederitziana* O.Hoffm.)
(*G. nonikamensis* Heering)
- otaviensis** (Merxm.) Merxm. GAB
- passerinoides* Harv. in part = *G. filifolia*

- pectidea** (DC.) Harv. PRE UCBG
(*Polychaetia pectidea* DC.)
(*Triplocephalum glabrifolium* Klatt)
- protensa* Harv. = *G. burkei* subsp. *diffusa*
- rhodesiana* S.Moore = *G. schinzii* subsp. *rhodesiana*
- schinzii** O.Hoffm. subsp. **karakowisae** Merxm. GAB PRE
PSUB SRGH
- schinzii** O.Hoffm. subsp. **rhodesiana** (S.Moore) Merxm. GAB
PRE PSUB SRGH UCBG
(*G. rhodesiana* S.Moore)
- schinzii** O.Hoffm. subsp. **schinzii** GAB PRE SRGH
- zeyheri* Harv. = *G. burkei* subsp. *burkei* var. *zeyheri*
- GNAPHALIUM** L.
- declinatum** L.f. GAB
- flagopsis** Hilliard & B.L.Burttt PRE
(*Amphidoxa flaginea* Ficalho & Hiern)
(*Amphidoxa flaginea* Ficalho & Hiern var. *transiens* Merxm.)
- luteo-album* L. = *Pseudognaphalium luteo-album*
- oligandrum* (DC.) Hilliard & B.L.Burttt = *Pseudognaphalium*
oligandrum
- ✱ **polycaulon** Pers. GAB PRE PSUB SRGH UCBG
- stenolepis* S.Moore = *Galeomma stenolepis*
- GONGROTHAMNUS** Steetz
- aurantiacus* O.Hoffm. = *Distephanus divaricatus*
- GRANGEA** Adans.
- anthemoides** O.Hoffm. GAB PRE PSUB
(*G. hippoides* Merxm.)
- hippoides* Merxm. = *G. anthemoides*
- HAPLOCARPHA** Less.
- scaposa** Harv. PRE
- HELICHRYSUM** Mill.
- arenicola** M.D.Hend. PRE SRGH UCBG
(*H. rangei* Moeser ex Dinter)
- argyrosphaerum** DC. GAB PRE PSUB SRGH UCBG
- benguellense* Hiern var. *latifolium* S.Moore ex Moeser =
H. tomentosulum subsp. *tomentosulum*
- callicomum** Harv. SRGH
- candolleum** H.Buek GAB PRE PSUB SRGH UCBG
(*H. damarense* O.Hoffm.)
(*H. leptolepis* DC.)
(*H. pachyrhizum* Harv.)
- cerastioides** DC. var. **cerastioides** GAB PRE SRGH
(*H. cerastioides* DC. var. *gracile* Moeser)
(*H. obvallatum* DC.)
- cerastioides* DC. var. *gracile* Moeser = *H. cerastioides*
var. *cerastioides*
- damarense* O.Hoffm. = *H. candolleum*
- gerrardii* Harv. = *H. stenoptera*
- harveyanum** Wild PRE SRGH
(*H. subulifolium* Harv.)
- hochstetteri* (A.Rich.) Hook.f. = *H. stenoptera*
- kraussii** Sch.Bip. SRGH UCBG

leptolepis DC. = *H. candolleanus*
lineare DC. GAB PRE PSUB SRGH
(H. seineri Moeser)
nudifolium (L.) Less. var. **nudifolium** PRE
obvallatum DC. = *H. cerastioides* var. *cerastioides*
pachyrhizum Harv. = *H. candolleanus*
rangei Moeser ex Dinter = *H. arenicola*
seineri Moeser = *H. lineare*
spiciforme DC. GAB PRE PSUB SRGH
stenopterum DC.
(Achyrocline stenoptera (DC.) Hilliard & B.L.Burt)
(H. gerrardii Harv.)
(H. hochstetteri (A.Rich.) Hook.f.)
subulifolium Harv. = *H. harveyanum*
tomentosulum (Klatt) Merxm. subsp. **tomentosulum**
GAB PRE PSUB SRGH
(H. benguellense Hiern var. *latifolium* S.Moore ex Moeser)
(Stenocline tomentosula Klatt)
zeyheri Less. GAB PRE SRGH UCBG
(H. zeyheri Less. var. *burchellii* (DC.) Harv.)
(H. zeyheri Less. var. *intermedium* (DC.) Harv.)
zeyheri Less. var. *burchellii* (DC.) Harv. = *H. zeyheri*
zeyheri Less. var. *intermedium* (DC.) Harv. = *H. zeyheri*

HERTIA Less
(sometimes subsumed under *Othonna* L. (Brummitt 1992))

pallens (DC.) Kuntze PRE

HIRPICUM Cass.

bechuanense (S.Moore) Roessler GAB K LD M MO PRE PSUB
SRGH UCBG
(Berkheyopsis bechuanensis S.Moore)
(Berkheyopsis brevisquama Mattf.)
(Berkheyopsis rehmannii Thell.)

echinus Less. ?

gazanioides (Harv.) Roessler K LD M MO PRE SRGH
(Berkheya gazanioides Harv.)
(Berkheyopsis pechuelii (Kuntze) O.Hoffm.)

gorterioides (Oliv. & Hiern) Roessler subsp. **gorterioides**
GAB K MO PRE PSUB S SRGH UCBG
(Berkheya gorterioides Oliv. & Hiern)
(Berkheyopsis angolensis O.Hoffm.)
(Berkheyopsis gorterioides (Oliv. & Hiern) Thell.)
(Berkheyopsis gossweileri S.Moore)
(Berkheyopsis langii Bremek. & Oberm.)

INULA L.
capensis Spreng. = *Pulicaria scabra*

KLEINIA Mill.

acaulis (L.f.) DC. = *Senecio acaulis*
longiflora DC. PRE PSUB SRGH UCBG ♣
(Senecio longiflorus (DC.) Sch.Bip.)

LACTUCA L.

dregeana DC. GAB PRE UCBG
intybacea Jacq. = *Launaea intybacea*

scariola L. = *L. serriola*
***serriola** L. C GAB K SRGH
(L. scariola L.)

LAGGERA Sch.Bip. ex Benth.

alata of authors not of (D.Don) Sch.Bip. ex Oliv. = *L. crispata*
aurita (L.f.) Sch.Bip. ex C.B.Clarke = *Pseudoconyza viscosa*
crispata (Vahl) Hepper & J.R.I.Wood GAB PRE SRGH
(Blumea alata of authors not of (D.Don) DC.)
(Blumea crispata (Vahl) Merxm.)
(Blumea pterodonta DC.)
(Erigeron alatum D.Don)
(L. alata of authors not of (D.Don) Sch.Bip. ex Oliv.)
(L. pterodonta (D.Don) Sch.Bip. ex Oliv.)
decurrens (Vahl) Hepper & J.R.I.Wood GAB PRE PSUB
SRGH UCBG
(Blumea gariepina DC.)
(L. gariepina (DC.) Randeria)
gariepina (DC.) Randeria = *L. decurrens*
lyrata (Kunth) Leins = *Pseudoconyza viscosa*
makarikariensis Bremek. & Oberm. = *Nicolasia stenoptera*
subsp. *makarikariensis*
pterodonta (D.Don) Sch.Bip. ex Oliv. = *L. crispata*
stenoptera O.Hoffm. = *Nicolasia stenoptera* subsp. *stenoptera*

LAUNAEA Cass.

gorensis (Lam.) O.Hoffm. = *L. intybacea*
intybacea (Jacq.) P.Beauv. GAB K LISC PRE PSUB SRGH
(Lactuca intybacea Jacq.)
(L. gorensis (Lam.) O.Hoffm.)
(Sonchus goraensis Lam.)
rarifolia (Oliv. & Hiern) Boulos var. **rarifolia** GAB PRE
PSUB SRGH
(Sonchus lanifer Dinter)
(Sonchus rarifolius Oliv. & Hiern)

LEPTOTHAMNUS DC.

ciliaris DC. = *Nolletia ciliaris*

LEYSERA L.

tenella DC. GAB UCBG

LINZIA Walp.

glabra Steetz var. *glabra* = *Vernonia glabra* var. *glabra*
glabra Steetz var. *laxa* Steetz = *Vernonia glabra* var. *laxa*

LITOGYNE Harv.

gariepina (DC.) Anderb. GAB PRE SRGH UCBG
(Epaltes gariepina (DC.) Steetz)

MACLEDIUM Cass.

kirkii (Harv.) S.Ortiz subsp. **kirkii**
(Dicoma kirkii Harv. subsp. *kirkii*)
(Dicoma sessiliflora Harv. subsp. *kirkii*)

MELANTHERA Rohr

albinervia O.Hoffm. subsp. **albinervia** PSUB SRGH

(*Aspilia eylesii* S.Moore)
 (*M. gossweileri* S.Moore)
gossweileri S.Moore = *M. albinervia* subsp. *albinervia*
madagascariensis Baker = *M. scandens* subsp. *madagascariensis*
marlothiana O.Hoffm. = *M. triternata*
rivicola Muschl. ex Dinter = *M. triternata*
scandens (Schumach. & Thonn.) Roberty subsp.
madagascariensis (Baker) Wild GAB PRE PSUB◆
 (*M. madagascariensis* Baker)
schinziana S.Moore = *M. triternata*
seineri Muschl. ex Dinter = *M. triternata*
triternata (Klatt) Wild PRE PSUB SRGH
 (*M. marlothiana* O.Hoffm.)
 (*M. rivicola* Muschl. ex Dinter)
 (*M. schinziana* S.Moore)
 (*M. seineri* Muschl. ex Dinter)
 (*M. varians* Hiern)
 (*Wedelia triternata* Klatt)
varians Hiern = *M. triternata*

MIKANIA Willd.

angustifolia (O.Hoffm.) R.E.Fr. = *M. sagittifera*
capensis DC. PSUB
sagittifera B.L.Rob. PRE
 (*M. angustifolia* (O.Hoffm.) R.E.Fr.)

NESTLERA Spreng.

conferta DC. = *Rosenia humilis*
dinteri Muschl. ex Dinter = *Rosenia humilis*
humilis Less. = *Rosenia humilis*
incana Dinter ex Merxm. = *Rosenia humilis*
muriculata DC. = *Rosenia humilis*
oppositifolia DC. = *Rosenia humilis*
rosenioides Hutch. ex Compton = *Rosenia humilis*

NICOLASIA S.Moore

costata (Klatt) Thell. GAB PRE PSUB SRGH
 (*N. lugardii* N.E.Br. ex S.Moore)
 (*Nolletia costata* Klatt)
lugardii N.E.Br. ex S.Moore = *N. costata*
nitens (O.Hoffm.) Eyles GAB PRE PSUB SRGH
 (*N. quinqueseta* O.Hoffm. ex Thell.)
 (*Pluchea nitens* O.Hoffm.)
pedunculata S.Moore subsp. **pedunculata** GAB PRE
 PSUB SRGH
 (*N. vedderiana* Dinter ex Merxm.)
quinqueseta O.Hoffm. ex Thell. = *N. nitens*
stenoptera (O.Hoffm.) Merxm. subsp. **makarikariensis**
 (Bremek. & Oberm.) Merxm. GAB PRE SRGH
 (*Laggera makarikariensis* Bremek. & Oberm.)
stenoptera (O.Hoffm.) Merxm. subsp. **stenoptera** GAB PRE
 (*Laggera stenoptera* O.Hoffm.)
vedderiana Dinter ex Merxm. = *N. pedunculata*

NIDORELLA Cass.

auriculata DC. GAB PRE PSUB SRGH
 (*N. auriculata* DC. subsp. *polycephala* (DC.) Wild)

(*N. diversifolia* Spreng. ex Steetz)
 (*N. kraussii* (Sch.Bip. ex Walp.) Harv.)
 (*N. senecionea* DC.)
 (*N. sprengelii* (Sch.Bip. ex Walp.) Harv.)
auriculata DC. subsp. *polycephala* (DC.) Wild = *N. auriculata*
densifolia O.Hoffm. = *N. resedifolia* subsp. *resedifolia*
diversifolia Spreng. ex Steetz = *N. auriculata*
hirta DC. = *N. resedifolia* subsp. *resedifolia*
kraussii (Sch.Bip. ex Walp.) Harv. = *N. auriculata*
krookii O.Hoffm. = *N. resedifolia* subsp. *resedifolia*
microcephala Steetz SRGH
pinnatilobata DC. = *N. resedifolia* subsp. *resedifolia*
punctulata DC. = *Psadia punctulata*
rapunculoides DC. = *N. resedifolia* subsp. *resedifolia*
resedifolia DC. subsp. **frutescens** Merxm. PRE
resedifolia DC. subsp. **resedifolia** GAB PRE PSUB
 SRGH UCBG
 (*N. densifolia* O.Hoffm.)
 (*N. hirta* DC.)
 (*N. krookii* O.Hoffm.)
 (*N. pinnatilobata* DC.)
 (*N. rapunculoides* DC.)
 (*N. resedifolia* DC. var. *subvillosa* Merxm.)
 (*N. solidaginea* DC.)
resedifolia DC. var. *subvillosa* Merxm. = *N. resedifolia*
 subsp. *resedifolia*
senecionea DC. = *N. auriculata*
solidaginea DC. = *N. resedifolia* subsp. *resedifolia*
sprengelii (Sch.Bip. ex Walp.) Harv. = *N. auriculata*

NOLLETIA Cass.

arenosa O.Hoffm. PRE SRGH UCBG
 (*Chrysocoma dinteri* Muschl.)
ciliaris (DC.) Steetz GAB PRE SRGH UCBG
 (*Leptothamnus ciliaris* DC.)
costata Klatt = *Nicolasia costata*
zambesica R.E.Fr. PRE PSUB SRGH

OSTEOSPERMUM L.

hamiltonii S.Moore = *O. muricatum* subsp. *muricatum*
microphyllum DC. GAB PRE PSUB UCBG
muricatum E.Mey. ex DC. subsp. **muricatum** GAB PRE
 PSUB
 SRGH UCBG
 (*O. hamiltonii* S.Moore)

OTHONNA L.

ambifaria S.Moore = *Emilia ambifaria*
polycephala Klatt = *Emilia ambifaria*
rosea Klatt = *Emilia ambifaria*

PECHUEL-LOESCHEA O.Hoffm.

leubnitziae (Kuntze) O.Hoffm. GAB PRE PSUB SRGH UCBG
 (*Pluchea leubnitziae* (Kuntze) N.E.Br.)

PEGOLETTIA Cass.

acuminata DC. = *P. retrofracta*

polygalaefolia Less. = *P. retrofracta*
retrofracta (Thunb.) Kies GAB PRE UCBG
(Eupatorium retrofractum Thunb.)
(Fresenia foliosa Klatt)
(P. acuminata DC.)
(P. polygalaefolia Less.)
senegalensis Cass. GAB PRE PSUB SRGH UCBG
tenella DC. = *Vernonia galpinii*

PENTZIA Thunb.

calcareia Kies PRE PSUB
calva S.Moore PRE UCBG
(P. microcephala Dinter ex Range)
globosa Less. ?
incana (Thunb.) Kuntze PRE
(Chrysanthemum incanum Thunb.)
(P. virgata Less.)
lanata Hutch. PRE
laxa Bremek. & Oberm. = *Rennera laxa*
microcephala Dinter ex Range = *P. calva*
pinnatisecta Hutch. PRE
spinescens Less. ?
virgata Less. = *P. incana*

PHILYROPHYLLUM O.Hoffm.

schinzii O.Hoffm. GAB PRE PSUB UCBG

PLATYCARPHA Less.

carlinoides Oliv. & Hiern PRE UCBG

PLEIOTAXIS Steetz

amoena R.E.Fr. = *P. eximia* subsp. *eximia*
eximia O.Hoffm. subsp. *eximia* GAB SRGH
(P. amoena R.E.Fr.)

PLUCHEA Cass.

bojeri (DC.) Humbert
(P. integrifolia Mattf.)
dioscoridis (L.) DC. GAB PRE
 PSUB SRGH
(Baccharis dioscoridis L.)
integrifolia Mattf. = *P. bojeri*
leubnitziae (Kuntze) N.E.Br. = *Pechuel-Loeschea*
leubnitziae
nitens O.Hoffm. = *Nicolasia nitens*

POLYCHAETIA Less.

brevifolia DC. = *Geigeria brevifolia*
pectidea DC. = *Geigeria pectidea*

PSEUDOCONYZA Cautrec.

viscosa (Mill.) D'Arcy GAB PRE SRGH
(Blumea aurita (L.f.) DC.)
(Blumea viscosa (Mill.) V.M.Badillo)
(Conyza aurita L.f.)
(Laggera aurita (L.f.) Sch.Bip. ex C.B.Clarke)
(Laggera lyrata (Kunth) Leins)

PSEUDOGNAPHALIUM Kirp.

luteo-album (L.) Hilliard & B.L.Burtt GAB PRE PSUB SRGH
 UCBG
(Gnaphalium luteo-album L.)
oligandrum (DC.) Hilliard & B.L.Burtt GAB PRE
 PSUB SRGH
(Gnaphalium oligandrum (DC.) Hilliard & B.L.Burtt)
undulatum (L.) Hilliard. & B.L.Burtt PSUB SRGH

PSIADIA Jacq.

aparine Muschl. = *P. punctulata*
arabica Jaub. & Spach = *P. punctulata*
punctulata (DC.) Oliv. & Hiern ex Vatke GAB PRE
 SRGH UCBG
(Nidorella punctulata DC.)
(P. aparine Muschl.)
(P. arabica Jaub. & Spach)
(P. resiniflua (Hochst. & Steud. ex DC.) Schweinf. & Asch.)
(P. vernicosa Schinz)
resiniflua (Hochst. & Steud. ex DC.) Schweinf. & Asch. =
P. punctulata
vernica Schinz = *P. punctulata*

PTERONIA L.

acuminata DC. PRE
candollei Harv. = *P. glauca*
cylindracea DC. PRE SRGH UCBG
dinteri S.Moore = *P. mucronata*
glabrata DC. = *P. glauca*
glauca Thunb. PRE SRGH
(P. candollei Harv.)
(P. glabrata DC.)
(P. thymifolia Muschl. & Dinter)
mucronata DC. PRE SRGH
(P. dinteri S.Moore)
(P. mucronata DC. subsp. *dinteri* (S.Moore) Merxm.)
mucronata DC. subsp. *dinteri* (S.Moore) Merxm. = *P.*
mucronata
thymifolia Muschl. & Dinter = *P. glauca*

PULICARIA Gaertn.

capensis DC. = *P. scabra*
scabra (Thunb.) Druce GAB PRE PSUB SRGH
(Erigeron scabrum Thunb.)
(Inula capensis Spreng.)
(P. capensis DC.)

RENNERA Merxm. emend. P.P.J.Herman

laxa (Bremek. & Oberm.) Källersjö PRE ♦
(Pentzia laxa Bremek. & Oberm.)
limnophila Merxm. PRE PSUB UCBG

ROSENIA Thunb. emend. K.Bremer

humilis (Less.) K.Bremer PRE
(Nestlera conferta DC.)
(Nestlera dinteri Muschl. ex Dinter)
(Nestlera humilis Less.)

(*Nestlera incana* Dinter ex Merxm.)
(*Nestlera muriculata* DC.)
(*Nestlera oppositifolia* DC.)
(*Nestlera rosenioides* Hutch. ex Compton)
(*R. nestleroides* Compton)
nestleroides Compton = *R. humilis*

SCHKUHRIA Roth

bonariensis Hook. & Arn. = *S. pinnata*
**pinnata* (Lam.) Cabrera GAB PRE SRGH UCBG
(*S. bonariensis* Hook. & Arn.)

SCLEROCARPUS Jacq.

africanus Jacq. ex Murray PRE PSUB UCBG

SENECIO L.

abruptus Thunb. PRE
(*Cacalia acaulis* L.f.)
(*Kleinia acaulis* (L.f.) DC.)
apiifolius (DC.) Benth. & Hook.f. ex O.Hoffm. GAB PRE PSUB SRGH UCBG
(*S. peculiaris* Dinter)
arenarius Thunb. PRE SRGH
brachypodus DC. UCBG
cakilefolius DC.
calimocephalus S.Moore GAB UCBG ♣
consanguineus DC. PRE SRGH UCBG
coronatus (Thunb.) Harv. PRE SRGH
(*Cineraria coronata* Thunb.)
(*S. lasiorhizoides* Sch.Bip.)
(*S. lasiorhizus* DC.)
cryphiactis O.Hoffm. PRE PSUB SRGH
dinteri Muschl. ex Dinter = *Emilia ambifaria*
eenii (S.Moore) Merxm. PRE SRGH UCBG
(*Cineraria eenii* S.Moore)
(*S. lentior* S.Moore)
(*S. rautanenii* S.Moore)
lasiorhizoides Sch.Bip. = *S. coronatus*
lasiorhizus DC. = *S. coronatus*
latifolius DC. SRGH UCBG
lentior S.Moore = *S. eenii*
leptocephalus Mattf. PRE PSUB SRGH
linifolius L. PRE
longiflorus (DC.) Sch.Bip. = *Kleinia longiflora*
oxyriifolius DC. GAB ♣
peculiaris Dinter = *S. apiifolius*
picridifolius DC. = *Crassocephalum x picridifolium*
pleistocephalus S.Moore PRE SRGH
rautanenii S.Moore = *S. eenii*
schinzii O.Hoffm. = *Emilia ambifaria*
strictifolius Hiern PRE PSUB SRGH UCBG ♣
tenellulus S.Moore = *Emilia tenellula*
thermarum Bolus = *Emilia transvaalensis*
transvaalensis Bolus = *Emilia transvaalensis*
venosus Harv. PRE SRGH UCBG

SONCHUS L.

**asper* (L.) Hill subsp. *asper* GAB K PRE SRGH UCBG

(*S. gigas* L.Boulos ex Humbert)
(*S. oleraceus* L. var. *asper* L.)
**dregeanus* DC. SRGH
gigas L.Boulos ex Humbert = *S. asper* subsp. *asper*
gorensis Lam. = *Launaea intybacea*
lanifer Dinter = *Launaea rarifolia* var. *rarifolia*
**oleraceus* L. C GAB K PRE PSUB SRGH UCBG
oleraceus L. var. *asper* L. = *S. asper* subsp. *asper*
rarifolius Oliv. & Hiern = *Launaea rarifolia* var. *rarifolia*

SPHAERANTHUS L.

brounae Robyns = *S. flexuosus*
calcareus Robyns = *S. flexuosus*
dinteri Muschl. = *S. flexuosus*
flexuosus O.Hoffm. ex De Wild. GAB PRE PSUB SRGH
(*S. brounae* Robyns)
(*S. calcareus* Robyns)
(*S. dinteri* Muschl.)
(*S. humilis* O.Hoffm.)
(*S. kalahariensis* Bremek. & Oberm.)
humilis O.Hoffm. = *S. flexuosus*
incisus Robyns PRE PSUB UCBG
kalahariensis Bremek. & Oberm. = *S. flexuosus*
peduncularis DC. subsp. *peduncularis* GAB PRE PSUB UCBG

STENOCLINE DC.

tomentosula Klatt = *Helichrysum tomentosulum* subsp.
tomentosulum

STOBAEA Thunb.

radula Harv. = *Berkheya radula*

TAGETES L.

**minuta* L. GAB PRE PSUB SRGH UCBG
rotundifolia Mill. = *Tithonia rotundifolia*

TARCHONANTHUS L.

abyssinicus Sch.Bip. ex Schweinf. & Asch. = *T. camphoratus*
camphoratus L. var. *litakunensis* (DC.) Harv. = *T. camphoratus*
camphoratus L. C GAB K PRE PSUB SRGH UCBG UPS ♣
(*T. abyssinicus* Sch.Bip. ex Schweinf. & Asch.)
(*T. camphoratus* L. var. *litakunensis* (DC.) Harv.)
minor Less. PRE

TITHONIA Desf. ex Juss.

**rotundifolia* (Mill.) S.F.Blake PRE PSUB SRGH ♣
(*Tagetes rotundifolia* Mill.)

TRIDAX L.

**procumbens* L. GAB PSUB SRGH

TRIPLOCEPHALUM O.Hoffm.

glabrifolium Klatt = *Geigeria pectidea*

VERBESINA L.

**encelioides* (Cav.) Benth. & Hook. var. *encelioides* GAB PRE
PSUB SRGH UCBG

(*Ximenesia encelioides* Cav.)

VERNONIA Schreb.

amygdalina Delile GAB K PRE SRGH 🌿🍄

(*V. randii* S.Moore)

anthelmintica (L.) Willd. = *Baccharoides anthelmintica*

aurantiaca (O.Hoffm.) N.E.Br. = *Distephanus divaricatus*

cinerascens Sch.Bip. PRE SRGH 🌿

(*V. luederitziana* O.Hoffm.)

(*V. porta-taurinae* Dinter ex Merxm.)

(*V. squarrosa* Dinter ex Merxm.)

colorata (Willd.) Drake subsp. **colorata** K PRE SRGH 🌿

(*Eupatorium coloratum* Willd.)

(*V. senegalensis* (Pers.) Less.)

eriocephala Klatt = *V. petersii*

fastigiata Oliv. & Hiern COI GAB K M PRE PSUB SRGH UCBG

(*V. schinzii* O.Hoffm.)

galpinii Klatt PRE SRGH UCBG

(*Pegoletia tenella* DC.)

(*V. monocephala* Harv.)

gerberiformis Oliv. & Hiern subsp. **macrocyanus**

(O.Hoffm.) C.Jeffrey PSUB SRGH

(*V. primulina* O.Hoffm.)

glabra (Steetz) Vatke var. **glabra** GAB K PRE

PSUB SRGH

(*Linzia glabra* Steetz var. *glabra*)

(*V. glabra* (Steetz) Vatke var. *ondongensis* (Klatt) Merxm.)

(*V. obconica* Oliv. & Hiern)

(*V. ondongensis* Klatt)

glabra (Steetz) Vatke var. **laxa** (Steetz) Brenan GAB K

PRE SRGH

(*Linzia glabra* Steetz var. *laxa* Steetz)

glabra (Steetz) Vatke var. *ondongensis* (Klatt) Merxm. = *V. glabra*

var. *glabra*

kraussii Sch.Bip. ex Walp. = *V. oligocephala*

latifolia Lem. = *V. petersii*

luederitziana O.Hoffm. = *V. cinerascens*

melleri Oliv. & Hiern var. **melleri** SRGH

merenskiana Dinter ex Merxm. = *Erlangea misera*

misera Oliv. & Hiern = *Erlangea misera*

monocephala Harv. = *V. galpinii*

obconica Oliv. & Hiern = *V. glabra* var. *glabra*

oligocephala (DC.) Sch.Bip. ex Walp. GAB K PRE

SRGH UCBG

(*V. kraussii* Sch.Bip. ex Walp.)

ondongensis Klatt = *V. glabra* var. *glabra*

petersii Oliv. & Hiern ex Oliv. K M SRGH

(*V. eriocephala* Klatt)

(*V. latifolia* Lem.)

porta-taurinae Dinter ex Merxm. = *V. cinerascens*

poskeana Vatke & Hildebr. subsp. **botswanaica** G.V.Pope BOL

GAB K PRE PSUB SRGH UCBG

primulina O.Hoffm. = *V. gerberiformis*

subsp. *macrocyanus*

randii S.Moore = *V. amygdalina*

rosenii R.E.Fr. K LISC PRE SRGH

schinzii O.Hoffm. = *V. fastigiata*

senegalensis (Pers.) Less. = *V. colorata* subsp. *colorata*

squarrosa Dinter ex Merxm. = *V. cinerascens*

steetziana Oliv. & Hiern K PRE SRGH

stenolepis Oliv. = *Baccharoides anthelmintica*

WEDELIA Jacq.

diversipapposa S.Moore = *Aspilia mossambicensis*

gossweileri S.Moore = *Blainvillea gayana*

mossambicensis Oliv. = *Aspilia mossambicensis*

triternata Klatt = *Melanthera triternata*

XANTHIUM L.

natalense Widder = *X. strumarium*

pungens Wallr. = *X. strumarium*

***spinosum** L. GAB PRE SRGH UCBG 🍄

***strumarium** L. PRE PSUB SRGH UCBG 🍄

(*X. natalense* Widder)

(*X. pungens* Wallr.)

XIMENESIA Cav.

encelioides Cav. = *Verbesina encelioides* var. *encelioides*

ZINNIA L.

multiflora L. = *Z. peruviana*

***peruviana** (L.) L. GAB PRE SRGH UCBG

(*Z. multiflora* L.)

BALANITACEAE

BALANITES Delile

aegyptiaca (L.) Delile var. **aegyptiaca** GAB PRE PSUB SRGH 🌿

(*B. arabica* (Tiegh.) Blatt.)

(*B. fischeri* Mildbr. & Schltr.)

(*B. latifolia* (Tiegh.) Chiov.)

(*B. suckertii* Chiov.)

(*B. zizyphoides* Mildbr. & Schltr.)

(*Myrobalanus chebulus* Vesling)

angolensis (Welw.) Welw. ex Mildbr. & Schltr. subsp.

welwitschii (Tiegh.) Sands ?

(*B. welwitschii* (Tiegh.) Exell & Mendonça)

arabica (Tiegh.) Blatt. = *B. aegyptiaca*

var. *aegyptiaca*

australis Bremek. = *B. pedicellaris* subsp. *pedicellaris*

dawei Sprague = *B. maughamii* subsp. *maughamii*

fischeri Mildbr. & Schltr. = *B. aegyptiaca*

var. *aegyptiaca*

horrida Mildbr. & Schltr. = *B. pedicellaris*

subsp. *pedicellaris*

latifolia (Tiegh.) Chiov. = *B. aegyptiaca* var. *aegyptiaca*

maughamii Sprague subsp. **maughamii** SRGH 🌿

(*B. dawei* Sprague)

pedicellaris Mildbr. & Schltr. = *B. pedicellaris*

subsp. *pedicellaris*

pedicellaris Mildbr. & Schltr. subsp. **pedicellaris** PRE

SRGH UCBG 🌿

(*B. australis* Bremek.)

(*B. horrida* Mildbr. & Schltr.)

suckertii Chiov. = *B. aegyptiaca* var. *aegyptiaca*
welwitschii (Tiegh.) Exell & Mendonça = *B. angolensis* subsp.
welwitschii
zizyphoides Mildbr. & Schltr. = *B. aegyptiaca* var. *aegyptiaca*

BIGNONIACEAE

BIGNONIA L.
africana Lam. = *Kigelia africana*

CATOPHRACTES D.Don
alexandri D.Don GAB K LISC PRE PSUB SRGH UCBG 🌳
(*C. welwitschii* Seem.)
welwitschii Seem. = *C. alexandri*

DOLICHANDRONE Cham.
obtusifolia Baker = *Markhamia obtusifolia*

KIGELIA DC.
africana (Lam.) Benth. GAB K PRE PSUB SRGH UCBG 🌳
(*Bignonia africana* Lam.)
(*Heudelotia africana* A.Rich.)
(*K. pinnata* (Jacq.) DC.)
pinnata (Jacq.) DC. = *K. africana*

MARKHAMIA Seem. ex Baill.
acuminata (Klotzsch) K.Schum. = *M. zanzibarica*
obtusifolia (Baker) Sprague GAB K PRE PSUB SRGH 🌳
(*Dolichandrone obtusifolia* Baker)
zanzibarica (Bojer ex DC.) K.Schum. GAB K PRE PSUB SRGH
UCBG 🌳
(*M. acuminata* (Klotzsch) K.Schum.)
(*Spathodea acuminata* Klotzsch)
(*Spathodea zanzibarica* Bojer ex DC.)

RHIGOZUM Burch.
brevispinosum Kuntze GAB K PRE PSUB SRGH UCBG 🌳
(*R. linifolium* S.Moore)
(*R. spinosum* Burch. ex Sprague)
linifolium S.Moore = *R. brevispinosum*
spinosum Burch. ex Sprague = *R. brevispinosum*
trichotomum Burch. GAB PRE SRGH UCBG 🌳
zambesiicum Baker PRE SRGH 🌳

SPATHODEA P.Beauv.
acuminata Klotzsch = *Markhamia zanzibarica*
zanzibarica Bojer ex DC. = *Markhamia zanzibarica*

BOMBACACEAE

ADANSONIA L.
digitata L. PRE PSUB SRGH UCBG 🌳🌳

BORAGINACEAE

ANCHUSA L.
capensis Thunb. PRE

BORAGO L.
zeylanica Burm.f. = *Trichodesma zeylanicum*

CAPRARIA L.
rigida Thunb. = *Ehretia rigida* subsp. *rigida*

CORDIA L.
caffra Sond. PRE 🌳
kirkii Baker = *C. pilosissima*
monoica Roxb. GAB PRE PSUB SRGH UCBG 🌳
ovalis R.Br. ex DC
pilosissima Baker K PRE SRGH 🌳
(*C. kirkii* Baker)
quercifolia Klotzsch
rothii Roem. & Schult. = *C. sinensis*
sinensis Lam. K LISC PRE PSUB SRGH 🌳
(*C. rothii* Roem. & Schult.)

EHRETIA P.Browne
alba Retief & A.E.van Wyk ?
amoena Klotzsch GAB PRE PSUB SRGH UCBG 🌳
(*E. mossambicensis* Klotzsch)
(*E. stuhlmannii* Gürke)
coerulea Gürke
(*E. coerulea* Gürke var. *glandulosa* Suess.)
hottentotica Burch. = *E. rigida* subsp. *rigida*
mossambicensis Klotzsch = *E. amoena*
namibiensis Retief & A.E.van Wyk subsp. *namibiensis* PRE ?
obtusifolia Hochst. ex DC. GAB K PRE PSUB SRGH 🌳
rigida (Thunb.) Druce subsp. *nervifolia* Retief & A.E.van Wyk
GAB PSUB SRGH UCBG 🌳
rigida (Thunb.) Druce subsp. *rigida* PRE 🌳
(*Capraria rigida* Thunb.)
(*E. hottentotica* Burch.)
stuhlmannii Gürke = *E. amoena*

FRIEDRICHSTHALIA Fenzl
physaloides Fenzl = *Trichodesma physaloides*

HELIOPHYTUM Cham.
lineare A.DC. = *Heliotropium lineare*

HELIOTROPIUM L.
baclei A.DC. var. *rostratum* Johnst. SRGH
(*H. katangense* Gürke ex De Wild.)
ciliatum Kaplan GAB K PRE PSUB SRGH UCBG
(*H. gibbosum* Friedr.-Holzh.)
(*H. pustulatum* Kaplan)
(*Tournefortia tuberculosa* Cham.)
constrictum Kaplan = *H. strigosum*
coromandelianum Retz. = *H. ovalifolium*
* *curassavicum* L. GAB K PRE
curassavicum L. var. *zeylanicum* Burm.f. = *H. zeylanicum*
dissimile N.E.Br. = *H. nelsonii*
erectum Friedr.-Holzh. = *H. giessii*
gibbosum Friedr.-Holzh. = *H. ciliatum*
giessii Friedr.-Holzh. GAB K PRE PSUB SRGH UCBG

(*H. erectum* Friedr.-Holzh.)

• **indicum** L. SRGH

katangense Gürke ex De Wild. = *H. baclei* var. *rostratum*

kuntzei Gürke = *H. lineare*

lineare (A.DC.) Gürke GAB K PRE PSUB SRGH UCBG

(*Heliophytum lineare* A.DC.)

(*H. kuntzei* Gürke)

nelsonii C.H.Wright = *H. steudneri*

ovalifolium Forssk. GAB K LISC PRE PSUB SRGH UCBG

(*H. coromandelianum* Retz.)

(*H. phyllosepalum* Baker)

phyllosepalum Baker = *H. ovalifolium*

pustulatum Kaplan = *H. ciliatum*

rogersii Kaplan = *H. steudneri*

steudneri Vatke GAB K PRE SRGH UCBG

(*H. dissimile* N.E.Br.)

(*H. nelsonii* C.H.Wright)

(*H. rogersii* Kaplan)

strigosum Willd. GAB K PRE PSUB SRGH

(*H. constrictum* Kaplan)

supinum L. COI GAB K LISC PRE PSUB SRGH

zeylanicum (Burm.f.) Lam. K SRGH

(*H. curassavicum* L. var. *zeylanicum* Burm.f.)

(*Tournefortia subulata* Hochst. ex A.DC.)

TOURNEFORTIA L.

subulata Hochst. ex A.DC. = *Heliotropium zeylanicum*

tuberculosa Cham. = *Heliotropium ciliatum*

TRICHODESMA R.Br.

ambacense Welw. subsp. **hockii** (De Wild.) Brummitt SRGH

(*T. hockii* De Wild.)

angustifolium Harv. subsp. **angustifolium** GAB K PRE

(*T. lanceolatum* Schinz)

hockii De Wild. = *T. ambacense* subsp. *hockii*

lanceolatum Schinz = *T. angustifolium* subsp. *angustifolium*

physaloides (Fenzl) A.DC. PRE SRGH

(*Friedrichsthalia physaloides* Fenzl)

zeylanicum (Burm.) R.Br. PRE SRGH

(*Borago zeylanica* Burm.f.)

BRASSICACEAE (CRUCIFERAE)

BRASSICA L.

elongata Ehrh. subsp. **elongata** PRE

• **juncea** (L.) Czern. & Coss. PRE SRGH

(*Sinapis juncea* L.)

CORONOPUS Zinn

• **integrifolius** (DC.) Spreng. GAB PRE PSUB SRGH UCBG

(*Senebiera integrifolia* DC.)

(*Senebiera linoides* DC.)

ERUCASTRUM (DC.) C.Presl

arabicum Fisch. & C.A.Mey. var. **arabicum** GAB K PRE PSUB SRGH

LEPIDIUM L.

• **bonariense** L. GAB PRE UCBG

NASTURTIIUM R.Br.

fluviatile E.Mey. ex Sond. = *Rorippa fluviatilis* var. *fluviatilis*

officinale Aiton f.

(*Rorippa nasturtium-aquaticum* (L.) Hayek)

(*Sisymbrium nasturtium-aquaticum* L.)

RORIPPA Scop.

fluviatilis (E.Mey. ex Sond.) Thell. var. **fluviatilis** K PRE SRGH UCBG ♣

(*Nasturtium fluviatile* E.Mey. ex Sond.)

nasturtium-aquaticum (L.) Hayek. = *Nasturtium officinale*

SENEBIERA DC.

integrifolia DC. = *Coronopus integrifolius*

linoides DC. = *Coronopus integrifolius*

SINAPIS L.

juncea L. = *Brassica juncea*

SISYMBRIUM L.

burchellii DC. var. **burchellii** PRE UCBG

(*S. gariepinum* Burch. ex DC.)

gariepinum Burch. ex DC. = *S. burchellii* var. *burchellii*

nasturtium-aquaticum L. = *Rorippa nasturtium-aquaticum*

BUDDLEJACEAE

BUDDLEJA L.

• **madagascariensis** Lam. PRE

saligna Willd. PRE ♣

salviifolia (L.) Lam. PRE

virgata L.f. = *Gomphostigma virgatum*

GOMPHOSTIGMA Turcz.

virgatum (L.f.) Baill. BM K M PRE UCBG Z

(*Buddleja virgata* L.f.)

LACHNOPYLIS Hochst.

congesta (R.Br. ex Fresen.) C.A.Sm. = *Nuxia congesta*

oppositifolia Hochst. = *Nuxia oppositifolia*

NUXIA Comm. ex Lam.

congesta R.Br. ex Fresen. BM BOL GAB K PRE UCBG ♣

(*Lachnopylis congesta* (R.Br. ex Fresen.) C.A.Sm.)

oppositifolia (Hochst.) Benth. SRGH ♣

(*Lachnopylis oppositifolia* Hochst.)

BURSERACEAE

BALSAMODENDRUM Kunth

molle Oliv. = *Commiphora mollis*

schimperi O.Berg = *Commiphora schimperi*

COMMIPHORA Jacq.

africana (A.Rich.) Engl. var. **africana** GAB K PRE

SRGH UCBG ♣♣

(*C. benadirensis* Mattei)

- (*C. calciicola* Engl.)
(*C. loandensis* Engl.)
(*C. nkolola* Engl.)
(*C. pilosa* (Engl.) Engl.)
(*C. pilosa* (Engl.) Engl. var. *meyeri-johannis* Engl.)
(*C. rugosa* Engl.)
(*C. sambesiaca* Engl.)
(*Heudelotia africana* A.Rich.)
angolensis Engl. GAB K PRE PSUB SRGH UCBG 🌳🌳
(*C. kwebensis* N.E.Br.)
(*C. nigrescens* Engl.)
(*C. oliveri* Engl.)
(*C. rehmannii* Engl.)
arussensis Engl. = *C. schimperi*
benadirensis Mattei = *C. africana* var. *africana*
berberidifolia Engl. = *C. glandulosa*
betschuanica Engl. = *C. schimperi*
boehmii Engl. = *C. mollis*
buraensis Engl. = *C. schimperi*
caerulea Burtt GAB PSUB SRGH UCBG 🌳🌳
calciicola Engl. = *C. africana* var. *africana*
chlorocarpa Engl. = *C. edulis* subsp. *edulis*
cinerea Engl. = *C. mollis*
dekindtiana Engl. = *C. mollis*
edulis (Klotzsch) Engl. subsp. **edulis** K PRE PSUB SRGH UCBG 🌳🌳
(*C. chlorocarpa* Engl.)
(*C. morogorensis* Engl.)
(*C. trollii* Mattick)
fischeri Engl. = *C. mossambicensis*
glandulosa Schinz K PRE PSUB SRGH 🌳🌳
(*C. berberidifolia* Engl.)
(*C. pyracanthoides* Engl. subsp. *glandulosa* (Schinz) Wild)
(*C. ruahensis* Mattick)
(*C. thermitaria* Lisowski Malaisse & Symoens)
hollisii Burtt Davy = *C. schimperi*
iringensis Engl. = *C. mollis*
karibensis Wild PRE SRGH 🌳🌳
krausei Engl. = *C. mollis*
kwebensis N.E.Br. = *C. angolensis*
loandensis Engl. = *C. africana* var. *africana*
marlothii Engl. GAB K PRE SRGH UCBG 🌳🌳
merkeri in sense of Wild not of Engl. SRGH 🌳🌳
mollis (Oliv.) Engl. GAB K PRE SRGH UCBG 🌳🌳
(*Balsamodendrum molle* Oliv.)
(*C. boehmii* Engl.)
(*C. cinerea* Engl.)
(*C. dekindtiana* Engl.)
(*C. iringensis* Engl.)
(*C. krausei* Engl.)
(*C. montana* Engl.)
(*C. ndemfi* Engl.)
(*C. stuhlmannii* Engl.)
(*C. welwitschii* Engl.)
montana Engl. = *C. mollis*
morogorensis Engl. = *C. edulis* subsp. *edulis*
mossambicensis (Oliv.) Engl. BM FHO GAB PRE PSUB SRGH UCBG 🌳🌳

- (*C. fischeri* Engl.)
(*C. stolzii* Engl.)
ndemfi Engl. = *C. mollis*
neumannii Engl. = *C. schimperi*
nigrescens Engl. = *C. angolensis*
nkolola Engl. = *C. africana* var. *africana*
oliveri Engl. = *C. angolensis*
pilosa (Engl.) Engl. = *C. africana* var. *africana*
pilosa (Engl.) Engl. var. *meyeri-johannis* Engl. = *C. africana* var. *africana*
porensis Engl. = *Lannea schweinfurthii* var. *stuhlmannii*
pyracanthoides Engl. GAB PRE PSUB SRGH UCBG 🌳🌳
pyracanthoides Engl. subsp. *glandulosa* (Schinz) Wild = *C. glandulosa*
rehmannii Engl. = *C. angolensis*
resiniflua Martelli = *C. schimperi*
ruahensis Mattick = *C. glandulosa*
rugosa Engl. = *C. africana* var. *africana*
sambesiaca Engl. = *C. africana* var. *africana*
schimperi (O.Berg) Engl. GAB PRE PSUB SRGH UCBG 🌳🌳
(*Balsamodendrum schimperi* O.Berg)
(*C. arussensis* Engl.)
(*C. betschuanica* Engl.)
(*C. buraensis* Engl.)
(*C. hollisii* Burtt Davy)
(*C. neumannii* Engl.)
(*C. resiniflua* Martelli)
stolzii Engl. = *C. mossambicensis*
stuhlmannii Engl. = *C. mollis*
subglauca Engl. = *Sclerocarya birrea* subsp. *caffra*
tenuipetiolata Engl. PRE SRGH UCBG 🌳🌳
thermitaria Lisowski Malaisse & Symoens = *C. glandulosa*
trollii Mattick = *C. edulis* subsp. *edulis*
welwitschii Engl. = *C. mollis*

HEUDELOTIA A.Rich.
africana A.Rich. = *Commiphora africana* var. *africana*

CABOMBACEAE

- BRASENIA** Schreb.
peltata Pursh = *B. schreberi*
purpurea (Michx.) Casp. = *B. schreberi*
schreberi J.F.Gmel. GAB K PRE PSUB SRGH UCBG 🍈
(*B. peltata* Pursh)
(*B. purpurea* (Michx.) Casp.)
(*Hydropeltis purpurea* Michx.)

HYDROPELTIS Michx.
purpurea Michx. = *Brasenia schreberi*

CACTACEAE

- CEREUS** Mill.
**jamacaru* DC. 🌵🌵?

CYLINDROPUNTIA (Engelm.) F.Kunth
imbricata (Haw.) Kunth = *Opuntia imbricata*

OPUNTIA Mill.

compressa (Salisb.) J.Macbr. = *O. humifusa*
 **ficus-indica* (L.) Mill. GAB PRE SRGH UCBG ♀
 (*O. megacantha* Salm-Dyck)
 **humifusa* (Raf.) Raf. ♀ ♀ ?
 (*O. compressa* (Salisb.) J.Macbr.)
 **imbricata* (Haw.) DC. PRE ♀ ♀ ?
 (*Cylindropuntia imbricata* (Haw.) Kunth)
megacantha Salm-Dyck = *O. ficus-indica*

CAMPANULACEAE

CAMPANULA L.

denticulata Burch. = *Wahlenbergia denticulata* var. *denticulata*
undulata L.f. = *Wahlenbergia undulata*

CEPHALOSTIGMA A.DC.

pyramidale Schinz = *Wahlenbergia ramosissima* subsp. *lateralis*

GUNILLAEA Thulin

rhodesica (Adamson) Thulin GAB PRE PSUB SRGH
 (*Prismatocarpus rhodesicus* Adamson)

LIGHTFOOTIA L'Hér.

denticulata (Burch.) Sond. = *Wahlenbergia denticulata*
 var. *denticulata*
dinteri Engl. ex Dinter = *Wahlenbergia denticulata* var. *denticulata*
glomerata Engl. = *Wahlenbergia napiformis*
intricata Dinter & Markgr.-Dann. = *Wahlenbergia denticulata*
 var. *denticulata*
marginata A.DC. = *Wahlenbergia napiformis*
napiformis A.DC. = *Wahlenbergia napiformis*

PRISMATOCARPUS L'Hér.

cordifolius Adamson PRE
rhodesicus Adamson = *Gunillaea rhodesica*

WAHLENBERGIA Schrad. ex Roth

androsacea A.DC. GAB PRE SRGH UCBG
 (*W. arenaria* DC.)
 (*W. inhambanensis* Klotzsch)
 (*W. nudicaulis* A.DC.)
 (*W. perennis* Brehmer)
 (*W. rosulata* Brehmer)
arenaria DC. = *W. androsacea*
banksiana A.DC. GAB K PRE PSUB SRGH
 (*W. foliosa* Brehmer)
 (*W. gracillima* S.Moore)
 (*W. multiflora* Conrath)
 (*W. okavangensis* N.E.Br.)
caledonica Sond. = *W. undulata*
denticulata (Burch.) A.DC. var. *denticulata* PRE
 PSUB SRGH
 (*Campanula denticulata* Burch.)

(*Lightfootia denticulata* (Burch.) Sond.)
 (*Lightfootia dinteri* Engl. ex Dinter)
 (*Lightfootia intricata* Dinter & Markgr.-Dann.)

dinteri Brehmer = *W. undulata*
foliosa Brehmer = *W. banksiana*
gracillima S.Moore = *W. banksiana*
inhambanensis Klotzsch = *W. androsacea*
lateralis Brehmer = *W. ramosissima* subsp. *lateralis*
multiflora Conrath = *W. banksiana*
napiformis (A.DC.) Thulin GAB K M MO PRE SRGH
 (*Lightfootia glomerata* Engl.)
 (*Lightfootia marginata* A.DC.)
 (*Lightfootia napiformis* A.DC.)
nudicaulis A.DC. = *W. androsacea*
okavangensis N.E.Br. = *W. banksiana*
perennis Brehmer = *W. androsacea*
ramosissima (Hemsl.) Thulin subsp. *lateralis* (Brehmer) Thulin
 K PRE PSUB SRGH
 (*Cephalostigma pyramidale* Schinz)
 (*W. lateralis* Brehmer)
rosulata Brehmer = *W. androsacea*
scoparia Brehmer = *W. undulata*
tenuis A.DC. GAB PRE
undulata (L.f.) A.DC. GAB PRE PSUB SRGH UCBG
 (*Campanula undulata* L.f.)
 (*W. caledonica* Sond.)
 (*W. dinteri* Brehmer)
 (*W. scoparia* Brehmer)

CANNABACEAE

CANNABIS L.

**sativa* L. SRGH

CAPPARACEAE

BOSCIA Lam.

albitrunca (Burch.) Gilg & Gilg-Ben. var. *albitrunca* GAB PRE
 PSUB SRGH UCBG ♀
 (*B. pechuelii* Kuntze)
 (*B. transvaalensis* Pestal.)
 (*Capparis albitrunca* Burch.)
 (*Capparis punctata* Burch.)
angustifolia A.Rich. var. *corymbosa* (Gilg) DeWolf PRE
 PSUB SRGH ♀
 (*B. caloneura* Gilg)
 (*B. corymbosa* Gilg)
 (*B. homblei* De Wild.)
caloneura Gilg = *B. angustifolia* var. *corymbosa*
carsonii Baker = *B. mossambicensis*
corymbosa Gilg = *B. angustifolia* var. *corymbosa*
foetida Schinz subsp. *minima* Toelken PRE SRGH UCBG ♀
foetida Schinz subsp. *rehmanniana* (Pestal.) Toelken BM K L
 PRE PSUB SRGH UCBG ♀
 (*B. rehmanniana* Pestal.)
hexamitocarpa Gilg-Ben. = *B. matabelensis*
homblei De Wild. = *B. angustifolia* var. *corymbosa*

matabelensis Pestal. GAB K PRE PSUB SRGH 🌳
(*B. hexamitocarpa* Gilg-Ben.)
mossambicensis Klotzsch GAB K PRE PSUB SRGH 🌳
(*B. carsonii* Baker)
(*B. welwitschii* Gilg)
pechuelii Kuntze = *B. albitrunca* var. *albitrunca*
powellii Sprague = *B. salicifolia*
rehmanniana Pestal. = *B. foetida* subsp. *rehmanniana*
salicifolia Oliv. K PRE PSUB SRGH UCBG 🌳
(*B. powellii* Sprague)
transvaalensis Pestal. = *B. albitrunca* var. *albitrunca*
welwitschii Gilg = *B. mossambicensis*

CADABA Forssk.

aphylla (Thunb.) Wild GAB PRE SRGH UCBG 🌳🌳
(*C. juncea* (Sparrm.) Harv. ex Hook.f.)
juncea (Sparrm.) Harv. ex Hook.f. = *C. aphylla*
macropoda Gilg = *C. termitaria*
natalensis Sond. PRE SRGH 🌳
termitaria N.E.Br. GAB K PRE PSUB SRGH UCBG 🌳
(*C. macropoda* Gilg)

CAPPARIS L.

albitrunca Burch. = *Boscia albitrunca* var. *albitrunca*
bangweolensis R.E.Fr. = *C. eleagnoides*
corymbifera E.Mey. ex Sond. = *C. tomentosa*
eleagnoides Gilg K SRGH
(*C. bangweolensis* R.E.Fr.)
punctata Burch. = *Boscia albitrunca* var. *albitrunca*
sepiaria L. var. **subglabra** (Oliv.) DeWolf PRE
tomentosa Lam. K PRE PSUB SRGH UCBG 🌳
(*C. corymbifera* E.Mey. ex Sond.)
triphylla Thunb. = *Maerua cafra*

CLEOME L.

angustifolia Forssk. subsp. **diandra** (Burch.) Kers K PSUB SRGH UCBG
(*C. angustifolia* Forssk. subsp. *diandra* (Burch.) Kers var. *namaquensis* Kers)
(*C. diandra* Burch.)
(*Dianthera burchelliana* Klotzsch ex Sond.)
(*Polanisia dianthera* DC.)
angustifolia Forssk. subsp. *diandra* (Burch.) Kers var. *namaquensis*
Kers = *C. angustifolia* subsp. *diandra*
angustifolia Forssk. subsp. **petersiana** (Klotzsch ex Sond.) Kers PRE PSUB SRGH UCBG
(*Dianthera petersiana* (Klotzsch ex Sond.) Pax)
bechuanensis Bremek. & Oberm. = *C. hirta*
confusa Dinter = *C. elegantissima*
diandra Burch. = *C. angustifolia* subsp. *diandra*
elegantissima Briq. PRE UCBG
(*C. confusa* Dinter)
epilobioides Baker = *C. monophylla*
gynandra L. BM GAB K PRE PSUB SRGH UCBG
(*Gynandropsis gynandra* (L.) Briq.)
(*Gynandropsis pentaphylla* (L.) Briq.)

hirta (Klotzsch) Oliv. GAB K PRE PSUB SRGH UCBG
(*C. bechuanensis* Bremek. & Oberm.)
(*C. pulcherrima* Busc. & Muschl.)
(*Polanisia hirta* (Klotzsch) Pax)
iberidella Welw. ex Oliv. GAB PRE PSUB SRGH
kalachariensis (Schinz) Gilg & Gilg-Ben. BM GAB K PRE PSUB SRGH
(*C. sulfurea* Bremek. & Oberm.)
macrophylla (Klotzsch) Briq. var. **macrophylla** PRE PSUB SRGH
(*C. nationae* Burtt Davy)
maculata (Sond.) Szyszyl. GAB PRE SRGH UCBG
(*Polanisia maculata* Sond.)
(*Tetratelia maculata* (Sond.) Sond.)
monophylla L. GAB K PRE PSUB SRGH UCBG
(*C. epilobioides* Baker f.)
nationae Burtt Davy = *C. macrophylla* var. *macrophylla*
oxyphylla Burch. PRE SRGH UCBG
pulcherrima Busc. & Muschl. = *C. hirta*
rubella Burch. GAB K PRE PSUB SRGH UCBG
(*C. rupestris* Sond.)
rupestris Sond. = *C. rubella*
sulfurea Bremek. & Oberm. = *C. kalachariensis*

DIANTHERA Klotzsch

burchelliana Klotzsch ex Sond. = *Cleome angustifolia* subsp. *diandra*
petersiana (Klotzsch ex Sond.) Pax = *Cleome angustifolia* subsp. *petersiana*

GYNANDROPSIS DC.

gynandra (L.) Briq. = *Cleome gynandra*
pentaphylla (L.) Briq. = *Cleome gynandra*

MAERUA Forssk.

angolensis DC. GAB K PRE PSUB SRGH UCBG 🌳
angustifolia Schinz = *M. juncea* subsp. *juncea*
cafra (DC.) Pax SRGH UCBG 🌳
(*Capparis triphylla* Thunb.)
(*M. triphylla* (Thunb.) Dur. & Schinz)
(*Niebuhrria cafra* DC.)
(*Niebuhrria triphylla* (Thunb.) H.L.Wendl.)
flagellaris (Oliv.) Gilg & Gilg-Ben. = *M. juncea* subsp. *juncea*
flagellaris (Oliv.) Gilg & Gilg-Ben. subsp. *crustata* Wild = *M. juncea* subsp. *crustata*
guerichii Pax = *M. juncea* subsp. *juncea*
hirticaulis Gilg & Gilg-Ben. = *M. parvifolia*
juncea Pax subsp. **crustata** (Wild) Wild GAB K PRE SRGH UCBG 🌳🌳
(*M. flagellaris* (Oliv.) Gilg & Gilg-Ben. subsp. *crustata* Wild)
juncea Pax subsp. **juncea** PRE PSUB SRGH UCBG 🌳🌳
(*M. angustifolia* Schinz)
(*M. flagellaris* (Oliv.) Gilg & Gilg-Ben.)
(*M. guerichii* Pax)
legatii Burtt Davy = *M. parvifolia*
parvifolia Pax GAB PRE PSUB SRGH
(*M. hirticaulis* Gilg & Gilg-Ben.)

(*M. legatii* Burtt Davy)

schinzii Pax GAB SRGH

triphylla (Thunb.) T.Durand & Schinz = *M. cafra*

NIEBUHRIA DC.

cafra DC. = *Maerua cafra*

triphylla (Thunb.) H.L.Wendl. = *Maerua cafra*

POLANISIA Raf.

dianthera DC. = *Cleome angustifolia* subsp. *diandra*

hirta (Klotzsch) Pax = *Cleome hirta*

maculata Sond. = *Cleome maculata*

TETRATELIA Sond.

maculata (Sond.) Sond. = *Cleome maculata*

CARYOPHYLLACEAE

ALSINE L.

media L. = *Stellaria media*

prostrata Forssk. = *Polycarpon prostratum* var. *prostratum*

CORRIGIOLA L.

litoralis L. forma *typica* Graebn. = *C. litoralis* subsp. *litoralis*
var. *litoralis*

litoralis L. subsp. *litoralis* var. *litoralis* GAB K PRE SRGH

(*C. litoralis* L. forma *typica* Graebn.)

(*C. litoralis* L. var. *purpurascens* Giraudias)

litoralis L. var. *purpurascens* Giraudias = *C. litoralis*
subsp. *litoralis* var. *litoralis*

DIANTHUS L.

colensoi F.N.Williams = *D. zeyheri* subsp. *natalensis*

micropetalus Ser. PRE

zeyheri Sond. subsp. *natalensis* Hooper PRE

(*D. colensoi* F.N.Williams)

POLLICHIA Aiton

campestris Aiton GAB K PRE SRGH UCBG

POLYCARPAEA Lam.

✱ **corymbosa** (L.) Lam. var. *corymbosa* GAB PRE PSUB SRGH
(*Achyranthes corymbosa* L.)

eriantha Hochst. ex A.Rich. var. *eriantha* PRE PSUB SRGH

(*P. grossartii* Dinter)

grossartii Dinter = *P. eriantha* var. *eriantha*

POLYCARPON L.

loeflingii Benth. = *P. prostratum* var. *prostratum*

prostratum (Forssk.) Asch. & Schweinf. var. *prostratum* GAB
PRE PSUB

(*Alsine prostrata* Forssk.)

(*P. loeflingii* Benth.)

STELLARIA L.

✱ **media** (L.) Vill. PRE SRGH

(*Alsine media* L.)

✱ **sennii** Chiov. PRE

CELASTRACEAE

CASSINE L.

aethiopica Thunb. = *Mystroxyllum aethiopicum*

matabelica (Loes.) Steedman = *Elaeodendron matabelicum*

transvaalensis (Burtt Davy) Codd = *Elaeodendron tranvaalense*

CELASTRUS L.

heterophyllus Eckl. & Zeyh. = *Gymnosporia heterophylla*
subsp. *heterophylla*

peduncularis Sond. = *Maytenus peduncularis*

senegalensis Lam. = *Gymnosporia senegalensis*

tenuispina Sond. = *Gymnosporia tenuispina*

undatus Thunb. = *Maytenus undata*

CROCOXYLON Eckl. & Zeyh.

transvaalense (Burtt Davy) N.Robson = *Elaeodendron transvaalense*

EUONYMUS L.

inermis Forssk. = *Ochna inermis*

ELAEODENDRON Jacq.

fruticosum N.Robson = *E. matabelicum*

matabelicum Loes. K PRE SRGH ⬆

(*Cassine matabelica* (Loes.) Steedman)

(*E. fruticosum* N.Robson)

transvaalense (Burtt Davy) R.H.Archer PRE ⬆

(*Cassine transvaalensis* (Burtt Davy) Codd)

(*Crocoxylon transvaalense* (Burtt Davy) N.Robson)

GYMNOSPORIA (Wight & Arn.) Hook.f.

buxifolia (L.) Syszyl. PRE ⬆

heterophylla (Eckl. & Zeyh.) Loes. PRE ⬆

(*Maytenus heterophylla* in sense of (Eckl. & Zeyh.)

N.Robson in part)

maranguensis (Loes.) Loes. PRE ⬆

senegalensis (Lam.) Loes. PRE ⬆

(*Celastrus senegalensis* Lam.)

(*Maytenus senegalensis* (Lam.) Exell)

tenuispina (Sond.) Syszyl. PRE ⬆

(*Celastrus tenuispina* Sond.)

(*Maytenus tenuispina* (Sond.) Marais)

HIPPOCRATEA L.

africana (Willd.) Loes. var. *richardiana* (Cambess.) N.Robson =

Loeseneriella africana var. *richardiana*

buchananii Loes. = *Reissantia buchananii*

indica Willd. = *Reissantia indica* var. *orientalis*

nitida Oberm. = *Loeseneriella africana* var. *richardiana*

parviflora N.E.Br. = *Reissantia parviflora*

LOESENERIELLA A.C.Sm.

africana (Willd.) N.Hallé var. *richardiana* (Cambess.)

N.Hallé PRE ⬆

(*Hippocratea africana* (Willd.) Loes. var. *richardiana*

(Cambess.) N.Robson)

MAYTENUS Molina

- heterophylla* in sense of (Eckl. & Zeyh.) N.Robson
- subsp. *heterophylla* = *Gymnosporia heterophylla*
- peduncularis** (Sond.) Loes. PRE 🌳
- polyacantha* (Sond.) Marais = *Gymnosporia polyacantha*
- subsp. *polyacantha*
- senegalensis* (Lam.) Exell = *Gymnosporia senegalensis*
- tenuispina* (Sond.) Marais = *Gymnosporia tenuispina*
- undata** (Thunb.) Blakelock K PRE SRGH UCBG 🌳
- (*Celastrus undatus* Thunb.)

REISSANTIA N.Hallé

- buchananii** (Loes.) N.Hallé PRE 🌳
- (*Hippocratea buchananii* Loes.)

CERATOPHYLLACEAE

CERATOPHYLLUM L.

- demersum** L. var. **demersum** forma **demersum** GAB K LIS
- PRE PSUB SRGH UCBG 🌱
- submersum** L. K SRGH 🌱

CHENOPODIACEAE

ATRIPLEX L.

- ✳️ **semibaccata** R.Br. var. **typica** Aellen PRE
- suberecta** I.Verd. ?

CAROXYLON Thunb.

- brevifolium* St.-Lag. = *Salsola aphylla*
- salsola* Thunb. = *Salsola aphylla*
- tuberculatum* Moq. = *Salsola tuberculata*

CHENOPODIUM L.

- ✳️ **album** L. K PRE SRGH
- ✳️ **ambrosioides** L. GAB K PRE PSUB SRGH UCBG
- ✳️ **carinatum** R.Br. GAB K PRE SRGH UCBG
- foetidum* Schrad. = *C. schraderianum*
- foetidum* Schrad. subsp. *gracile* Aellen = *C. schraderianum*
- foetidum* Schrad. subsp. *pseudomultiflorum* Murr =
C. schraderianum
- ✳️ **glaucum** L. ?
- hederiforme** (Murr) Aellen var. **dentatum** Aellen GAB K PRE
SRGH UCBG
- (*C. opulifolium* Schrad. ex W.D.J.Koch & Ziz
subsp. *hederiforme* Murr)
- (*C. opulifolium* Schrad. ex W.D.J.Koch & Ziz
subsp. *kalacharicum* Murr)
- longidjawense* Peter = *C. murale* var. *murale*
- murale* L. var. *acutidentatum* Aellen = *C. murale* var. *murale*
- ✳️ **murale** L. var. **murale** GAB K PRE SRGH
- (*C. longidjawense* Peter)
- (*C. murale* L. var. *acutidentatum* Aellen)
- olukondae** (Murr) Murr K PRE SRGH
- ✳️ **opulifolium** Schrad. ex W.D.J.Koch & Ziz var. **opulifolium**

- GAB PRE PSUB SRGH UCBG
- opulifolium* Schrad. ex W.D.J.Koch & Ziz subsp. *hederiforme*
Murr = *C. hederiforme* var. *dentatum*
- opulifolium* Schrad. ex W.D.J.Koch & Ziz subsp. *kalacharicum*
Murr = *C. hederiforme* var. *dentatum*
- phillipsianum** Aellen PRE
- ✳️ **schraderianum** Roem. & Schult. GAB K PRE SRGH
- (*C. foetidum* Schrad.)
- (*C. foetidum* Schrad. subsp. *gracile* Aellen)
- (*C. foetidum* Schrad. subsp. *pseudomultiflorum* Murr)

SALSOLA L.

- albida** Botsch. PRE
- aphylla** L.f. GAB PRE UCBG 🌳🌱
- (*Caroxylon brevifolium* St.-Lag.)
- (*Caroxylon salsola* Thunb.)
- (*S. aphylla* L.f. var. *canescens* Fenzl ex Drège)
- (*S. affra* Sparrm.)
- (*S. caroxylon* Moq.)
- aphylla* L.f. var. *canescens* Fenzl ex Drège = *S. aphylla*
- aphylla* L.f. var. *virescens* Fenzl ex Drège = *S. rabieana*
- caffra* Sparrm. = *S. aphylla*
- caroxylon* Moq. = *S. aphylla*
- etoshensis** Botsch. PRE
- glabrescens** Burtt Davy PRE
- ✳️ **kali** L. UCBG 🌱🌱
- namaqualandica** Botsch. PRE
- rabieana** I.Verd. BM K PRE SRGH 🌱
- (*S. aphylla* L.f. var. *virescens* Fenzl ex Drège)
- tuberculata** (Moq.) Fenzl PRE UCBG 🌱
- (*Caroxylon tuberculatum* Moq.)

SUAEDA Forssk. ex J.F.Gmel.

- articulata** Aellen PRE 🌱
- fruticosa** (L.) Forssk. PRE 🌱
- merxmuelleri** Aell. GAB K PSUB SRGH 🌱
- plumosa** Aellen GAB PRE 🌱

CHRYSOBALANACEAE

PARINARI Aubl.

- capensis** Harv. subsp. **capensis** GAB K PRE PSUB
SRGH UCBG 🌳
- (*P. capensis* Harv. subsp. *latifolia* (Oliv.) R.A.Graham)
- (*P. capensis* Harv. var. *latifolia* Oliv.)
- (*P. curatellifolia* Planch. ex Benth.
var. *fruticulosa* R.E.Fr.)
- (*P. latifolia* (Oliv.) Exell)
- (*P. pumila* Mildbr.)
- capensis* Harv. subsp. *latifolia* (Oliv.) R.A.Graham = *P. capensis*
subsp. *capensis*
- capensis* Harv. var. *latifolia* Oliv. = *P. capensis* subsp. *capensis*
- curatellifolia** Planch. ex Benth. GAB
- curatellifolia* Planch. ex Benth. var. *fruticulosa* R.E.Fr. =
P. capensis subsp. *capensis*
- latifolia* (Oliv.) Exell = *P. capensis* subsp. *capensis*
- pumila* Mildbr. = *P. capensis* subsp. *capensis*

CLUSIACEAE (GUTTIFERAE)

GARCINIA L.

angolensis Vesque = *G. livingstonei*

baikieana Vesque = *G. livingstonei*

ferrandii Chiov. = *G. livingstonei*

livingstonei T.Anderson GAB K PRE PSUB SRGH UCBG 🌿

(*G. angolensis* Vesque)

(*G. baikieana* Vesque)

(*G. ferrandii* Chiov.)

HYPERICUM L. (sometimes placed under Hypericaceae)

baumii Engl. & Gilg = *H. lalandii*

lalandii Choisy GAB PRE SRGH UCBG

(*H. baumii* Engl. & Gilg)

(*H. lalandii* Choisy var. *valderamosum* Suesseng. & Merxm.)

lalandii Choisy var. *valderamosum* Suesseng. & Merxm. =

H. lalandii

COMBRETACEAE

COMBRETUM Loefl.

adenogonium Steud. ex A.Rich. PRE PSUB SRGH 🌿

(*C. fragrans* F.Hoffm.)

albopunctatum Suess. BM FHO GAB PSUB SRGH UCBG 🌿

apiculatum Sond. subsp. **apiculatum** GAB PRE PSUB

SRGH UCBG 🌿

(*C. apiculatum* Sond. subsp. *boreale* Exell)

(*C. buchananii* Engl. & Diels)

apiculatum Sond. subsp. *boreale* Exell = *C. apiculatum*

subsp. *apiculatum*

apiculatum Sond. subsp. **leutweinii** (Schinz) Exell FHO GAB

PRE PSUB SRGH UCBG 🌿

(*C. kwebense* N.E.Br.)

(*C. leutweinii* Schinz)

brachypetalum R.E.Fr. = *C. psidioides* subsp. *psidioides*

buchananii Engl. & Diels = *C. apiculatum* subsp. *apiculatum*

celastroides Welw. ex M.A.Lawson subsp. **celastroides** FHO

PRE PSUB SRGH 🌿

(*C. patelliforme* Engl. & Diels)

celastroides Welw. ex M.A.Lawson subsp. **orientale** Exell PRE 🌿

chlorocarpum Exell = *C. schumannii*

collinum Fresen. subsp. **gazense** (Swynn. & Baker f.) Okafor

FHO K PRE PSUB UCBG 🌿

(*C. gazense* Swynn. & Baker f.)

(*C. mechowianum* O.Hoffm.)

collinum Fresen. subsp. **ondongense** (Engl. & Diels) Okafor

FHO K PRE 🌿

(*C. ondongense* Engl. & Diels)

collinum Fresen. subsp. **suluense** (Engl. & Diels) Okafor 🌿 ?

elaegnoides Klotzsch BM EA GAB PRE PSUB

SRGH UCBG 🌿

(*C. prunifolium* Engl. & Diels)

(*C. stevensonii* Exell)

engleri Schinz GAB PRE PSUB 🌿

erythrophyllum (Burch.) Sond. FHO GAB LISC PRE PSUB

SRGH UCBG 🌿

(*C. glomeruliflorum* Sond.)

(*Terminalia erythrophylla* Burch.)

fragrans F.Hoffm. = *C. adenogonium*

gazense Swynn. & Baker f. = *C. collinum* subsp. *gazense*

glandulosum F.Hoffm. = *C. zeyheri*

glomeruliflorum Sond. = *C. erythrophyllum*

grandifolium F.Hoffm. = *C. psidioides* subsp. *psidioides*

gueinzii Sond. = *C. molle*

hereroense Schinz subsp. **hereroense** var. **hereroense** FHO

GAB PRE PSUB SRGH UCBG 🌿

(*C. rhodesicum* Baker f.)

(*C. sambesiicum* Engl. & Diels)

(*C. transvaalense* Schinz)

holosericeum Sond. = *C. molle*

imberbe Wawra BM GAB K PRE PSUB SRGH UCBG 🌿

(*C. primigenum* Marloth ex Engl.)

(*C. truncatum* Welw. ex M.A.Lawson)

kwebense N.E.Br. = *C. apiculatum* subsp. *leutweinii*

leutweinii Schinz = *C. apiculatum* subsp. *leutweinii*

lomuense Sim = *C. microphyllum*

macrostigmameum Engl. & Diels = *C. schumannii*

mechowianum O.Hoffm. = *C. collinum* subsp. *gazense*

microphyllum Klotzsch SRGH 🌿

(*C. lomuense* Sim)

(*C. paniculatum* Vent. subsp. *microphyllum* (Klotzsch)

Wickens)

molle R.Br. ex G.Don FHO K LISC PRE PSUB

SRGH UCBG 🌿

(*C. gueinzii* Sond.)

(*C. holosericeum* Sond.)

mossambicense (Klotzsch) Engl. GAB PRE PSUB

SRGH UCBG 🌿

(*Poivrea mossambicensis* Klotzsch)

myrtifolium M.A.Lawson = *Pteleopsis myrtifolia*

oatesii Rolfe = *C. platypetalum* subsp. *oatesii*

ondongense Engl. & Diels = *C. collinum* subsp. *ondongense*

paniculatum Vent. subsp. *microphyllum* (Klotzsch) Wickens =

C. microphyllum

patelliforme Engl. & Diels = *C. celastroides*

subsp. *celastroides*

platypetalum Welw. ex M.A.Lawson subsp. **oatesii** (Rolfe) Exell

PRE SRGH

(*C. oatesii* Rolfe)

platypetalum Welw. ex M.A.Lawson subsp. **platypetalum**

PRE SRGH

primigenum Marloth ex Engl. = *C. imberbe*

prunifolium Engl. & Diels = *C. elaeagnoides*

psidioides Welw. subsp. **dinteri** (Schinz) Exell 🌿 ?

psidioides Welw. subsp. **glabrum** Exell 🌿 ?

psidioides Welw. subsp. **psidioides** GAB PRE PSUB

SRGH UCBG 🌿

(*C. brachypetalum* R.E.Fr.)

(*C. grandifolium* F.Hoffm.)

rhodesicum Baker f. = *C. hereroense* subsp. *hereroense*

var. *hereroense*

sambesiicum Engl. & Diels = *C. hereroense* subsp. *hereroense*

var. *hereroense*

schumannii Engl. GAB PRE PSUB SRGH 🌳
(*C. chlorocarpum* Exell)
(*C. macrostigmaeum* Engl. & Diels)
stevensonii Exell = *C. elaeagnoides*
tinctorum Welw. ex M.A.Lawson = *C. zeyheri*
transvaalense Schinz = *C. hereroense* subsp. *hereroense*
var. *hereroense*
truncatum Welw. ex M.A.Lawson = *C. imberbe*
zeyheri Sond. COI GAB LISC PSUB SRGH UCBG 🌳
(*C. glandulosum* F.Hoffm.)
(*C. tinctorum* Welw. ex M.A.Lawson)

MYROBALANUS Gaertn.
chebulus Vesling = *Balanites aegyptiaca* var. *aegyptiaca*

POIVREA Comm. ex DC.
mossambicensis Klotzsch = *Combretum mossambicense*

PTELEOPSIS Engl.
myrtifolia (M.A.Lawson) Engl. & Diels FHO PRE PSUB 🌳
(*Combretum myrtifolium* M.A.Lawson)

TERMINALIA L.
brachystemma Welw. ex Hiern subsp. **brachystemma** PRE PSUB 🌳
brachystemma x **T. sericea** Exell FHO 🌳
erythrophylla Burch. = *Combretum erythrophyllum*
fischeri Engl. = *T. sericea*
holstii Engl. = *T. prunioides*
nyassensis Engl. = *T. sericea*
petersii Engl. = *T. prunioides*
prunioides M.A.Lawson BM FHO GAB K PRE PSUB SRGH UCBG 🌳
(*T. holstii* Engl.)
(*T. petersii* Engl.)
randii Baker f. BM FHO GAB K PRE PSUB SRGH UCBG 🌳
sericea Burch. ex DC. FHO GAB K PRE PSUB SRGH UCBG 🌳
(*T. fischeri* Engl.)
(*T. nyassensis* Engl.)
stenostachya Engl. & Diels PRE 🌳
stuhlmannii Engl. FHO GAB PRE PSUB SRGH 🌳
trichopoda Diels GAB PRE PSUB SRGH 🌳

.....
CONNARACEAE
.....

BYRSOCARPUS Thonn. ex Schumach.
orientalis (Baill.) Baker = *Rourea orientalis*
tomentosus G.Schellenb. = *Rourea orientalis*

ROUREA Aubl.
orientalis Baill. FHO K PRE SRGH 🌳
(*Byrsocarpus orientalis* (Baill.) Baker)
(*Byrsocarpus tomentosus* G.Schellenb.)

.....
CONVOLVULACEAE
.....

ANISEIA Choisy
fulvicaulis Hochst. ex Choisy = *Ipomoea fulvicaulis*
var. *fulvicaulis*

hackeliana Schinz = *Ipomoea hackeliana*

ASTRIPOMOEA A.Meeuse
lachnosperma (Choisy) A.Meeuse GAB K LISC PRE
PSUB SRGH
(*Astrochlaena lachnosperma* (Choisy) Hallier f.)
(*Ipomoea lachnosperma* Choisy)
***malvacea** (Klotzsch) A.Meeuse SRGH UCBG
(*Astrochlaena malvacea* (Klotzsch) Hallier f.)
(*Breweria malvacea* Klotzsch)
rotundata (Pilg.) A.Meeuse PRE

ASTROCHLAENA Hallier f.
lachnosperma (Choisy) Hallier f. = *Astripomoea lachnosperma*
malvacea (Klotzsch) Hallier f. = *Astripomoea malvacea*

BONAMIA Thouars
capensis (E.Mey. ex Choisy) Burtt Davy = *Seddera capensis*
suffruticosa (Schinz) Burtt Davy = *Seddera suffruticosa*
velutina Verdc. FHO PRE

BREWERIA R.Br.
capensis (E.Mey. ex Choisy) Baker = *Seddera capensis*
malvacea Klotzsch = *Astripomoea malvacea*
suffruticosa Schinz = *Seddera suffruticosa*

CALYCANTHEMUM Klotzsch
leucanthemum Klotzsch = *Ipomoea leucanthemum*

CONVOLVULUS L.
alsinoides L. = *Evolvulus alsinoides*
angolensis Baker = *C. sagittatus*
aschersonii Engl.
(*C. sagittatus* Thunb. var. *aschersonii* (Engl.) Verdc.)
cairicus L. = *Ipomoea cairica* var. *cairica*
copticus L. = *Ipomoea coptica* var. *coptica*
cordifolius Thunb. = *C. farinosus*
farinosus L. PRE PSUB SRGH
(*C. cordifolius* Thunb.)
(*C. penicellatus* A.Rich.)
(*C. quinqueflorus* Vahl)
(*C. schweinfurthii* Engl.)

heptaphyllus Rottl. & Willd. = *Ipomoea tenuipes*
hirtellus Hallier f. = *C. sagittatus*
huillensis (Baker) Rendle = *C. sagittatus*
linifolius L. = *Evolvulus alsinoides*
obscurus L. = *Ipomoea obscura* var. *obscura*
ocellatus Hook.f. PRE SRGH
(*C. ocellatus* Hook.f. var. *ornatus* (Engl.) A.Meeuse)
oenotherae Vatke = *Ipomoea oenotherae* var. *oenotherae*
penicellatus A.Rich. = *C. farinosus*
phyllosepalus Hallier f. = *C. sagittatus*
quinqueflorus Vahl = *C. farinosus*
sagittatus Thunb. GAB K LISC PRE PSUB SRGH UCBG
(*C. angolensis* Baker)
(*C. hirtellus* Hallier f.)
(*C. huillensis* (Baker) Rendle)

(*C. phyllosepalus* Hallier f.)
 (*C. sagittatus* Thunb. subsp. *grandiflorus* (Hallier f.) A.Meeuse
 var. *graminifolius* (Hallier f.) Baker & C.H.Wright
 ex A.Meeuse)
 (*C. sagittatus* Thunb. subsp. *grandiflorus* (Hallier f.) A.Meeuse
 var. *grandiflorus*)
 (*C. sagittatus* Thunb. subsp. *grandiflorus* (Hallier f.) A.Meeuse
 var. *linearifolius* (Hallier f.) Baker & C.H.Wright
 ex A.Meeuse)
 (*C. sagittatus* Thunb. subsp. *grandiflorus* Hallier f. var.
subcordata (Hallier f.) Baker)
 (*C. sagittatus* Thunb. subsp. *sagittatus* var. *hirtellus*
 (Hallier f.) A.Meeuse)
 (*C. sagittatus* Thunb. subsp. *sagittatus* var. *namaquensis*
 A.Meeuse)
 (*C. sagittatus* Thunb. subsp. *sagittatus* var. *phyllosepalus*
 (Hallier f.) A.Meeuse)
 (*C. sagittatus* Thunb. subsp. *sagittatus* var. *ulosepalus*
 (Hallier f.) Verdc.)
 (*C. sagittatus* Thunb. var. *grandiflorus* Hallier f.
 subvar. *graminifolia* Hallier f.)
 (*C. sagittatus* Thunb. var. *grandiflorus* Hallier f.
 subvar. *linearifolia* Hallier f.)
 (*C. sagittatus* var. *ulosepalus* (Hallier f.) Verdc.)
 (*C. ulosepalus* Hallier f.)
sagittatus Thunb. subsp. *grandiflorus* (Hallier f.) A.Meeuse
 var. *graminifolius* (Hallier f.) Baker & C.H.Wright ex
 A.Meeuse = *C. sagittatus*
sagittatus Thunb. subsp. *grandiflorus* (Hallier f.) A.Meeuse
 var. *grandiflorus* = *C. sagittatus*
sagittatus Thunb. subsp. *grandiflorus* (Hallier f.) A.Meeuse
 var. *linearifolius* (Hallier f.) Baker & C.H.Wright ex
 A.Meeuse = *C. sagittatus*
sagittatus Thunb. subsp. *grandiflorus* Hallier f.
 var. *subcordata* (Hallier f.) Baker = *C. sagittatus*
sagittatus Thunb. subsp. *sagittatus* var. *hirtellus* (Hallier f.)
 A.Meeuse = *C. sagittatus*
sagittatus Thunb. subsp. *sagittatus* var. *namaquensis*
 A.Meeuse = *C. sagittatus*
sagittatus Thunb. subsp. *sagittatus* var. *phyllosepalus* (Hallier f.)
 A.Meeuse = *C. sagittatus*
sagittatus Thunb. subsp. *sagittatus* var. *ulosepalus* (Hallier f.)
 Verdc. = *C. sagittatus*
sagittatus Thunb. var. *aschersonii* (Engl.) Verdc. = *C. aschersonii*
sagittatus Thunb. var. *grandiflorus* Hallier f. subvar. *graminifolia*
 Hallier f. = *C. sagittatus*
sagittatus Thunb. var. *grandiflorus* Hallier f. subvar. *linearifolia*
 Hallier f. = *C. sagittatus*
sagittatus Thunb. var. *latifolius* C.H.Wright = *C. sagittatus*
sagittatus Thunb. var. *ulosepalus* (Hallier f.) Verdc. = *C. sagittatus*
schweinfurthii Engl. = *C. farinosus*
sinensis Desr. = *Ipomoea sinensis*
ulosepalus Hallier f. = *C. sagittatus*

EVLVULUS L.

alsinoides (L.) L. GAB K LISC PRE PSUB SRGH UCBG
 (*Convolvulus alsinoides* L.)

(*Convolvulus linifolius* L.)
 (*E. alsinoides* (L.) L. var. *linifolius* (L.) Baker)
alsinoides (L.) L. var. *linifolius* (L.) Baker = *E. alsinoides*
capensis E.Mey. ex Choisy = *Seddera capensis*

FALKIA Thunb.

abyssinica Engl. = *F. oblonga*
dichondroides Baker = *F. repens*
diffusa (Choisy) Hallier f. = *F. repens*
oblonga Bernh. ex C.Krauss GAB K PRE PSUB SRGH
 (*F. abyssinica* Engl.)
repens Thunb. PSUB
 (*F. dichondroides* Baker)
 (*F. diffusa* (Choisy) Hallier f.)
 (*F. villosa* Hallier f.)
villosa Hallier f. = *F. repens*

IPOMOEA L.

adenioides Schinz GAB K LISC PRE PSUB SRGH UCBG ♠
 (*I. marlothii* Engl.)
adumbrata Rendle & Britten = *I. crassipes* var. *crassipes*
angustifolia Jacq. = *Xenostegia tridentata* subsp. *angustifolia*
angustisecta Engl. = *I. bolusiana*
aquatica Forssk. GAB K PRE SRGH ♠♠
 (*I. natans* Dinter & Suess.)
 (*I. reptans* Roem. & Schult.)
 (*I. sagittaeifolia* Hochr.)
arachnosperma Welw. = *I. dichroa*
aspericaulis Baker = *I. welwitschii*
atherstonei Baker = *I. oblongata*
baclii Choisy = *I. rubens*
bellecomans Rendle = *I. crassipes*
blepharosepala Hochst. ex A.Rich. = *I. sinensis*
 subsp. *blepharosepala*
bolusiana Schinz GAB K LISC PRE PSUB SRGH UCBG ♠
 (*I. angustisecta* Engl.)
 (*I. bolusiana* Schinz subsp. *pinnatipartita* Verdc.)
 (*I. mesenteroides* Hallier f.)
 (*I. praetermissa* Rendle)
 (*I. simplex* Thunb. var. *obtusisejala* Rendle)
bolusiana Schinz subsp. *pinnatipartita* Verdc. = *I. bolusiana*
cairica (L.) Sweet GAB PRE SRGH UCBG ♠
 (*Convolvulus cairicus* L.)
calcarata Rendle = *I. tuberculata*
calystegioides (E.Mey. ex Choisy) Hallier f. = *I. crassipes*
cardiosejala Hochst. ex Baker & C.H.Wright = *I. sinensis*
 subsp. *blepharosejala*
carnea Jacq. subsp. **fistulosa** (Mart. ex Choisy) D.F.Austin PRE
ceciliae N.E.Br. = *I. oenotherae* var. *oenotherae*
ceciliae N.E.Br. var. *anomophylla* Merxm. = *I. oenotherae*
ceciliae N.E.Br. var. *quinquesecta* Merxm. = *I. oenotherae*
chloroneura Hallier f. GAB K LISC PRE PSUB SRGH
conceiroi Rendle = *I. verbascoidea*
coptica (L.) Roth ex Roem. & Schult. GAB K LISC PRE PSUB
 SRGH UCBG
 (*Convolvulus copticus* L.)
 (*I. dissecta* Willd.)

coscinosperma Hochst. ex Choisy GAB K LISC PRE
PSUB SRGH
(*I. polygonoides* Schweinf.)

crassipes Hook. GAB K PRE PSUB SRGH UCBG
(*I. adumbrata* Rendle & Britten)
(*I. bellecomans* Rendle)
(*I. calystegioides* (E.Mey. ex Choisy) Hallier f.)
(*I. greenstockii* Rendle)
(*I. sarmentacea* Rendle)

cynanchifolia Baker & Rendle = *I. plebeia* subsp. *africana*
dammarana Rendle = *I. verbascoidea*
dasysperma Jacq. = *I. tuberculata* var. *tuberculata*
dasysperma Jacq. var. *odontosepala* (Baker) Verdc. = *I. tuberculata*

dichroa Choisy K PRE PSUB SRGH
(*I. arachnosperma* Welw.)
(*I. pilosa* (Roxb.) Sweet)
dissecta Willd. = *I. coptica*
eenii Rendle = *I. magnusiana*

eriocarpa R.Br. GAB K LISC PRE PSUB SRGH UCBG
(*I. hispida* (Vahl) Roem. & Schult.)
(*Jacquemontia thomensis* Henriq.)

fanshawei Verdc. SRGH ♣
fragilis Choisy = *I. obscura* var. *obscura*
fragrans (Choisy) Hallier f. = *I. rubens*

fulvicaulis (Hochst. ex Choisy) Boiss. ex Hallier f.
var. **fulvicaulis** K SRGH
(*Aniseia fulvicaulis* Hochst. ex Choisy)
greenstockii Rendle = *I. crassipes*

hackeliana (Schinz) Hallier f. K PRE PSUB SRGH UCBG
(*Aniseia hackeliana* Schinz)
hispida (Vahl) Roem. & Schult. = *I. eriocarpa*

hochstetteri House K PRE PSUB SRGH UCBG
(*I. kwebensis* N.E.Br.)
(*I. quinquefolia* Hochst. ex Hallier f.)

holubii Baker
(*Turbina holubii* (Baker) A.Meeuse)
hystrix Hallier f. = *I. welwitschii*
inamoena Pilg. = *I. welwitschii*
kentrocaulos C.B.Clarke = *Merremia kentrocaulos*
kwebensis N.E.Br. = *I. hochstetteri*
lachnosperma Choisy = *Astripomoea lachnosperma*
lambtoniana Rendle = *I. oblongata*

lapathifolia Hallier f. PRE PSUB SRGH
(*I. zambesiaca* Baker)

leucanthemum (Klotzsch) Hallier f. K PRE PSUB
SRGH UCBG
(*Calycanthemum leucanthemum* Klotzsch)
lilacina Blume = *I. rubens*
lineariloba Chiov. = *I. oenotherae*
lugardii N.E.Br. = *I. magnusiana*
lugardii N.E.Br. var. *parviflora* Rendle = *I. magnusiana*

magnusiana Schinz GAB K PRE PSUB SRGH UCBG
(*I. eenii* Rendle)
(*I. lugardii* N.E.Br.)
(*I. lugardii* N.E.Br. var. *parviflora* Rendle)
(*I. magnusiana* Schinz var. *eenii* (Rendle) A.Meeuse)

(*I. otjikangensis* Pilg. & Dinter)
magnusiana Schinz var. *eenii* (Rendle) A.Meeuse = *I. magnusiana*
marlothii Engl. = *I. adenioides* var. *adenioides*
mesenteroides Hallier f. = *I. bolusiana*
natans Dinter & Suess. = *I. aquatica*

oblongata E.Mey. ex Choisy
(*I. atherstonei* Baker)
(*I. lambtoniana* Rendle)
(*I. randii* Rendle)
(*Turbina oblongata* (E.Mey. ex Choisy) A.Meeuse)
obscura (L.) Ker-Gawl. var. *fragilis* (Choisy) A.Meeuse =
I. obscura var. *obscura*

obscura (L.) Ker-Gawl. var. **obscura** GAB K PRE PSUB
SRGH UCBG
(*Convolvulus obscurus* L.)
(*I. fragilis* Choisy)
(*I. obscura* (L.) Ker-Gawl. var. *fragilis* (Choisy) A.Meeuse)

ochracea (Lindl.) G.Don var. **ochracea** K PSUB

oenotherae (Vatke) Hallier f. GAB K PRE PSUB SRGH ♣
(*Convolvulus oenotherae* Vatke)
(*I. ceciliae* N.E.Br.)
(*I. ceciliae* N.E.Br. var. *anomophylla* Merxm.)
(*I. ceciliae* N.E.Br. var. *quinquesecta* Merxm.)
(*I. lineariloba* Chiov.)
(*I. pachypus* Pilg.)
(*I. petunioides* Baker)

ommaneyi Rendle K PRE PSUB SRGH ♣
otjikangensis Pilg. & Dinter = *I. magnusiana*
pachypus Pilg. = *I. oenotherae*

papilio Hallier f. K
pes-tigridis L. var. *africana* Hallier f. = *I. pes-tigridis*
var. *pes-tigridis*

pes-tigridis L. var. **pes-tigridis** K PRE SRGH
(*I. pes-tigridis* L. var. *africana* Hallier f.)
petunioides Baker = *I. oenotherae*

pileata Roxb. PRE PSUB SRGH
pilosa (Roxb.) Sweet = *I. dichroa*
pinnata Hochst. ex Choisy = *Merremia pinnata*

plebeia R.Br. subsp. **africana** A.Meeuse GAB K LISC PRE
SRGH UCBG
(*I. cynanchifolia* Baker & Rendle)
polygonoides Schweinf. = *I. coscinosperma*
praetermissa Rendle = *I. bolusiana*
pterygocaulos Choisy = *Merremia pterygocaulos*
quinquefolia Hochst. ex Hallier f. = *I. hochstetteri*
quinquefolia Hochst. ex Hallier f. var. *pubescens* Baker =
Merremia verecunda
radicans Choisy = *I. tenuipes*
randii Rendle = *I. oblongata*
reptans Roem. & Schult. = *I. aquatica*
rhodesiana Rendle = *I. holubii*
riparia G.Don = *I. rubens*

rubens Choisy GAB K PRE PSUB SRGH ♣
(*I. baclii* Choisy)
(*I. fragrans* (Choisy) Hallier f.)
(*I. lilacina* Blume)

(*I. riparia* G.Don)

saccata Hallier f. = *I. tuberculata*

sagittaeifolia Hochr. = *I. aquatica*

sarmentacea Rendle = *I. crassipes*

semisecta Merxm. = *I. welwitschii*

shirambensis Baker GAB K PRE PSUB SRGH

simplex Thunb. var. *obtusisejala* Rendle = *I. bolusiana*

sinensis (Desr.) Choisy subsp. **blepharosepala** (Hochst.

ex A.Rich.) Verdc. ex A.Meeuse GAB K PRE PSUB

SRGH UCBG

(*I. blepharosepala* Hochst. ex A.Rich.)

(*I. cardiosepala* Hochst. ex Baker & C.H.Wright)

sinensis (Desr.) Choisy subsp. **sinensis** BM LISC

SRGH UCBG

(*Convolvulus sinensis* Desr.)

tamnifolia L. = *Jacquemontia tamnifolia*

tenuipes Verdc. K SRGH

(*Convolvulus heptaphyllus* Rottl. & Willd.)

(*I. radicans* Choisy)

tetraptera Baker = *Merremia pterygocaulos*

tuberculata Ker Gawl. K PRE SRGH

(*I. calcarata* Rendle)

(*I. dasysperma* Jacq.)

(*I. dasysperma* Jacq. var. *odontosepala* (Baker) Verdc.)

(*I. saccata* Hallier f.)

verbascoides Choisy GAB PRE PSUB SRGH UCBG

(*I. conceiroi* Rendle)

(*I. dammarana* Rendle)

verecunda (Rendle) N.E.Br. = *Merremia verecunda*

welwitschii Vatke ex Hallier f. GAB K PRE PSUB SRGH ♣

(*I. aspericaulis* Baker)

(*I. hystrix* Hallier f.)

(*I. inamoena* Pilg.)

(*I. semisecta* Merxm.)

zambesiaca Baker = *I. lapathifolia*

JACQUEMONTIA Choisy

capitata (Desr.) G.Don = *J. tamnifolia*

tamnifolia (L.) Griseb. GAB K PRE PSUB SRGH

(*Ipomoea tamnifolia* L.)

(*J. capitata* (Desr.) G.Don)

thomensis Henriq. = *Ipomoea eriocarpa*

MERREMIA Dennst. ex Endl.

angustifolia (Jacq.) Hallier f. = *M. tridentata* subsp. *angustifolia*

var. *angustifolia*

kentrocaulos (C.B.Clarke) Rendle GAB K PRE PSUB SRGH

(*Ipomoea kentrocaulos* C.B.Clarke)

(*Operculina kentrocaulos* (C.B.Clarke) Hallier f.)

palmata Hallier f. GAB K LISC PRE PSUB SRGH UCBG

pinnata (Hochst. ex Choisy) Hallier f. GAB K PRE

PSUB SRGH

(*Ipomoea pinnata* Hochst. ex Choisy)

pterygocaulos (Choisy) Hallier f. GAB K PRE PSUB SRGH

(*Ipomoea pterygocaulos* Choisy)

(*Ipomoea tetraptera* Baker)

tridentata (L.) Hallier f. subsp. *angustifolia* (Jacq.) van Ooststr.

var. *angustifolia* = *Xenostegia tridentata* subsp. *angustifolia*

tridentata (L.) Hallier f. subsp. **angustifolia** (Jacq.) van Ooststr.

var. **pubescens** Rendle GAB K SRGH UCBG

verecunda Baker & Rendle GAB K PRE SRGH

(*Ipomoea quinquefolia* Hochst. ex Hallier f. var. *pubescens* Baker)

(*Ipomoea verecunda* (Rendle) N.E.Br.)

OPERCULINA Silva Manso

kentrocaulos (C.B.Clarke) Hallier f. = *Merremia kentrocaulos*

var. *pinnatifida*

SEDDERA Hochst.

capensis (E.Mey. ex Choisy) Hallier f. PRE PSUB

(*Bonamia capensis* (E.Mey. ex Choisy) Burtt Davy)

(*Breweria capensis* (E.Mey. ex Choisy) Baker)

(*Evolvulus capensis* E.Mey. ex Choisy)

suffruticosa (Schinz) Hallier f. var. **hirsutissima** Hallier f. GAB

K LISC PRE PSUB SRGH UCBG

suffruticosa (Schinz) Hallier f. var. **suffruticosa** K PRE

PSUB SRGH

(*Bonamia suffruticosa* (Schinz) Burtt Davy)

(*Breweria suffruticosa* Schinz)

(*S. welwitschii* Hallier f.)

welwitschii Hallier f. = *S. suffruticosa* var. *suffruticosa*

TURBINA Raf.

holubii (Baker) A.Meeuse GAB K PRE PSUB ♣

(*Ipomoea holubii* Baker)

(*Ipomoea rhodesiana* Rendle)

oblongata (E.Mey. ex Choisy) A.Meeuse GAB PRE SRGH ♣

(*Ipomoea atherstonei* Baker)

(*Ipomoea lambtoniana* Rendle)

(*Ipomoea oblongata* E.Mey. ex Choisy)

(*Ipomoea randii* Rendle)

oenotheroides (L.f.) A.Meeuse PRE ♣

XENOSTEGIA D.F.Austin & Staples

tridentata (L.) D.F.Austin & Staples subsp. **angustifolia** (Jacq.)

Lejoly & Lisowski

(*Ipomoea angustifolia* Jacq.)

(*Merremia tridentata* (L.) Hallier f. subsp. *angustifolia* (Jacq.)

Oostr. var. *angustifolia*)

CRASSULACEAE

COTYLEDON L.

lanceolata Forssk. = *Kalanchoe lanceolata*

CRASSULA L.

capitella Thunb. subsp. *enantiophylla* (Baker f.) Toelken =

C. nodulosa var. *nodulosa* forma *nodulosa*

capitella Thunb. subsp. *nodulosa* (Schönland) Toelken =

C. nodulosa var. *nodulosa* forma *nodulosa*

filamentosa Schönland = *C. lanceolata* subsp. *lanceolata*

lanceolata (Eckl. & Zeyh.) Endl. ex Walp. subsp.

lanceolata PRE ♣

(*C. filamentosa* Schönland)
(*C. schimperi* Fisch. & C.A.Mey. var. *illecebroides* (Welw. ex Hiern) G.D.Rowley)
lanceolata (Eckl. & Zeyh.) Endl. ex Walp. subsp.
transvaalensis
(Kuntze) Toelken PRE UCBG ♣
(*C. transvaalensis* (Kuntze) K.Schum.)
nodulosa Schönland var. **nodulosa** forma **nodulosa** K PRE SRGH UCBG ♣
(*C. capitella* Thunb. subsp. *enantiophylla* (Baker f.) Toelken)
(*C. capitella* Thunb. subsp. *nodulosa* (Schönland) Toelken)
rotundifolia Haw. = *Kalanchoe rotundifolia*
schimperi Fisch. & C.A.Mey. var. *illecebroides* (Welw. ex Hiern) G.D.Rowley = *C. lanceolata* subsp. *lanceolata*
transvaalensis (Kuntze) K.Schum. = *C. lanceolata* subsp. *transvaalensis*

KALANCHOE Adans.
brachyloba Welw. ex Britten GAB K PRE PSUB SRGH ♣
(*K. multiflora* Schinz)
(*K. pyramidalis* Schönland)
glandulosa Hochst. ex Rich. = *K. lanceolata*
glandulosa Hochst. ex Rich. var. *tomentosa* Keissl. = *K. lanceolata*
gregaria Dinter = *K. lanceolata*
multiflora Schinz = *K. brachyloba*
lanceolata (Forssk.) Pers. PRE PSUB SRGH UCBG ♣
(*Cotyledon lanceolata* Forssk.)
(*K. glandulosa* Hochst. ex Rich.)
(*K. glandulosa* Hochst. ex Rich. var. *tomentosa* Keissl.)
(*K. gregaria* Dinter)
(*K. pentheri* Schltr.)
luebbertiana Engl. = *K. rotundifolia*
oblongifolia Harv. = *K. paniculata*
paniculata Harv. GAB PRE PSUB UCBG ♣
(*K. oblongifolia* Harv.)
pentheri Schltr. = *K. lanceolata*
pyramidalis Schönland = *K. brachyloba*
rotundifolia (Haw.) Haw. GAB K PRE SRGH UCBG ♣
(*Crassula rotundifolia* Haw.)
(*K. luebbertiana* Engl.)
(*K. rotundifolia* (Haw.) Haw. forma *tripartita* Raym.-Hamet ex R.Fern.)
rotundifolia (Haw.) Haw. forma *tripartita* Raym.-Hamet ex R.Fern. = *K. rotundifolia*
thyrsoiflora Harv. C GAB K PRE ♣

CUCURBITACEAE

ACANTHOSICYOS Welw. ex Hook.f.
naudinianus (Sond.) C.Jeffrey GAB GRA K PRE PSUB SRGH UCBG
(*Citrullus naudinianus* (Sond.) Hook.f.)
(*Colocynthis naudinianus* (Sond.) Kuntze)
(*Cucumis naudinianus* Sond.)

BLASTANIA Kotschy & Peyr.
cerasiformis (Stocks) A.Meeuse = *Ctenolepis cerasiformis*

CEPHALANDRA Schrad. ex Eckl. & Zeyh.
sessilifolia Sond. = *Coccinia sessilifolia*

CITRULLUS Eckl. & Zeyh.
lanatus (Thunb.) Matsum. & Nakai GAB K PRE SRGH UCBG
(*C. vulgaris* Eckl. & Zeyh.)
(*Colocynthis citrullus* (L.) Kuntze)
(*Cucumis vulgaris* E.H.L.Krause)
(*Momordica lanata* Thunb.)
naudinianus (Sond.) Hook.f. = *Acanthosicyos naudinianus*
vulgaris Eckl. & Zeyh. = *C. lanatus*

COCCINIA Wight & Arn.
adoensis (A.Rich.) Cogn. GAB K PRE SRGH UCBG ♣
(*C. parvifolia* Cogn.)
(*C. pubescens* (Sond.) Eyles)
(*Momordica adoensis* A.Rich.)
ovifera Dinter & Gilg = *C. rehmannii*
parvifolia Cogn. = *C. adoensis*
pubescens (Sond.) Eyles = *C. adoensis*
rehmannii Cogn. GAB K PRE PSUB SRGH UCBG ♣
(*C. ovifera* Dinter & Gilg)
(*C. rehmannii* Cogn. var. *littoralis* A. Meeuse)
rehmannii Cogn. var. *littoralis* A. Meeuse = *C. rehmannii*
schinzii Cogn. = *C. sessilifolia*
sessilifolia (Sond.) Cogn. COI GAB K SRGH UCBG ♣
(*Cephalandra sessilifolia* Sond.)
(*C. schinzii* Cogn.)

COLOCYNTHIS Mill.
citrullus (L.) Kuntze = *Citrullus lanatus*
naudinianus (Sond.) Kuntze = *Acanthosicyos naudinianus*

CORALLOCARPUS Welw. ex Hook.f.
bainesii (Hook.f.) A.Meeuse GAB K PRE SRGH ♣
(*C. dinteri* Cogn.)
(*C. sphaerocarpus* Cogn.)
(*Rhynchocharpa bainesii* Hook.f.)
dinteri Cogn. = *C. bainesii*
gilgianus Cogn. = *C. welwitschii*
schinzii Cogn. PRE ♣
sphaerocarpus Cogn. = *C. bainesii*
triangularis Cogn. K M PRE PSUB SRGH ♣
welwitschii (Naudin) Hook.f. ex Welw. PRE ♣
(*C. gilgianus* Cogn.)
(*Rhynchocharpa welwitschii* Naudin)
wildii C.Jeffrey PSUB SRGH ♣

CTENOLEPIS Hook.f.
cerasiformis (Stocks) Hook.f. GAB K PRE PSUB SRGH UCBG
(*Blastania cerasiformis* (Stocks) A.Meeuse)
(*Zehneria cerasiformis* Stocks)

CUCUMELLA Chiov.
cinerea (Cogn.) C.Jeffrey PRE

CUCUMIS L.**africanus** L.f. K PRE PSUB SRGH UCBG(C. *hookeri* Naudin)*africanus* L.f. var. *zeyheri* (Sond.) Burtt Davy = C. *zeyheri***anguria** L. var. **longaculeatus** J.H.Kirkbr. COI GAB K PRE

PSUB SRGH UCBG

dissectifolius Naudin = C. *myriocarpus* subsp. *myriocarpus***hirsutus** Sond. K PRE SRGH UCBG(C. *sonderi* Cogn.)*hookeri* Naudin = C. *africanus***kalahariensis** A.Meeuse K PRE SRGH ♣**meeusei** C.Jeffrey PRE*merxmuelleri* Suess. = C. *myriocarpus* subsp. *myriocarpus***metuliferus** E.Mey. ex Naud. GAB K LISC PRE PSUB SRGH UCBG**myriocarpus** Naudin subsp. **myriocarpus** GAB K PRE

SRGH UCBG

(C. *dissectifolius* Naudin)(C. *merxmuelleri* Suess.)*naudinianus* Sond. = *Acanthosicyos naudinianus**prophetarum* L. subsp. *zeyheri* (Sond.) C.Jeffrey = C. *zeyheri***quintanilhae** R.Fern. & A.Fern. ♣ ?*sonderi* Cogn. = C. *hirsutus**vulgaris* E.H.L.Krause = *Citrullus lanatus***zeyheri** Sond. PRE PSUB SRGH UCBG ♣(C. *africanus* L.f. var. *zeyheri* (Sond.) Burtt Davy)(C. *prophetarum* L. subsp. *zeyheri* (Sond.) C.Jeffrey)**CUCURBITA** L.*siceraria* Molina = *Lagenaria siceraria***KEDROSTIS** Medik.**capensis** (Sond.) A.Meeuse PRE ♣(Pisoperma *capense* Sond.)**crassirostrata** Bremek. GAB PRE UCBG ♣**foetidissima** (Jacq.) Cogn. K LISC PRE PSUB SRGH ♣(Trichosanthes *foetidissima* Jacq.)**hirtella** (Naudin) Cogn. GAB K PRE PSUB SRGH ♣(K. *natalensis* (Hook.f.) A.Meeuse)(Rhynchocarpa *hirtella* Naudin)**nana** (Lam.) Cogn. var. **nana** PRE*natalensis* (Hook.f.) A.Meeuse = K. *hirtella***LAGENARIA** Ser.*mascarena* Naudin = L. *sphaerica***siceraria** (Molina) Standl. PRE PSUB SRGH(Cucurbita *siceraria* Molina)(L. *vulgaris* Ser.)**sphaerica** (Sond.) Naudin GAB PRE PSUB SRGH(L. *mascarena* Naudin)(Luffa *sphaerica* Sond.)*vulgaris* Ser. = L. *siceraria***LUFFA** Mill.*sphaerica* Sond. = *Lagenaria sphaerica***MELOTHRIA** L.*acutifolia* Cogn. = *Zehneria marlothii**marlothii* Cogn. = *Zehneria marlothii***MOMORDICA** L.*adoensis* A.Rich. = *Coccinia adoensis***balsamina** L. BM GAB K LISC PRE PSUB SRGH UCBG ♣(M. *involutrata* E.Mey. ex Sond.)(M. *schinzii* Cogn.)**boivinii** Baill. BM SRGH ♣**cardiospermoides** Klotzsch BM K PRE SRGH UCBG ♣(M. *clematidea* Sond.)*clematidea* Sond. = M. *cardiospermoides**involutrata* E.Mey. ex Sond. = M. *balsamina***kirkii** (Hook.f.) C.Jeffrey GAB PRE PSUB SRGH ♣(Raphanocarpus *kirkii* Hook.f.)*lanata* Thunb. = *Citrullus lanatus**marlothii* Harms = M. *repens***repens** Bremek. COI GAB K PRE SRGH UCBG ♣(M. *marlothii* Harms)*schinzii* Cogn. = M. *balsamina***MUKIA** Arn.**maderaspatana** (L.) M.Roem. ♣ ?**OREOSYCE** Hook.f.**africana** Hook.f. PRE SRGH(O. *subsericea* (Hook.f.) A.Meeuse)*subsericea* (Hook.f.) A.Meeuse = O. *africana***PISOSPERMA** Sond.*capense* Sond. = *Kedrostis capensis***RAPHANOCARPUS** Hook.f.*kirkii* Hook.f. = *Momordica kirkii***RHYNCHOCARPA** Schrad. ex Endl.*bainesii* Hook.f. = *Corallocarpus bainesii**hirtella* Naudin = *Kedrostis hirtella**welwitschii* Naudin = *Corallocarpus welwitschii***TRICHOSANTHES** L.*foetidissima* Jacq. = *Kedrostis foetidissima***TROCHOMERIA** Hook.f.**debilis** (Sond.) Hook.f. BM COI GAB K PRE PSUB

SRGH UCBG ♣

(Zehneria *debilis* Sond.)(Zehneria *wyleana* Sond.)**macrocarpa** (Sond.) Hook.f. subsp. **macrocarpa** GAB PRE

SRGH UCBG ♣

(T. *nudiflora* Burtt Davy)(Zehneria *macrocarpa* Sond.)*nudiflora* Burtt Davy = T. *macrocarpa*subsp. *macrocarpa***ZEHNERIA** Endl.*debilis* Sond. = *Trochomeria debilis**cerasiformis* Stocks = *Ctenolepis cerasiformis*

macrocarpa Sond. = *Trochomeria macrocarpa*
 subsp. *macrocarpa*
marlothii (Cogn.) R.Fern. & A.Fern. BM GAB K LISC PRE
 PSUB SRGH UCBG
 (*Melothria acutifolia* Cogn.)
 (*Melothria marlothii* Cogn.)
wyleana Sond. = *Trochomeria debilis*

CUSCUTACEAE
(often placed under *Convolvulaceae*)

CUSCUTA L.
australis R.Br. GAB K PRE PSUB SRGH ☹
 (*C. cordofana* (Engelm.) Yuncck.)
 (*C. obtusiflora* Kunth var. *australis* (R.Br.) Engelm.)
 (*C. obtusiflora* Kunth var. *cordofana* Engelm.)
***campestris** Yuncck. GAB K PRE PSUB SRGH ☹☹
cordofana (Engelm.) Yuncck. = *C. australis*
hyalina Roth SRGH
obtusiflora Kunth var. *australis* (R.Br.) Engelm. = *C. australis*
obtusiflora Kunth var. *cordofana* Engelm. = *C. australis*

DICHAPETALACEAE

CHAILLETIA DC.
 cymosa Hook. = *Dichapetalum cymosum*

DICHAPETALUM Thouars
 bullockii Hauman = *D. cymosum*
 cymosum (Hook.) Engl. GAB PRE PSUB SRGH UCBG
 (*Chaillietia cymosa* Hook.)
 (*D. bullockii* Hauman)
 (*D. venenatum* Engl. & Gilg)
 rhodesicum Sprague & Hutch. PRE SRGH
 venenatum Engl. & Gilg = *D. cymosum*

DIPSACACEAE

SCABIOSA L.
 austro-africana Heine = *S. columbaria*
 columbaria L. PRE SRGH UCBG
 (*S. austro-africana* Heine)

DIPTEROCARPACEAE

MONOTES A.DC.
 glaber Sprague BM FHO PRE SRGH 🌳

DROSERACEAE

ALDROVANDA L.
 vesiculosa L. BM K PRE PSUB UCBG ♠

DROSERA L.
 curvipes Planch. = *D. madagascariensis*
 madagascariensis DC. GAB PRE PSUB SRGH ♠

 (*D. curvipes* Planch.)
 (*D. madagascariensis* DC. var. *major* Burttt Davy)
 (*D. ramentacea* Burch. ex DC. var. *curvipes* (Planch.) Sond.)
madagascariensis DC. var. *major* Burttt Davy =
 D. madagascariensis
ramentacea Burch. ex DC. var. *curvipes* (Planch.) Sond. =
 D. madagascariensis

EBENACEAE

DIOSPYROS L.
batocana Hiern FHO GAB PRE PSUB SRGH 🌳
 (*D. odorata* Hiern ex Greves)
 (*D. odorata* Hiern ex Greves var. *rhodesiana* Rendle)
 (*D. xanthocarpa* Gürke)
chamaethamnus Dinter ex Mildbr. FHO GAB LISC PRE
 PSUB SRGH
holtzii Gürke = *D. mespiliformis*
kirkii Hiern SRGH 🌳
 (*D. latifolia* Gürke)
 (*D. platyphylla* Wel (cont.)w. ex Hiern)
latifolia Gürke = *D. kirkii*
lycioides Desf. subsp. **guerkei** (Kuntze) De Winter
 SRGH UCBG 🌳
 (*Royena guerkei* Kuntze)
lycioides Desf. subsp. **lycioides** FHO GAB PRE PSUB
 SRGH UCBG 🌳
 (*Royena lycioides* (Desf.) A.DC.)
lycioides Desf. subsp. **nitens** (Harv. ex Hiern) De Winter 🌳 ?
lycioides Desf. subsp. **sericea** (Bernh.) De Winter BM GAB PRE
 PSUB SRGH UCBG 🌳
 (*Royena lycioides* (Desf.) A.DC. subsp. *sericea* (Bernh.)
 De Winter)
 (*Royena sericea* Bernh.)
mespiliformis Hochst. ex A.DC. FHO GAB PRE PSUB
 SRGH UCBG 🌳
 (*D. holtzii* Gürke)
 (*D. sabiensis* Hiern)
 (*D. senegalensis* Perr. ex DC.)
odorata Hiern ex Greves = *D. batocana*
odorata Hiern ex Greves var. *rhodesiana* Rendle = *D. batocana*
platyphylla Welw. ex Hiern = *D. kirkii*
sabiensis Hiern = *D. mespiliformis*
senegalensis Perr. ex DC. = *D. mespiliformis*
squarrosa Klotzsch SRGH 🌳
xanthocarpa Gürke = *D. batocana*

EMBELIA Burm.f.
 oleifolia S.Moore = *Euclea divinorum*

EUCLEA Murray
 crispa (Thunb.) Gürke subsp. **crispa** SRGH 🌳
 crispa (Thunb.) Gürke subsp. **ovata** (Burch.) F.White K 🌳
 (*E. ovata* Burch.)
 divinorum Hiern BM FHO GAB K M PRE PSUB
 SRGH UCBG 🌳
 (*Embelia oleifolia* S.Moore)

(*E. huilensis* Gürke)
(*E. katangensis* De Wild.)
(*E. kivuensis* Gürke)
huilensis Gürke = *E. divinorum*
katangensis De Wild. = *E. divinorum*
kivuensis Gürke = *E. divinorum*
multiflora Hiern = *E. natalensis* subsp. *natalensis*
myrtina Burch. = *E. undulata* subsp. *myrtina*
natalensis A.DC. subsp. *angustifolia* F.White GAB K PRE SRGH UCBG 🌿
natalensis A.DC. subsp. *natalensis* GAB SRGH UCBG 🌿
(*E. multiflora* Hiern)
(*Royena macrophylla* E.Mey. ex A.DC.)
ovata Burch. = *E. crispa* subsp. *ovata*
schimperii (A.DC.) Dandy var. *schimperii* 🌿 ?
undulata Thunb. subsp. *myrtina* (Burch.) Hiern GAB K PRE SRGH UCBG 🌿
(*E. myrtina* Burch.)

ROYENA L.
guerkei Kuntze = *Diospyros lycioides* subsp. *guerkei*
lycioides (Desf.) A.DC. = *Diospyros lycioides* subsp. *lycioides*
lycioides (Desf.) A.DC. subsp. *sericea* (Bernh.) De Winter =
Diospyros lycioides subsp. *sericea*
macrophylla E.Mey. ex A.DC. = *Euclea natalensis* subsp. *natalensis*
sericea Bernh. = *Diospyros lycioides* subsp. *sericea*

ELATINACEAE

BERGIA L.
ammannioides B.Heyne ex Roth GAB PRE PSUB SRGH 🌿
capensis L. PRE UCBG 🌿
decumbens Planch. ex Harv. GAB K PRE SRGH
glutinosa Dinter & Schulze-Menz GAB K SRGH
integrifolia Dinter ex Friedr.-Holzh. = *B. polyantha*
pentheriana Keissl. GAB K PRE PSUB SRGH
(*B. prostrata* Schinz)
polyantha Sond. GAB K PRE SRGH
(*B. integrifolia* Dinter ex Friedr.-Holzh.)
prostrata Schinz = *B. pentheriana*
salaria Bremek. PRE
salaria Bremek. X *B. decumbens* Planch. ex Harv. PRE

ELATINE L.
ambigua Wight PRE
triandra Schkuhr GAB PSUB 🌿

ERYTHROXYLACEAE

ERYTHROXYLUM P.Browne
zambesiicum N.Robson GAB K PRE PSUB SRGH

EUPHORBIACEAE

ACALYPHA L.
allenii Hutch. K

chrysadenia Suess. & Friedrich = *A. fruticosa* var. *fruticosa*
ciliata Forssk. C GAB K LISC PRE PSUB SRGH
crenata Hochst. ex A.Rich. K
fruticosa Forssk. var. *fruticosa*
(*A. chrysadenia* Suess. & Friedrich)
glabrata Thunb. var. *glabrata* GAB PRE SRGH UCBG 🌿
(*A. glabrata* Thunb. var. *latifolia* Müll.Arg.)
glabrata Thunb. var. *latifolia* Müll.Arg. = *A. glabrata* var. *glabrata*
glabrata Thunb. var. *pilosa* Pax C GAB K PRE SRGH UPS WAG 🌿
(*A. glabrata* Thunb. var. *pilosior* (Kuntze) Prain)
glabrata Thunb. var. *pilosior* (Kuntze) Prain = *A. glabrata* var. *pilosa*
indica L. var. *indica* GAB K MO PRE PSUB SRGH UCBG
moggii Compton = *A. ornata*
ornata Hochst. ex A.Rich. GAB K LISC PRE PSUB SRGH UCBG
(*A. moggii* Compton)
petiolaris Hochst. = *A. villicaulis*
pubiflora Baill. subsp. *pubiflora* GAB PRE PSUB SRGH UCBG
**segetalis* Müll.Arg. BM GAB K LISC PRE PSUB SRGH
senensis Klotzsch = *A. villicaulis*
villicaulis Hochst. ex A.Rich. GAB K MO PRE PSUB SRGH UCBG
(*A. petiolaris* Hochst.)
(*A. senensis* Klotzsch)

ANTIDESMA L.
bifrons Tul. = *A. venosum*
boivinianum Baill. = *A. venosum*
rufescens Tul. SRGH
venosum E.Mey. ex Tul. BM GAB K PRE PSUB SRGH
(*A. bifrons* Tul.)
(*A. boivinianum* Baill.)

BRIDELIA Willd.
cathartica Bertol.f. subsp. *cathartica* PRE 🌿
cathartica Bertol.f. subsp. *melanthesoides* (Baill.) J.Léonard var. *lingelsheimii* (Gehrm.) Radcl.-Sm. forma *fischeri* (Pax) Radcl.-Sm. GAB K PSUB UCBG 🌿
(*B. fischeri* Pax)
cathartica Bertol.f. subsp. *melanthesoides* (Baill.) J.Léonard var. *melanthesoides* (Baill.) Radcl.-Sm. forma *melanthesoides* (Baill.) Radcl.-Sm. GAB K PSUB UCBG 🌿
(*B. melanthesoides* (Baill.) Klotzsch.)
(*Pentameria melanthesoides* Baill.)
cathartica Bertol.f. subsp. *melanthesoides* (Baill.) J.Léonard var. *lingelsheimii* (Gehrm.) Radcl.-Sm. forma *niedenzui* (Gehrm.) Radcl.-Sm. GAB UCBG 🌿
(*B. niedenzui* Gehrm.)
fischeri Pax = *B. cathartica* subsp. *melanthesoides* var. *lingelsheimii* forma *fischeri*
melanthesoides (Baill.) Klotzsch. = *B. cathartica* subsp. *melanthesoides* var. *melanthesoides* forma *melanthesoides*
mollis Hutch. GAB K PRE SRGH UCBG 🌿
niedenzui Gehrm. = *B. cathartica* subsp. *melanthesoides* var. *lingelsheimii* forma *niedenzui*

tenuifolia Müll.Arg. 🌳 ?

CAPERONIA A.St.-Hil.

buchananii Baker = *C. fistulosa*

fistulosa Beille var. *fistulosa* K MO PRE SRGH

(*C. buchananii* Baker)

serrata Presl. GAB PSUB ♠

CEPHALOCROTON Hochst.

depauperatus Pax & K.Hoffm. = *C. mollis*

mollis Klotzsch C GAB K LISC MO PRE PSUB

SRGH UCBG

(*C. depauperatus* Pax & K.Hoffm.)

(*C. pueschelii* Pax)

pueschelii Pax = *C. mollis*

CHAMAESYCE S.F.Gray (often included in *Euphorbia* L.)

eylesii (Rendle) Koutnik GAB K PRE PSUB SRGH UCBG

(*Euphorbia eylesii* Rendle)

glanduligera (Pax) Koutnik K PRE SRGH

(*Euphorbia glanduligera* Pax)

hirta (L.) Millsp. GAB K PRE PSUB SRGH UCBG

(*Euphorbia hirta* L.)

hypericifolia of authors not of Millsp. = *Euphorbia indica*

inaequilatera (Sond.) Soják GAB K PRE SRGH UCBG

(*Euphorbia inaequilatera* Sond. var. *perennis* N.E.Br.)

(*Euphorbia sanguinea* Hochst. & Steud. ex Boiss.)

mossambicensis (Klotzsch & Garcke) Koutnik GAB PSUB

PRE SRGH

(*Euphorbia mossambicensis* (Klotzsch & Garcke) Boiss.)

neopolycnemoides (Pax & K.Hoffm.) Koutnik GAB K

PRE SRGH

(*Euphorbia neopolycnemoides* Pax & K.Hoffm.)

✱ *prostrata* (Aiton) Small GAB K PRE SRGH

(*Euphorbia chamaesyce* L.)

serpens (H.B.K.) Small PRE PSUB SRGH UCBG

(*Euphorbia minutiflora* N.E.Br.)

(*Euphorbia serpens* H.B.K.)

tettensis (Klotzsch) Koutnik PSUB SRGH

(*Euphorbia tettensis* Klotzsch)

CICCA L.

discoidea Baill. = *Margaritaria discoidea* var. *nitida*

CLAOXYLON A.Juss.

menyharthii Pax = *Erythroocca menyharthii*

trichogyne Müll.Arg. = *Erythroocca trichogyne* var. *trichogyne*

CLUTIA L.

galpinii Pax = *C. pulchella* var. *pulchella*

nana Prain PRE

pulchella L. var. *obtusata* Sond. GAB SRGH UCBG 🌳

pulchella L. var. *pulchella* GAB PRE SRGH UCBG 🌳

(*C. galpinii* Pax)

CROTON L.

gratissimus Burch. var. *gratissimus* C GAB FHO K MO PRE

PSUB SRGH UCBG 🌳

(*C. zambesicus* Müll.Arg.)

gratissimus Burch. var. *subgratissimus* (Prain) Burtt Davy GAB

K MO PRE SRGH UCBG 🌳

(*C. subgratissimus* Prain)

gubouga S.Moore = *C. megalobotrys*

kwebensis N.E.Br. = *C. menyharthii*

leuconeurus Pax subsp. *leuconeurus* PRE PSUB SRGH 🌳

megalobotrys Müll.Arg. GAB K LISC PRE PSUB

SRGH UCBG 🌳

(*C. gubouga* S.Moore)

menyharthii Pax GAB K MO PRE SRGH UCBG 🌳

(*C. kwebensis* N.E.Br.)

pseudopulchellus Pax PRE SRGH 🌳

steenkampianus Gerstner 🌳

subgratissimus Prain = *C. gratissimus* var. *subgratissimus*

zambesicus Müll.Arg. = *C. gratissimus* var. *gratissimus*

DALECHAMPIA L.

capensis A.Spreng. PRE UCBG

(*D. kirkii* Prain)

galpinii Pax GAB SRGH UCBG

kirkii Prain = *D. capensis*

ERYTHROCOCCA Benth.

menyharthii (Pax) Prain GAB K PRE PSUB SRGH UCBG 🌳

(*Claoxylon menyharthii* Pax)

trichogyne (Müll.Arg.) Prain var. *trichogyne* C GAB K MO

SRGH UCBG WAG 🌳

(*Claoxylon trichogyne* Müll.Arg.)

EUPHORBIA L.

aeruginosa Schweick. GAB

antunesii Pax = *Tavaresia barklyi*

avasmontana Dinter var. *avasmontana* ?

avasmontana Dinter var. *sagittaria* (Marloth) White

Dyer & Sloane ?

baumii Pax = *E. monteiri* subsp. *monteiri*

bergii A.C.White R.A.Dyer & B.Sloane GAB 🌳

chamaesyce L. = *Chamaesyce prostrata*

ciliolata Pax = *E. transvaalensis*

clavarioides Boiss. var. *truncata* (N.E.Br.) A.C.White

R.A.Dyer & B.Sloane ?

commiphoroides Dinter = *E. guerichiana*

cooperi N.E.Br. ex A.Berger var. *cooperi* SRGH UCBG 🌳🌳

crotonoides Boiss. subsp. *crotonoides* GAB K PRE

PSUB SRGH 🌳

currori N.E.Br. = *E. matabelensis*

✱ *cyathophora* J.Murray SRGH

davyi N.E.Br. SRGH UCBG 🌳🌳

duseimata R.A.Dyer GAB K PRE SRGH 🌳

espinosa Pax PRE SRGH 🌳

eylesii Rendle = *Chamaesyce eylesii*

frutescens N.E.Br. = *E. guerichiana*

fusca Marloth ?

galpinii Pax = *E. transvaalensis*

geniculata Ortega = *E. heterophylla*

glanduligera Pax = *Chamaesyce glanduligera*
glaucella Pax = *E. pfeilii*
griseola Pax subsp. **griseola** GAB K PRE PSUB SRGH UCBG ♣
guerichiana Pax K PRE SRGH UCBG ♣
 (*E. commiphoroides* Dinter)
 (*E. frutescens* N.E.Br.)
 ***heterophylla** L. GAB K PRE PSUB SRGH UCBG ♣
 (*E. geniculata* Ortega)
hirta L. = *Chamaesyce hirta*
hypericifolia N.E.Br. = *E. indica*
inaequilatera Sond. var. *perennis* N.E.Br. = *Chamaesyce inaequilatera*
 ***indica** Lam. GAB K PRE PSUB SRGH
 (*Chamaesyce hypericifolia* of authors not of Millsp.)
 (*E. hypericifolia* N.E.Br.)
 (*E. indica* Lam. var. *angustifolia* Boiss.)
 (*E. indica* Lam. var. *pubescens* Pax)
indica Lam. var. *angustifolia* Boiss. = *E. indica*
indica Lam. var. *pubescens* Pax = *E. indica*
inelegans N.E.Br. = *E. matabelensis*
ingens E.Mey. ex Boiss. GAB PRE PSUB SRGH ♣
 (*E. natalensis* A.Berger)
 (*E. similis* A.Berger)
jaegeriana Pax = *E. matabelensis*
limpopoana L.C.Leach ex S.Carter GAB SRGH ♣
 (*E. malevola* L.C.Leach subsp. *bechuanica* L.C.Leach)
longibracteata Pax = *E. monteiri* subsp. *monteiri*
maleolens E.Phillips GAB K SRGH ♣
malevola L.C.Leach subsp. *bechuanica* L.C.Leach = *E. limpopoana*
marlothii Pax = *E. monteiri* subsp. *monteiri*
matabelensis Pax GAB K PRE PSUB SRGH ♣
 (*E. currori* N.E.Br.)
 (*E. inelegans* N.E.Br.)
 (*E. jaegeriana* Pax)
media N.E.Br. = *E. tirucalli*
media N.E.Br. var. *bagshawei* N.E.Br. = *E. tirucalli*
minutiflora N.E.Br. = *Chamaesyce sepens*
monteiri Hook.f. subsp. **monteiri** GAB K PRE PSUB SRGH ♣
 (*E. baumii* Pax)
 (*E. longibracteata* Pax)
 (*E. marlothii* Pax)
monteiri Hook.f. subsp. **ramosa** Leach PRE
mossambicensis (Klotzsch & Garcke) Boiss. = *Chamaesyce mossambicensis*
natalensis A.Berger = *E. ingens*
neopolycnemoides Pax & K.Hoffm. = *Chamaesyce neopolycnemoides*
pfeilii Pax
 (*E. glaucella* Pax)
pseudoduseimata A.C.White R.A.Dyer & B.Sloane PRE ♣
pseudotuberosa Pax GAB PRE UCBG ♣
rectirama N.E.Br. GAB K PRE SRGH ♣
rhysaloides N.E.Br. = *E. tirucalli*
rubriflora N.E.Br. SRGH
sanguinea Hochst. & Steud. ex Boiss. = *Chamaesyce inaequilatera*
schinzii Pax C GAB K PRE SRGH ♣
scoparia N.E.Br. = *E. tirucalli*

serpens H.B.K. = *Chamaesyce serpens*
similis A.Berger = *E. ingens*
spissifolia S.Carter GAB
tettensis Klotzsch = *Chamaesyce tettensis*
 ***tirucalli** L. K PRE PSUB SRGH ♣
 (*E. media* N.E.Br.)
 (*E. media* N.E.Br. var. *bagshawei* N.E.Br.)
 (*E. rhysaloides* N.E.Br.)
 (*E. scoparia* N.E.Br.)
transvaalensis Schltr. K PRE PSUB SRGH ♣
 (*E. ciliolata* Pax)
 (*E. galpinii* Pax)
trichadenia Pax var. **trichadenia** SRGH ♣
venteri L.C.Leach ex R.H.Archer & S.Carter
 K PRE UNIN ♦♦

EXCOECARIA L.

bussei (Pax) Pax GAB K PRE SRGH UCBG ♣
 (*Sapium bussei* Pax)

FLUEGGEA Willd.

microcarpa Blume = *F. virosa* subsp. *virosa*
nitida Pax = *Margaritaria discoidea* var. *nitida*
virosa (Roxb. ex Willd.) Voigt subsp. **virosa** GAB J K PRE PSUB
 SRGH UCBG WIND ♣
 (*F. microcarpa* Blume)
 (*Phyllanthus virosus* Roxb. ex Willd.)
 (*Securinea virosa* (Roxb. ex Willd.) Pax & K.Hoffm.)

HYMENOCARDIA Wall. ex. Lindl.

acida Tul. var. **acida** PRE SRGH

JATROPHA L.

botswanaica Radcl.-Sm. GAB K PRE LISC SRGH ♦♦
brachyadenia Pax & K.Hoffm. = *J. zeyheri*
decumbens Pax & K.Hoffm. probably =
J. seineri var. *seineri*
erythropoda Pax & K.Hoffm. GAB K PRE
 SRGH UCBG ♣
humilis N.E.Br. = *J. seineri* var. *seineri*
messinica E.A.Bruce = *J. spicata*
schlechteri Pax subsp. **setifera** (Hutch.) Radcl.-Sm.
 PRE SRGH ♣
seineri Pax var. **seineri** K PRE SRGH ♣
 (?*J. decumbens* Pax & K.Hoffm.)
 (*J. humilis* N.E.Br.)
spicata Pax GAB SRGH UCBG ♣
 (*J. messinica* E.A.Bruce)
zeyheri Sond. C GAB K PRE SRGH UCBG WAG ♣
 (*J. brachyadenia* Pax & K.Hoffm.)

MAPROUNEA Aubl.

africana Müll.Arg. PRE SRGH ♣

MARGARITARIA L.f.

discoidea (Baill.) G.L.Webster var. **nitida** (Pax) Radcl.-Sm. GAB
 K MO PRE SRGH UCBG ♣

- (*Cicca discoidea* Baill.)
(*Flueggea nitida* Pax)
(*Phyllanthus flacourtioides* Hutch.)
- MICROCOCCA** Benth.
mercurialis (L.) Benth. GAB K LISC PRE PSUB SRGH
(*Tragia mercurialis* L.)
- MONADENIUM** Pax
lugardiae N.E.Br. K PRE SRGH ♣
- PENTAMERIA** Klotzsch ex Baill.
melanthesoides Baill. = *Bridelia cathartica* subsp.
melanthesoides var. *melanthesoides* forma *melanthesoides*
- PHYLLANTHUS** L.
angolensis Müll.Arg. GAB PRE PSUB UCBG
asperulatus Hutch. K
burchellii Müll.Arg. = *P. parvulus* var. *garipensis*
deflexus Klotzsch = *P. pentandrus*
flacourtioides Hutch. = *Margaritaria discoidea* var. *nitida*
***fraternus** G.L.Webster K LISC SRGH
(*P. niruri* L. in part)
genistoides Sond. = *P. incurvus*
gillettianus Brunel ex Radcl.-Sm. K
gueinzii Müll.Arg. = *P. maderaspatensis*
incurvus Thunb. E K MO
(*P. genistoides* Sond.)
(*P. multicaulis* Müll.Arg.)
maderaspatensis L. GAB K MO PRE PSUB SRGH UCBG
(*P. gueinzii* Müll.Arg.)
(*P. vaccinioides* Klotzsch)
mendesii Brunel ex Radcl.-Sm. K SRGH
milanjicus Hutch. = *P. omahakensis*
mozambicensis Gand. = *P. parvulus* var. *parvulus*
multicaulis Müll.Arg. = *P. incurvus*
myrtaceus Sond. PRE
niruri L. in part = *P. fraternus*
nummulariifolius Poir. GAB PSUB SRGH
omahakensis Dinter & Pax B K LISC PRE SRGH
(*P. milanjicus* Hutch.)
parvulus Sond. var. **garipensis** (E.Mey. ex Drège) Radcl.-Sm.
GAB PRE
(*P. burchellii* Müll.Arg.)
parvulus Sond. var. **parvulus** BM K LISC PRE SRGH
(*P. mozambicensis* Gand.)
pentandrus Schumach. & Thonn. GAB K MO PRE PSUB SRGH UCBG
(*P. deflexus* Klotzsch)
(*P. scoparius* Welw.)
reticulatus Poir. var. **reticulatus** GAB K MO PRE PSUB
SRGH UCBG ♣
scoparius Welw. = *P. pentandrus*
vaccinioides Klotzsch = *P. maderaspatensis*
virens Roxb. ex Willd. = *Flueggea virosa* subsp. *virosa*
- PLUKENETIA** L.
africana Sond. PRE ♣

- (*P. hastata* Müll.Arg.)
(*Pterococcus africanus* (Sond.) Pax & K.Hoffm.)
- PSEUDOLACHNOSTYLIS** Pax
dekindtii Pax = *P. maprouneifolia* var. *dekindtii*
maprouneifolia Pax var. **dekindtii** (Pax) Radcl.-Sm. GAB K
PRE PSUB SRGH UCBG ♣
(*P. dekindtii* Pax)
maprouneifolia Pax var. **glabra** (Pax) Brenan GAB K PRE
SRGH UCBG ♣
maprouneifolia Pax var. **maprouneifolia** GAB K PRE SRGH UCBG ♣
- PTEROCOCCUS** Hassk.
africanus (Sond.) Pax & K.Hoffm. = *Plukenetia africana*
- RICINODENDRON** Müll.Arg.
rautanenii Schinz = *Schinziophyton rautanenii*
- RICINUS** L.
***communis** L. GAB K MO PRE PSUB SRGH UCBG ♣
- SAPIUM** P.Browne
bussei Pax = *Excoecaria bussei*
- SCHINZIOPHYTON** Hutch. ex Radcl.-Sm.
rautanenii (Schinz) Radcl.-Sm. GAB K LISC MO PRE PSUB
SRGH UCBG ♣
(*Ricinodendron rautanenii* Schinz)
- SECURINEGA** Comm. ex Juss.
virosa (Roxb. ex Willd.) Pax & K.Hoffm. = *Flueggea virosa*
subsp. *virosa*
- SPIROSTACHYS** Sond.
africana Sond. C GAB K PRE SRGH UCBG
- TRAGIA** L.
bentharii Baker K
dioica Sond. GAB K PRE SRGH UCBG
(*T. schinzii* Pax)
gardneri Prain GAB
mercurialis L. = *Micrococca mercurialis*
okanyua Pax GAB K PRE PSUB SRGH UCBG
schinzii Pax = *T. dioica*

FABACEAE

- ABRUS** Adans.
precatorius L. subsp. **africanus** Verdc. GAB PRE SRGH
(*A. squamulosus* E.Mey.)
squamulosus E.Mey. = *A. precatorius* subsp. *africanus*
- ACACIA** Mill.
albida Delile = *Faidherbia albida*
amboensis Schinz = *A. sieberiana* var. *woodii*
arabica (Lam.) Willd. var. *kraussiana* Benth. = *A. nilotica*
subsp. *kraussiana*

arenaria Schinz GAB K PRE PSUB SRGH UCBG ↑
(*A. hermannii* Baker f.)
(*A. rufobrunnea* N.E.Br.)

ataxacantha DC. GAB K PRE PSUB SRGH UCBG ↑
(*A. eriadenia* Benth.)
(*A. lugardiae* N.E.Br.)

bentharii Rochebr. = *A. nilotica* subsp. *kraussiana*

borleae Burt Davy GAB SRGH UCBG ↑

burkei Benth. GAB PRE PSUB SRGH UCBG ↑
(*A. ferox* Benth.)

caffra (Thunb.) Willd. GAB K PRE UCBG ↑
(*A. caffra* (Thunb.) Willd. var. *longa* Glover)
(*A. caffra* (Thunb.) Willd. var. *namaquensis* Eckl. & Zeyh.)
(*A. caffra* (Thunb.) Willd. var. *tomentosa* Glover)
(*A. caffra* (Thunb.) Willd. var. *transvaalensis* Glover)
(*A. fallax* E.Mey.)
(*A. multijuga* Meisn.)

caffra (Thunb.) Willd. var. *campylacantha* (Hochst. ex A.Rich.)
Roberty = *A. polyacantha* subsp. *campylacantha*

caffra (Thunb.) Willd. var. *longa* Glover = *A. caffra*

caffra (Thunb.) Willd. var. *namaquensis* Eckl. & Zeyh. = *A. caffra*

caffra (Thunb.) Willd. var. *pechuelii* Kuntze = *A. erubescens*

caffra (Thunb.) Willd. var. *tomentosa* Glover = *A. caffra*

caffra (Thunb.) Willd. var. *transvaalensis* Glover = *A. caffra*

campylacantha Hochst. ex A.Rich. = *A. polyacantha* subsp. *campylacantha*

capensis (Burm.f.) Burch. = *A. karroo*

catechu (L.f.) Willd. subsp. *suma* (Roxb.) Roberty =
A. polyacantha subsp. *campylacantha*

catechu (L.f.) Willd. subsp. *suma* (Roxb.) Roberty var. *baumii*
Roberty = *A. fleckii*

cinerea Schinz = *A. fleckii*

clavigera E.Mey. = *A. robusta* subsp. *clavigera*

clavigera E.Mey. subsp. *clavigera* = *A. robusta* subsp. *clavigera*

davyi N.E.Br. ↑

detinens Burch. = *A. mellifera* subsp. *detinens*

dulcis Marloth & Engl. = *A. erubescens*

elephantina Burch. = *Elephantorrhiza elephantina*

elephantorrhiza DC. = *Elephantorrhiza elephantina*

engleri Schinz = *Dichrostachys cinerea* subsp. *africana* var. *africana*

eriadenia Benth. = *A. ataxacantha*

erioloba E.Mey. BM GAB K PRE PSUB SRGH UCBG ↑
(*A. giraffae* in sense of many authors not of Willd.)
(*A. giraffae* Willd. var. *espinosa* Kuntze)

erubescens Welw. ex Oliv. GAB K PRE PSUB SRGH UCBG ↑
(*A. caffra* (Thunb.) Willd. var. *pechuelii* Kuntze)
(*A. dulcis* Marloth & Engl.)
(*A. kwebensis* N.E.Br.)
(*A. longipetiolata* Schinz)

fallax E.Mey. = *A. caffra*

ferox Benth. = *A. burkei*

fleckii Schinz BM GAB K PRE PSUB SRGH UCBG ↑
(*A. catechu* (L.f.) Willd. subsp. *suma* (Roxb.) Roberty var. *baumii* Roberty)
(*A. cinerea* Schinz)

galpinii Burt Davy GAB PRE PSUB SRGH UCBG ↑

gerrardii Benth. subsp. **gerrardii** var. **gerrardii** GAB K PRE PSUB SRGH UCBG ↑
(*A. hebecladoides* Harms)

gillettiae Burt Davy = *A. luederitzii* var. *retinens*

giraffae in sense of many authors not of Willd. = *A. erioloba*

giraffae Willd. var. *espinosa* Kuntze = *A. erioloba*

glandulifera Schinz = *A. nebrownii*

goeringii Schinz = *A. luederitzii* var. *luederitzii*

grandicornuta Gerstner GAB K PRE PSUB SRGH UCBG ↑

haematoxylon Willd. GAB K PRE SRGH UCBG ↑

harmsiana Dinter = *A. kirkii* subsp. *kirkii* var. *kirkii*

hebeclada DC. subsp. **chobiensis** (O.B.Mill.) A.Schreib. GAB K PRE SRGH UCBG ↑
(*A. stolonifera* Burch. var. *chobiensis* O.B.Mill.)

hebeclada DC. subsp. **hebeclada** GAB K PRE PSUB SRGH UCBG ↑
(*A. hebeclada* DC. var. *stolonifera* (Burch.) Dinter)
(*A. stolonifera* Burch.)

hebeclada DC. subsp. **tristis** A.Schreb. ♦↑ ?

hebeclada DC. var. *stolonifera* (Burch.) Dinter = *A. hebeclada* subsp. *hebeclada*

hebecladoides Harms = *A. gerrardii* subsp. *gerrardii* var. *gerrardii*

hereroensis Engl. GAB K PRE PSUB SRGH UCBG ↑

hermannii Baker f. = *A. arenaria*

heteracantha Burch. = *A. tortilis* subsp. *heteracantha*

hirtella E.Mey. = *A. karroo*

hirtella Willd. var. *inermis* Walp. = *A. karroo*

horrida Willd. = *A. karroo*

horrida Willd. var. *transvaalensis* Burt Davy = *A. karroo*

inconflagrabilis Gerstner = *A. karroo*

inermis Marloth = *Albizia anthelmintica*

karroo Hayne GAB K PRE PSUB SRGH UCBG ↑
(*A. capensis* (Burm.f.) Burch.)
(*A. hirtella* E.Mey.)
(*A. hirtella* Willd. var. *inermis* Walp.)
(*A. horrida* Willd.)
(*A. horrida* Willd. var. *transvaalensis* Burt Davy)
(*A. inconflagrabilis* Gerstner)
(*A. karroo* Hayne var. *transvaalensis* (Burt Davy) Burt Davy)
(*Mimosa capensis* Burm.f.)
(*Mimosa leucacantha* Jacq.)

karroo Hayne var. *transvaalensis* (Burt Davy) Burt Davy = *A. karroo*

kirkii Oliv. subsp. *kirkii* var. *intermedia* Brenan = *A. kirkii* subsp. *kirkii* var. *kirkii*

kirkii Oliv. subsp. *kirkii* var. *kirkii* GAB K PRE PSUB SRGH UCBG ↑
(*A. harmsiana* Dinter)
(*A. kirkii* Oliv. subsp. *kirkii* var. *intermedia* Brenan)
(*A. nilotica* (L.) Delile subsp. *adstringens* (Schumach. & Thonn.) Roberty var. *kirkii* (Oliv.) Roberty)
(*A. verrucifera* Harms)

kwebensis N.E.Br. = *A. erubescens*

litakunensis Burch. = *A. tortilis* subsp. *heteracantha*

longipetiolata Schinz = *A. erubescens*

luederitzii Engl. var. **luederitzii** GAB K PRE PSUB SRGH UCBG ↑

(*A. goeringii* Schinz)
luederitzii Engl. var. **retinens** (Sim) J.H.Ross & Brenan GAB
 PRE UCBG 🌳
 (*A. gillettiae* Burt Davy)
 (*A. retinens* Sim)
lugardiae N.E.Br. = *A. ataxacantha*
lugardii N.E.Br. = *A. nigrescens*
maras Engl. = *A. tortilis* subsp. *heteracantha*
marlothii Engl. = *Albizia anthelmintica*
mellifera (Vahl) Benth. subsp. **detinens** (Burch.) Brenan GAB K
 PRE PSUB SRGH UCBG 🌳
 (*A. detinens* Burch.)
 (*A. tenax* Marloth)
mossambicensis Bolle = *Faidherbia albida*
multijuga Meisn. = *A. caffra*
nebrownii Burt Davy GAB PRE PSUB SRGH UCBG 🌳
 (*A. glandulifera* Schinz)
 (*A. rogersii* Burt Davy)
 (*A. walteri* Suess.)
nigrescens Oliv. GAB K PRE PSUB SRGH UCBG 🌳
 (*A. lugardii* N.E.Br.)
 (*A. nigrescens* Oliv. var. *pallens* Benth.)
 (*A. pallens* (Benth.) Rolfe)
 (*A. passargei* Harms)
nigrescens Oliv. var. *pallens* Benth. = *A. nigrescens*
nilotica (L.) Delile subsp. *adstringens* (Schumach. & Thonn.)
 Roberty var. *kirkii* (Oliv.) Roberty = *A. kirkii* subsp. *kirkii*
 var. *kirkii*
nilotica (L.) Willd. ex Delile subsp. **kraussiana** (Benth.) Brenan
 GAB K PRE PSUB SRGH UCBG 🌳
 (*A. arabica* (Lam.) Willd. var. *kraussiana* Benth.)
 (*A. benthamii* Roehrb.)
 (*A. nilotica* (L.) Willd. ex Delile var. *kraussiana* (Benth.)
 A.F.Hill)
nilotica (L.) Willd. ex Delile var. *kraussiana* (Benth.) A.F.Hill =
A. nilotica subsp. *kraussiana*
pallens (Benth.) Rolfe = *A. nigrescens*
passargei Harms = *A. nigrescens*
permixta Burt Davy SRGH UCBG 🌳
polyacantha Willd. subsp. **campylacantha** (Hochst. ex A.Rich.)
 Brenan GAB PRE PSUB SRGH 🌳
 (*A. caffra* (Thunb.) Willd. var. *campylacantha* (Hochst. ex
 A.Rich.) Roberty)
 (*A. campylacantha* Hochst. ex A.Rich.)
 (*A. catechu* (L.f.) Willd. subsp. *suma* (Roxb.) Roberty)
reficiens Wawra subsp. **reficiens** PSUB 🌳
rehmanniana Schinz GAB K PRE PSUB SRGH 🌳
retinens Sim = *A. luederitzii* var. *retinens*
robusta Burch. subsp. **clavigera** (E.Mey.) Brenan GAB K PRE
 SRGH UCBG 🌳
 (*A. clavigera* E.Mey.)
 (*A. clavigera* E.Mey. subsp. *clavigera*)
 (*A. sambesiaca* Schinz)
robusta Burch. subsp. **robusta** GAB K PRE SRGH UCBG 🌳
rogersii Burt Davy = *A. nebrownii*
rostrata Sim = *A. senegal* var. *rostrata*
rufobrunnea N.E.Br. = *A. arenaria*

sambesiaca Schinz = *A. robusta* subsp. *clavigera*
schweinfurthii Brenan & Exell var. **schweinfurthii** GAB K
 LISC PRE PSUB SRGH UCBG 🌳
senegal (L.) Willd. subsp. *trispinosa* (Stokes) Roberty = *A. senegal*
 var. *rostrata*
senegal (L.) Willd. var. **leiorhachis** Brenan GAB PRE
 PSUB UCBG 🌳
senegal (L.) Willd. var. **rostrata** Brenan GAB K PRE PSUB
 SRGH UCBG 🌳
 (*A. rostrata* Sim)
 (*A. senegal* (L.) Willd. subsp. *trispinosa* (Stokes) Roberty)
 (*A. spinosa* Marloth & Engl.)
 (*A. trispinosa* Marloth & Engl.)
 (*A. volkii* Suess.)
sericocephala Fenzl = *Albizia amara* subsp. *sericocephala*
sieberiana DC. subsp. *vermoesenii* (De Wild.) Troupin var.
vermoesenii = *A. sieberiana* var. *woodii*
sieberiana DC. subsp. *vermoesenii* (De Wild.) Troupin var. *woodii*
 (Burt Davy) Keay & Brenan = *A. sieberiana* var. *woodii*
sieberiana DC. var. *vermoesenii* (De Wild.) Keay & Brenan =
A. sieberiana var. *woodii*
sieberiana DC. var. **woodii** (Burt Davy) Keay & Brenan GAB
 PRE PSUB SRGH UCBG 🌳
 (*A. amboensis* Schinz)
 (*A. sieberiana* DC. subsp. *vermoesenii* (De Wild.) Troupin
 var. *vermoesenii*)
 (*A. sieberiana* DC. subsp. *vermoesenii* (De Wild.) Troupin var.
woodii (Burt Davy) Keay & Brenan)
 (*A. sieberiana* DC. var. *vermoesenii* (De Wild.) Keay & Brenan)
 (*A. vermoesenii* De Wild.)
 (*A. woodii* Burt Davy)
spinosa E.Mey. = *Dichrostachys cinerea* subsp. *africana*
 var. *africana*
spinosa Marloth & Engl. = *A. senegal* var. *rostrata*
spirocarpa Hochst. ex A.Rich. = *A. tortilis* subsp. *spirocarpa*
 var. *spirocarpa*
spirocarpoides Engl. = *A. tortilis* subsp. *heteracantha*
stolonifera Burch. = *A. hebeclada* subsp. *hebeclada*
stolonifera Burch. var. *chobiensis* O.B.Mill. = *A. hebeclada*
 subsp. *chobiensis*
stuhlmannii Taub. GAB K PRE PSUB SRGH
 UCBG 🌳
swazica Burt Davy 🌳 ?
tenax Marloth = *A. mellifera* subsp. *detinens*
tenuispina I.Verd. GAB K PRE PSUB SRGH UCBG 🌳
tortilis (Forssk.) Hayne subsp. **heteracantha** (Burch.) Brenan
 GAB K PRE PSUB SRGH UCBG 🌳
 (*A. heteracantha* Burch.)
 (*A. litakunensis* Burch.)
 (*A. maras* Engl.)
 (*A. spirocarpoides* Engl.)
tortilis (Forssk.) Hayne subsp. **spirocarpa** (Hochst. ex A.Rich.)
 Brenan var. **spirocarpa** GAB K PRE PSUB SRGH UCBG 🌳
 (*A. spirocarpa* Hochst. ex A.Rich.)
trispinosa Marloth & Engl. = *A. senegal* var. *rostrata*
vermoesenii De Wild. = *A. sieberiana* var. *woodii*
verrucifera Harms = *A. kirkii* subsp. *kirkii* var. *kirkii*

volkii Suess. = *A. senegal* var. *rostrata*
walteri Suess. = *A. nebrowonii*
woodii Burtt Davy = *A. sieberiana* var. *woodii*
xanthophloea Benth. PRE PSUB SRGH UCBG 📌

ACANTHONOTUS Benth.

echinatus (Willd.) Benth. = *Indigofera nummulariifolia*

ADENOLOBUS (Harv. ex Benth.) Torre & Hillc.

garipensis (E.Mey.) Torre & Hillc. PRE

AESCHYNOMENE L.

cristata Vatke var. *cristata* GAB K PRE ♠

fluitans Peter GAB K PRE SRGH UCBG ♠

(*A. schlechteri* Baker f.)

★*indica* L. GAB K PRE SRGH ♠

(*A. oligantha* Welw. ex Baker)

nilotica Taub. GAB K ♠

oligantha Welw. ex Baker = *A. indica*

schlechteri Baker f. = *A. fluitans*

AFZELIA Sm.

quanzensis Welw. GAB PRE PSUB SRGH UCBG

ALBIZIA Durazz.

amara (Roxb.) Boivin subsp. *sericocephala* (Benth.) Brenan K
 PRE PSUB SRGH UCBG 📌

(*Acacia sericocephala* Fenzl)

(*A. sericocephala* Benth.)

(*A. struthiophylla* Milne-Redh.)

(*Inga sericocephala* A.Rich.)

anthelmintica (A.Rich.) Brongn. GAB K PRE PSUB
 SRGH UCBG 📌

(*Acacia inermis* Marloth)

(*Acacia marlothii* Engl.)

(*A. anthelmintica* (A.Rich.) Brongn. var. *australis* Baker f.)

(*A. anthelmintica* (A.Rich.) Brongn. var. *pubescens* Burtt Davy)

(*A. umbalusiana* Sim)

(*Besenna anthelmintica* A.Rich.)

anthelmintica (A.Rich.) Brongn. var. *australis* Baker f. =
A. anthelmintica

anthelmintica (A.Rich.) Brongn. var. *pubescens* Burtt Davy =
A. anthelmintica

antunesiana Harms PSUB SRGH 📌

brevifolia Schinz GAB PRE PSUB SRGH UCBG 📌
 (*A. rogersii* Burtt Davy)

harveyi E.Fourn. GAB K PRE PSUB SRGH UCBG 📌
 (*A. hypoleuca* Oliv.)

(*A. pallida* Harv.)

(*A. parvifolia* Burtt Davy)

hypoleuca Oliv. = *A. harveyi*

lebbeck (L.) Benth. var. *australis* Burtt Davy = *A. tanganyicensis*
 subsp. *tanganyicensis*

mossambicensis Sim = *A. versicolor*

pallida Harv. = *A. harveyi*

parvifolia Burtt Davy = *A. harveyi*

rhodesica Burtt Davy = *A. tanganyicensis* subsp. *tanganyicensis*

rogersii Burtt Davy = *A. brevifolia*

sericocephala Benth. = *A. amara* subsp. *sericocephala*

struthiophylla Milne-Redh. = *A. amara* subsp. *sericocephala*

tanganyicensis Baker f. subsp. *tanganyicensis* GAB K PRE
 SRGH UCBG 📌

(*A. lebbeck* (L.) Benth. var. *australis* Burtt Davy)

(*A. rhodesica* Burtt Davy)

umbalusiana Sim = *A. anthelmintica*

versicolor Welw. ex Oliv. GAB PRE PSUB SRGH UCBG 📌
 (*A. mossambicensis* Sim)

ALISTILUS N.E.Br.

bechuanicus N.E.Br. C GAB K PRE UCBG

ALYSICARPUS Desv.

glaber E.Mey. = *A. rugosus* subsp. *perennirufus*

glumaceus (Vahl) DC. subsp. *glumaceus* var. *glumaceus* PRE

rugosus (Willd.) DC. subsp. *perennirufus* J.Léonard
 GAB PRE

(*A. glaber* E.Mey.)

(*A. violaceus* (Forssk.) Schindl.)

(*A. wallichii* Wight & Arn.)

rugosus (Willd.) DC. subsp. *rugosus* GAB K PRE SRGH

violaceus (Forssk.) Schindl. = *A. rugosus* subsp. *perennirufus*

wallichii Wight & Arn. = *A. rugosus* subsp. *perennirufus*

zeyheri Harv. GAB

AMBLYGONOCARPUS Harms

andongensis (Welw. ex Oliv.) Exell & Torre BM GAB PRE
 PSUB SRGH 📌

(*A. obtusangulus* (Welw. ex Oliv.) Harms)

(*A. schweinfurthii* Harms)

(*Tetrapleura andongensis* Welw. ex Oliv.)

obtusangulus (Welw. ex Oliv.) Harms = *A. andongensis*

schweinfurthii Harms = *A. andongensis*

AMPHINOMIA DC.

bainesii (Baker) A.Schreib. = *Lotononis bainesii*

brachyantha (Harms) A.Schreib. = *Lotononis brachyantha*

ARACHIS L.

fruticosa Retz. = *Stylosanthes fruticosa*

ARGYROLOBIUM Eckl. & Zeyh.

collinum Eckl. & Zeyh. PRE

BAIKIAEA Benth.

plurijuga Harms GAB PRE PSUB SRGH UCBG 📌

BAPHIA Afzel. ex Lodd.

henriquesiana Taub. = *B. massaiensis* subsp. *obovata* var.
obovata

massaiensis Taub. subsp. *obovata* (Schinz) Brummitt var.

obovata GAB PRE PSUB SRGH UCBG 📌

(*B. henriquesiana* Taub.)

(*B. obovata* Schinz)

obovata Schinz = *B. massaiensis* subsp. *obovata* var. *obovata*

BAUHINIA L.

bainesii Schinz = *Tylosema esculentum*
burkeana (Benth.) Harv. = *Tylosema esculentum*
esculenta Burch. = *Tylosema esculentum*
macrantha Oliv. = *B. petersiana* subsp. *macrantha*
petersiana Bolle subsp. *macrantha* (Oliv.) Brummitt & J.H.Ross

GAB PRE PSUB SRGH UCBG 🌳
(B. macrantha Oliv.)
(B. petersiana Bolle subsp. *serpae* (Ficalho & Hiern)
 Brummitt & J.H.Ross)
(B. serpae Ficalho & Hiern)
(Pauletia macrantha (Oliv.) A.Schmitz)
(Perlebia macrantha (Oliv.) A.Schmitz)

petersiana Bolle subsp. *petersiana* PRE SRGH 🌳
petersiana Bolle subsp. *serpae* (Ficalho & Hiern) Brummitt &
 J.H.Ross = *B. petersiana* subsp. *macrantha*
serpae Ficalho & Hiern = *B. petersiana*
 subsp. *macrantha*
urbaniana Schinz GAB PRE PSUB 🌳
(Pauletia urbaniana (Schinz) A.Schmitz)
(Perlebia urbaniana (Schinz) A.Schmitz)

BESENNA A.Rich.

anthelmintica A.Rich. = *Albizia anthelmintica*

BOBGUNNIA J.H.Kirkbr. & Wiersema

madagascariensis (Desv.) J.H.Kirkbr. & Wiersema
(Swartzia madagascariensis Desv.)

BOLUSANTHUS Harms

speciosus (Bulus) Harms GAB PRE PSUB SRGH
 UCBG 🌳

BOLUSIA Benth.

capensis Benth. GAB PRE
rhodesiana Corbishley GAB PSUB

BRACHYSTEGLIA Benth.

boehmii Taub. GAB PRE PSUB SRGH UCBG 🌳
(B. filiformis Burtt Davy & Hutch.)
filiformis Burtt Davy & Hutch. = *B. boehmii*

BRASILETTIA DC.

africana (Sond.) Kuntze = *Peltophorum africanum*

BURKEA Benth.

africana Hook. GAB PRE PSUB SRGH UCBG 🌳
(B. africana Hook. var. *andongensis* Oliv.)
(B. africana Hook. var. *cordata* Welw. ex Oliv.)
africana Hook. var. *andongensis* Oliv. = *B. africana*
africana Hook. var. *cordata* Welw. ex Oliv. = *B. africana*

CAESALPINIA L.

✳ *gilliesii* (Wall. ex Hook.) Benth. PRE
melanosticta Spreng. = *Hoffmannseggia burchellii* subsp.
burchellii
rubra (Engl.) Brenan PRE UCBG

(*Hoffmannseggia rubra* Engl.)

CAESALPINIOIDES Kuntze

africanum (Welw. ex Benth.) Kuntze = *Erythrophleum africanum*

CAILLIEA Guill. & Perr.

dichrostachys Guill. & Perr. = *Dichrostachys cinerea* subsp.
africana var. *africana*
dichrostachys Guill. & Perr. var. *leptostachys* (DC.) Guill. & Perr. =
Dichrostachys cinerea subsp. *africana* var. *africana*

CAPASSA Klotzsch

violacea Klotzsch = *Philenoptera violacea*

CAPNITIS E.Mey.

clandestina E.Mey. = *Lotononis platycarpa*

CASSIA L. emend. Gaertn.

abbreviata Oliv. subsp. *abbreviata* PRE 🌳
abbreviata Oliv. subsp. *beareana* (Holmes) Brenan GAB PRE
 PSUB SRGH UCBG 🌳
absus L. = *Chamaecrista absus*
arachoides Burch. = *Senna italica* subsp. *arachoides*
biensis (Steyaert) Mendonça & Torre = *Chamaecrista biensis*
capensis Thunb. var. *capensis* = *Chamaecrista capensis*
 var. *capensis*
falcinella Oliv. var. *longifolia* Ghesq. = *Chamaecrista parva*
falcinella Oliv. var. *parviflora* Steyaert = *Chamaecrista falcinella*
 var. *parviflora*
fenarolii Mendonça & Torre PSUB UCBG
italica (Mill.) Lam. ex F.W.Andrews subsp. *arachoides* (Burch.)
 Brenan = *Senna italica* subsp. *arachoides*
katangensis (Ghesq.) Steyaert var. *biensis* Steyaert =
Chamaecrista biensis
kirkii Oliv. var. *quarrei* Ghesq. = *Chamaecrista stricta*
mimosoides L. var. *stricta* (E.Mey.) Harv. = *Chamaecrista stricta*
obovata Collad. var. *mucronata* Burtt Davy = *Senna italica*
 subsp. *arachoides*
obovata Collad. var. *pilosa* Burtt Davy = *Senna italica* subsp.
arachoides
obtusifolia L. = *Senna obtusifolia*
occidentalis L. = *Senna occidentalis*
parva Steyaert = *Chamaecrista parva*
quarrei (Ghesq.) Steyaert = *Chamaecrista stricta*
 ✳ *spectabilis* DC. GAB UCBG
stricta (E.Mey.) Steud. = *Chamaecrista stricta*

CHAMAECRISTA Moench

absus (L.) Irwin & Barneby GAB PRE PSUB SRGH UCBG
(Cassia absus L.)
biensis (Steyaert) Lock GAB PRE PSUB SRGH UCBG
(Cassia biensis (Steyaert) Mendonça & Torre)
(Cassia katangensis (Ghesq.) Steyaert var. *biensis* Steyaert)
capensis (Thunb.) E.Mey. var. *capensis* PRE
(Cassia capensis Thunb. var. *capensis*)
falcinella (Oliv.) Lock var. *parviflora* (Steyaert) Lock GAB PRE
 SRGH UCBG

(*Cassia falcinella* Oliv. var. *parviflora* Steyaert)
mimosoides (L.) Greene PRE PSUB SRGH
parva (Steyaert) Lock GAB PRE SRGH
 (*Cassia falcinella* Oliv. var. *longifolia* Ghesq.)
 (*Cassia parva* Steyaert)
stricta E.Mey. GAB PRE SRGH
 (*Cassia kirkii* Oliv. var. *quarrei* Ghesq.)
 (*Cassia mimosoides* L. var. *stricta* (E.Mey.) Harv.)
 (*Cassia quarrei* (Ghesq.) Steyaert)
 (*Cassia stricta* (E.Mey.) Steud.)

CHIROCALYX Meisn.
abyssinicus (Lam. ex DC.) Hochst. = *Erythrina abyssinica*
mollissimus Meisn. = *Erythrina latissima*
tomentosus Hochst. = *Erythrina abyssinica*

CLITORIA L.
viridiflora Bouton ex Hook. = *Macrotyloma axillare* var. *glabrum*

COLOPHOSPERMUM J.Kirk ex J.Léonard
mopane (J.Kirk ex Benth.) J.Kirk ex J.Léonard GAB PRE PSUB
 SRGH UCBG 🌿
 (*Copaiba mopane* (J.Kirk ex Benth.) Kuntze)
 (*Copaifera mopane* J.Kirk ex Benth.)

COLUTEA L.
frutescens L. = *Sutherlandia frutescens*
prostrata Thunb. = *Lessertia prostrata*

COPAIBA Adans.
coleosperma (Benth.) Kuntze = *Guibourtia coleosperma*
mopane (J.Kirk ex Benth.) Kuntze = *Colophospermum mopane*

COPAIFERA L.
coleosperma Benth. = *Guibourtia coleosperma*
mopane J.Kirk ex Benth. = *Colophospermum mopane*

COPAIVA Jacq.
coleosperma (Benth.) Britton = *Guibourtia coleosperma*

CROTALARIA L.
allenii I.Verd. = *C. orientalis* subsp. *allenii*
apiculata Schinz = *C. platysepala*
australis (Baker f.) Baker f. ex I.Verd. = *C. laburnifolia*
 subsp. *australis*
barkae Schweinf. subsp. *barkae* GAB PRE PSUB SRGH
 (*C. geminiflora* Dinter ex Baker f.)
barnabassii Dinter ex Baker f. SRGH
belchii Schinz = *C. podocarpa*
burkeana Benth. GAB PRE UCBG
 (*C. burkeana* Benth. var. *sparsipila* Harv.)
burkeana Benth. var. *sparsipila* Harv. = *C. burkeana*
carinata Steud. ex A.Rich. = *C. senegalensis*
cataractarum Baker f. = *C. flavicarinata*
cernua Schinz forma *latifolia* Schinz = *C. sphaerocarpa*
 subsp. *sphaerocarpa*
damarensis Engl. GAB PRE PSUB SRGH

(*C. fleckii* Schinz)
 (*C. marlothii* Engl.)
dinteri Schinz GAB PSUB UCBG
distans Benth. subsp. *distans* PRE UCBG
distans Benth. subsp. *mediocris* Polhill GAB PRE PSUB
 SRGH UCBG
eremicola Baker f. subsp. *eremicola* GAB PRE PSUB
 (*C. spinosa* Hochst. ex Benth. var. *schlechteri* Baker f.)
flavicarinata Baker f. GAB PRE SRGH
 (*C. cataractarum* Baker f.)
fleckii Schinz = *C. damarensis*
geminiflora Dinter ex Baker f. = *C. barkae* subsp. *barkae*
grantiana Harv. = *C. virgulata* subsp. *grantiana*
heidmannii Schinz PRE
 (*C. paucifolia* Schinz)
hirsutissima Schinz = *C. podocarpa*
hispida Schinz = *C. steudneri*
incompta N.E.Br. PRE
kuibisensis Dinter = *C. leubnitziana*
laburnifolia L. subsp. *australis* (Baker f.) Polhill GAB
 PRE SRGH
 (*C. australis* (Baker f.) Baker f. ex I.Verd.)
laburnifolia L. subsp. *laburnifolia* GAB PRE PSUB SRGH
leubnitziana Schinz PRE
 (*C. kuibisensis* Dinter)
lotoides Benth. GAB PRE PSUB SRGH UCBG
marlothii Engl. = *C. damarensis*
mutabilis Schinz = *C. podocarpa*
natalitia Meisn. var. *procumbens* Baker f. = *C. rhodesiae*
nubica Benth. = *C. sphaerocarpa* subsp. *sphaerocarpa*
nutans Welw. ex Baker = *C. sphaerocarpa* subsp. *sphaerocarpa*
ochroleuca G.Don SRGH
orientalis Burtt Davy ex I.Verd. subsp. *allenii* (I.Verd.) Polhill &
 A.Schreib. GAB PRE SRGH UCBG
 (*C. allenii* I.Verd.)
orientalis Burtt Davy ex I.Verd. subsp. *orientalis* PRE
pallidicaulis Harms PRE PSUB SRGH
paucifolia Schinz = *C. heidmannii*
pilulicarpa Taub. = *C. pisicarpa*
pisicarpa Welw. ex Baker GAB PRE PSUB SRGH
 (*C. pilulicarpa* Taub.)
platysepala Harv. GAB PRE PSUB
 (*C. apiculata* Schinz)
podocarpa DC. GAB PRE PSUB SRGH UCBG
 (*C. belchii* Schinz)
 (*C. hirsutissima* Schinz)
 (*C. mutabilis* Schinz)
psoraleoides Lam. = *Eriosema psoraleoides*
rhodesiae Baker f. PRE SRGH
 (*C. natalitia* Meisn. var. *procumbens* Baker f.)
schinzii Baker f. PRE SRGH
schlechteri Baker f.
senegalensis (Pers.) Bacle ex DC. GAB PRE PSUB SRGH
 (*C. carinata* Steud. ex A.Rich.)
spartioides DC. GAB PRE SRGH UCBG
sphaerocarpa Perr. ex DC. subsp. *sphaerocarpa* GAB PRE
 PSUB SRGH UCBG

(*C. cernua* Schinz forma *latifolia* Schinz)
 (*C. nubica* Benth.)
 (*C. nutans* Welw. ex Baker)
 (*C. squarrosa* Schinz)
spinosa Hochst. ex Benth. var. *schlechteri* Baker f. = *C. eremicola* subsp. *eremicola*
squarrosa Schinz = *C. sphaerocarpa* subsp. *sphaerocarpa*
steudneri Schweinf. GAB PRE PSUB SRGH UCBG
 (*C. hispida* Schinz)
 (*C. tanganyikensis* Baker f.)
tanganyikensis Baker f. = *C. steudneri*
virgulata Klotzsch subsp. **grantiana** (Harv.) Polhill GAB PRE SRGH
 (*C. grantiana* Harv.)
virgulata Klotzsch subsp. **virgulata** PRE

CULLEN Medik.

obtusifolia (DC.) C.H.Stirt. = *C. tomentosum*
tomentosum (Thunb.) J.W.Grimes K PRE PSUB SRGH UCBG
 (*C. obtusifolia* (DC.) C.H.Stirt.)
 (*Trigonella tomentosa* Thunb.)

CYAMOPSIS DC.

dentata (N.E.Br.) Torre GAB PSUB SRGH
senegalensis Guill. & Perr. PRE
serrata Schinz GAB PRE PSUB
 (*Indigofera psammotropha* Bolus)

CYTISUS Desf.

sericeus Willd. = *Mundulea sericea*

DALBERGIA L.f.

melanoxylon Guill. & Perr. GAB PRE PSUB SRGH UCBG
nelsii Schinz = *Philenoptera nelsii* subsp. *nelsii*
rotundifolia Sond. = *Pterocarpus rotundifolius* subsp. *rotundifolius*
 ***sissoo** Roxb. ex DC. PRE

DECORSEA R.Vig.

schlechteri (Harms) Verdc. K PRE SRGH UCBG
 (*Dolichos schlechteri* Harms ex Burtt Davy)
 (*Phaseolus schlechteri* Harms)

DEGUELIA Aubl.

stuhlmannii Taub. = *Xeroderris stuhlmannii*

DERRIS Lour.

stuhlmannii (Taub.) Harms = *Xeroderris stuhlmannii*
violacea (Klotzsch) Harms = *Philenoptera capassa*

DESMANTHUS Willd.

leptostachys DC. = *Dichrostachys cinerea* subsp. *africana* var. *africana*
nutans (Pers.) DC. = *Dichrostachys cinerea* subsp. *africana* var. *africana*
stolonifer DC. = *Neptunia oleracea*

trichostachys DC. = *Dichrostachys cinerea* subsp. *africana* var. *africana*

DESMODIUM Desv.

barbatum (L.) Benth. subsp. *dimorphum* (Welw. ex Baker)
 J.R.Laundon = *D. barbatum* var. *dimorphum*
barbatum (L.) Benth. var. **dimorphum** (Welw. ex Baker) Schub. GAB K PRE PSUB SRGH
 (*D. barbatum* (L.) Benth. subsp. *dimorphum* (Welw. ex Baker) J.R.Laundon)
 (*D. dimorphum* Welw. ex Baker)
 (*Nicolsonia barbata* (L.) DC. var. *dimorpha* (Welw. ex Baker) Schindl.)
dimorphum Welw. ex Baker = *D. barbatum* var. *dimorphum*
grande E.Mey. = *D. salicifolium* var. *salicifolium*
paleaceum Guill. & Perr. = *D. salicifolium* var. *salicifolium*
salicifolium (Poir.) DC. var. **salicifolium** K LISC PRE PSUB SRGH ♦
 (*D. grande* E.Mey.)
 (*D. paleaceum* Guill. & Perr.)
 (*Hedysarum salicifolium* Poir.)

DIALIUM L.

englerianum Henriq. GAB PRE PSUB SRGH †
 (*D. simii* E.Phillips)
simii E.Phillips = *D. englerianum*

DICHILUS DC.

candicans E.Mey. = *Melolobium candicans*
microphyllum E.Mey. = *Melolobium microphyllum*

DICHROSTACHYS (A.DC.) Wight & Arn.

caffra Meisn. ex Benth. = *D. cinerea* subsp. *africana* var. *africana*
cinerea (L.) Wight & Arn. subsp. **africana** Brenan & Brummitt var. **africana** GAB PRE PSUB SRGH UCBG †
 (*Acacia engleri* Schinz)
 (*Acacia spinosa* E.Mey.)
 (*Cailliea dichrostachys* Guill. & Perr.)
 (*Cailliea dichrostachys* Guill. & Perr. var. *leptostachys* (DC.) Guill. & Perr.)
 (*D. caffra* Meisn. ex Benth.)
 (*D. lugardiae* N.E.Br.)
 (*D. nutans* (Pers.) Benth.)
 (*Desmanthus leptostachys* DC.)
 (*Desmanthus nutans* (Pers.) DC.)
 (*Desmanthus trichostachys* DC.)
cinerea (L.) Wight & Arn. subsp. **africana** Brenan & Brummitt var. **pubescens** Brenan & Brummitt † ?
cinerea (L.) Wight & Arn. subsp. **africana** Brenan & Brummitt var. **setulosa** (Welw. ex Oliv.) Brenan & Brummitt K PRE †
cinerea (L.) Wight & Arn. subsp. **argillicola** Brenan & Brummitt var. **hirtipes** Brenan & Brummitt † ?
cinerea (L.) Wight & Arn. subsp. **nyassana** (Taub.) Brenan PRE †
lugardiae N.E.Br. = *D. cinerea* subsp. *africana* var. *africana*

nutans (Pers.) Benth. = *D. cinerea* subsp. *africana* var. *africana*

DIPHACA Lour.

trichocarpa Taub. = *Ormocarpum trichocarpum*

DOLICHOLUS Medik.

minimus (L.) Hiern = *Rhynchosia minima* var. *minima*

venulosus Hiern = *Rhynchosia totta* var. *fenchelii*

DOLICHOS L.

axillaris E.Mey. = *Macrotyloma axillare* var. *axillare*

axillaris E.Mey. var. *glaber* E. Mey. = *Macrotyloma axillare*
var. *glabrum*

bellus Harms = *D. kilimandscharicus* subsp. *kilimandscharicus*
var. *kilimandscharicus*

brachypus Harms = *Neorautanenia amboensis*

buchananii Harms = *D. kilimandscharicus* subsp.

kilimandscharicus var. *kilimandscharicus*

daltonii Webb = *Macrotyloma daltonii*

dillonii Delile = *Vigna oblongifolia* var. *oblongifolia*

emarginata P.Beauv. = *Vigna luteola*

ficifolius (Benth.) Harms = *Neorautanenia ficifolius*

gardneri Baker f. = *Vigna monophylla*

goetzei Harms = *D. kilimandscharicus* subsp. *kilimandscharicus*
var. *kilimandscharicus*

hastifolius Schnizl. = *Vigna unguiculata* subsp. *unguiculata*
var. *spontanea*

helicopus (E.Mey.) Steud. = *Vigna luteola*

junodii (Harms) Verdc. GAB K PRE PSUB SRGH UCBG

(*Nesphostylis junodii* (Harms) Munyembenyembe & Bisby)

(*Vigna junodii* Harms)

kilimandscharicus Taub. subsp. *kilimandscharicus* var.

kilimandscharicus K

(*D. bellus* Harms)

(*D. buchananii* Harms)

(*D. goetzei* Harms)

(*D. lupiniflorus* N.E.Br.)

(*D. lupinoides* Baker)

(*D. malosanus* Baker)

(*D. stolzii* Harms)

(*D. swynnertonii* Baker f.)

(*Tephrosia sericea* Baker)

lupiniflorus N.E.Br. = *D. kilimandscharicus* subsp.

kilimandscharicus var. *kilimandscharicus*

lupinoides Baker = *D. kilimandscharicus* subsp.

kilimandscharicus var. *kilimandscharicus*

luteolus Jacq. = *Vigna luteola*

luteus Sw. = *Vigna luteola*

malosanus Baker = *D. kilimandscharicus* subsp.

kilimandscharicus var. *kilimandscharicus*

minimus L. = *Rhynchosia minima* var. *minima*

mitis A.Rich. = *Neorautanenia mitis*

niloticus Delile = *Vigna luteola*

obliquifolius Schnizl. = *Vigna unguiculata* subsp. *unguiculata*
var. *spontanea*

orbicularis (Welw. ex Baker) Baker f. = *Neorautanenia mitis*

pseudopachyrhizus Harms = *Neorautanenia mitis*

pseudopachyrhizus Harms var. *kilimandschari* Harms =

Neorautanenia mitis

pseudopachyrhizus Harms var. *subintegrifolius* Harms =

Neorautanenia mitis

repens L. = *Vigna luteola*

schlechteri Harms ex Burt Davy = *Decorsea schlechteri*

seineri Harms = *Neorautanenia brachypus*

sinensis L. = *Vigna unguiculata* subsp. *unguiculata*

stolzii Harms = *D. kilimandscharicus* subsp. *kilimandscharicus*
var. *kilimandscharicus*

swynnertonii Baker f. = *D. kilimandscharicus* subsp.

kilimandscharicus var. *kilimandscharicus*

unguiculatus L. = *Vigna unguiculata* subsp. *unguiculata*

venulosus Hiern = *Rhynchosia totta* var. *fenchelii*

ELEPHANTORRHIZA Benth.

burchellii Benth. = *E. elephantina*

burkei Benth. COI GAB K PRE PSUB SRGH UCBG 🌿

(*E. elephantina* (Burch.) Skeels var. *burkei* (Benth.) Merr.)

dinteri E.Phillips = *E. elephantina*

elephantina (Burch.) Skeels COI GAB K PRE PSUB
SRGH UCBG

(*Acacia elephantina* Burch.)

(*Acacia elephantorrhiza* DC.)

(*E. burchellii* Benth.)

(*E. dinteri* E.Phillips)

(*Prosopis elephantina* (Burch.) E.Mey.)

(*Prosopis elephantorrhiza* (DC.) Spreng.)

elephantina (Burch.) Skeels var. *burkei* (Benth.) Merr. = *E. burkei*

goetzei (Harms) Harms subsp. **goetzei** GAB K PRE

PSUB SRGH 🌿

(*E. rubescens* Gibbs)

(*Piptadenia goetzei* Harms)

rubescens Gibbs = *E. goetzei* subsp. *goetzei*

EMINIA Taub.

holubii (Hemsl.) Taub. G K

(*E. noldeana* Harms)

(*E. polyadenia* Hauman)

(*E. polyadenia* Hauman var. *intermedia* Hauman)

(*Rhynchosia holubii* Hemsl.)

noldeana Harms = *E. holubii*

polyadenia Hauman = *E. holubii*

polyadenia Hauman var. *intermedia* Hauman = *E. holubii*

ENTADA Adans.

arenaria Schinz GAB PRE PSUB

ERIOSEMA (DC.) G.Don

andongense Hiern ex Baker f. = *E. pauciflorum* var. *pauciflorum*

burkei Benth. var. **burkei** SRGH UCBG

cajanoides (Guill. & Perr.) Hook f. = *E. psoraleoides*

floribundum Klotzsch = *E. psoraleoides*

incanum Klotzsch = *E. psoraleoides*

macrophyllum Klotzsch = *E. psoraleoides*

oblongum Harv. = *E. pauciflorum* var. *pauciflorum*

pauciflorum Klotzsch var. **pauciflorum** K PRE PSUB SRGH

- (*E. andongense* Hiern ex Baker f.)
 (*E. oblongum* Harv.)
proschii Briq. = *E. psoraleoides*
psoraleoides (Lam.) G.Don GAB K PRE SRGH UCBG
 (*Crotalaria psoraleoides* Lam.)
 (*E. cajanoides* (Guill. & Perr.) Hook f.)
 (*E. floribundum* Klotzsch)
 (*E. incanum* Klotzsch)
 (*E. macrophyllum* Klotzsch)
 (*E. proschii* Briq.)
 (*E. psoraleoides* (Lam.) G.Don var. *cajanoides* (Guill. & Perr.)
 Staner & De Crane)
 (*E. psoraleoides* (Lam.) G.Don var. *grandiflorum* Staner &
 De Crane)
 (*Rhynchosia cajanoides* Guill. & Perr.)
psoraleoides (Lam.) G.Don var. *cajanoides* (Guill. & Perr.) Staner
 & De Crane = *E. psoraleoides*
psoraleoides (Lam.) G.Don var. *grandiflorum* Staner & De Crane
 = *E. psoraleoides*

ERYTHRINA L.

- * **abyssinica** Lam. ex DC. PRE SRGH 🌳
 (*Chiocalyx abyssinicus* (Lam. ex DC.) Hochst.)
 (*Chiocalyx tomentosus* Hochst.)
 (*E. abyssinica* Lam. ex DC. subsp. *suberifera* (Welw. ex
 Baker) Verdc.)
 (*E. bequaertii* De Wild.)
 (*E. eggelingii* Baker f.)
 (*E. huillensis* Welw. ex Baker)
 (*E. kaessneri* Baker f.)
 (*E. mossambicensis* Sim)
 (*E. pelligera* Fenzl)
 (*E. platyphylla* Baker f.)
 (*E. suberifera* Welw. ex Baker)
 (*E. tomentosa* R.Br. ex A.Rich.)
 (*E. tomentosa* R.Br. ex A.Rich. var. *longicauda* Baker f.)
 (*E. warneckei* Baker f.)
abyssinica Lam. ex DC. subsp. *suberifera* (Welw. ex Baker) Verdc.
 = *E. abyssinica*
baumii Harms PSUB SRGH
bequaertii De Wild. = *E. abyssinica*
caffra Thunb. var. *mossambicensis* Baker f. = *E. lysistemon*
eggelingii Baker f. = *E. abyssinica*
gibbsiae Baker f. = *E. latissima*
huillensis Welw. ex Baker = *E. abyssinica*
kaessneri Baker f. = *E. abyssinica*
latissima E.Mey. FHO K PRE PSUB SRGH UCBG 🌳
 (*Chiocalyx mollissimus* Meisn.)
 (*E. gibbsiae* Baker f.)
 (*E. sandersonii* Harv.)
lysistemon Hutch. PRE SRGH UCBG 🌳
 (*E. caffra* Thunb. var. *mossambicensis* Baker f.)
mendesii Torre GAB PRE 🌳
mossambicensis Sim = *E. abyssinica*
pelligera Fenzl = *E. abyssinica*
platyphylla Baker f. = *E. abyssinica*
sandersonii Harv. = *E. latissima*

- suberifera* Welw. ex Baker = *E. abyssinica*
tomentosa R.Br. ex A.Rich. = *E. abyssinica*
tomentosa R.Br. ex A.Rich. var. *longicauda* Baker f. =
E. abyssinica
warneckei Baker f. = *E. abyssinica*

ERYTHROPHLEUM Afzel. ex G.Don

- africanum** (Welw. ex Benth.) Harms GAB PRE PSUB 🌳
 (*Caesalpinoides africanum* (Welw. ex Benth.) Kuntze)
 (*E. africanum* (Welw. ex Benth.) Harms
 var. *stenocarpum* Harms)
 (*E. pubistamineum* Henn.)
 (*E. pubistamineum* Henn. var. *parvifolium* Schinz)
 (*Gleditsia africana* Welw. ex Benth.)
africanum (Welw. ex Benth.) Harms var. *stenocarpum* Harms =
E. africanum
pubistamineum Henn. = *E. africanum*
pubistamineum Henn. var. *parvifolium* Schinz = *E. africanum*

FAGELIA Neck. ex DC.

- resinosa* A.Rich. = *Rhynchosia resinosa*

FAIDHERBIA A.Chev.

- albida** (Delile) A.Chev. GAB K PRE PSUB SRGH UCBG 🌳
 (*Acacia albida* Delile)
 (*Acacia mossambicensis* Bolle)

GALACTIA P.Browne

- lugardii* N.E.Br. = *Neorautanenia brachypus*

GLEDITSIA L.

- africana* Welw. ex Benth. = *Erythrophleum africanum*

GLYCINE Willd.

- albidiflora* De Wild. = *Neonotonia wightii* subsp. *wightii*
 var. *longicauda*
claessensii De Wild. = *Neonotonia wightii* subsp. *wightii*
 var. *longicauda*
javanica L. subsp. *javanica* = *Neonotonia wightii* subsp. *wightii*
 var. *longicauda*
javanica L. subsp. *micrantha* (Hochst. & A.Rich.) F.J.Herm. =
Neonotonia wightii subsp. *wightii* var. *longicauda*
javanica L. subsp. *micrantha* (Hochst. ex A.Rich.) F.J.Herm. var.
longicauda (Schweinf.) F.J.Herm. = *Neonotonia wightii*
 subsp.
wightii var. *longicauda*
javanica L. subsp. *micrantha* (Hochst. ex A.Rich.) F.J.Herm. var.
moliniformis (Hochst. ex A.Rich.) F.J.Herm. = *Neonotonia*
wightii subsp. *wightii* var. *longicauda*
javanica L. var. *claessensii* (De Wild.) Hauman = *Neonotonia*
wightii subsp. *wightii* var. *longicauda*
javanica L. var. *longicauda* (Schweinf.) Baker = *Neonotonia*
wightii subsp. *wightii* var. *longicauda*
longicauda Schweinf. = *Neonotonia wightii* subsp. *wightii*
 var. *longicauda*
micrantha Hochst. ex A.Rich. = *Neonotonia wightii* subsp.
wightii var. *longicauda*

moniliformis Hochst. ex A.Rich. = *Neonotonia wightii* subsp. *wightii* var. *longicauda*
sublobata Schumach. = *Rhynchosia sublobata*
totta Thunb. = *Rhynchosia totta* var. *totta*
wightii (Wight & Arn.) Verdc. subsp. *wightii* var. *longicauda* (Schweinf.) Verdc. = *Neonotonia wightii* subsp. *wightii* var. *longicauda*

GUIBOURTIA Benn.

coleosperma (Benth.) J.Léonard GAB PRE PSUB SRGH UCBG 🌿
 (*Copaiba coleosperma* (Benth.) Kuntze)
 (*Copaifera coleosperma* Benth.)
 (*Copaiva coleosperma* (Benth.) Britton)

HAYDONIA R.Wilczek

monophylla (Taub.) R.Wilczek = *Vigna monophylla*

HEDYSARUM L.

nummulariifolium L. = *Indigofera nummulariifolia*
salicifolium Poir. = *Desmodium salicifolium* var. *salicifolium*

HOFFMANNSEGGIA Cav.

burchellii (DC.) Benth. ex Oliv. subsp. **burchellii** GAB PRE UCBG
 (*Caesalpinia melanosticta* Spreng.)
 (*H. rubro-violacea* Baker f.)
 (*Melanosticta burchellii* DC.)
burchellii (DC.) Benth. ex Oliv. subsp. **rubro-violacea** (Baker f.)
 Brummitt & J.H.Ross PRE
lactea (Schinz) Schinz
 (*H. pearsonii* E.Phillips)
 (*H. sandersonii* (Harv.) Engl. var. *lactea* Schinz)
pearsonii E.Phillips = *H. lactea*
rubra Engl. = *Caesalpinia rubra*
rubro-violacea Baker f. = *H. burchellii* subsp. *rubro-violacea*
sandersonii (Harv.) Engl. var. *lactea* Schinz = *H. lactea*

INDIGASTRUM Jaub. & Spach

costatum (Guill. & Perr.) Schrire subsp. **macrum** (E.Mey.) Schrire PRE
 (*Indigofera costata* Guill. & Perr. subsp. *macra* (E.Mey.) J.B.Gillett)
 (*Indigofera macra* E.Mey.)
costata Guill. & Perr. = *Indigofera costatum* subsp. *macra*
costatum (Guill. & Perr.) Schrire subsp. **theuschii** (O.Hoffm.) Schrire
 (*Indigofera affinis* Harv.)
 (*Indigofera burkeana* in sense of J.B.Gillett in part)
 (*Indigofera costata* Guill. & Perr. subsp. *theuschii* (O.Hoffm.) J.B.Gillett)
 (*Indigofera gonioides* Hochst. ex Baker var. *damarensis* Baker f.)
parviflorum (B.Heyne ex Wight & Arn.) Schrire subsp. **parviflorum** var. **parviflorum** GAB PRE SRGH UCBG
 (*Indigofera deflexa* Hochst. ex A.Rich.)
 (*Indigofera parviflora* B.Heyne ex Wight & Arn. var. *parviflora*)

INDIGOFERA L.

adenoides Baker f. PRE
aeruginis Schweinf. = *I. trigonelloides*
affinis Harv. = *Indigostrum costatum* subsp. *theuschii*
alternans DC. var. **alternans** GAB PRE SRGH
 (*I. effusa* E.Mey.)
arenophila Schinz PRE
astragalina DC. GAB PRE SRGH
bainesii Baker GAB PRE PSUB SRGH UCBG
burkeana Benth. ex Harv.
carinata De Wild. = *I. trita* subsp. *subulata*
cecilii N.E.Br. SRGH
charlieriana Schinz var. **charlieriana** GAB PRE PSUB UCBG
charlieriana Schinz var. **lata** J.B.Gillett GAB PRE UCBG
charlieriana Schinz var. **scaberrima** (Schinz) J.B.Gillett GAB UCBG
 (*I. charlieriana* Schinz var. *sessilis* (Chiov.) J.B.Gillett)
 (*I. relaxata* N.E.Br.)
 (*I. scaberrima* Schinz)
charlieriana Schinz var. *sessilis* (Chiov.) J.B.Gillett = *I. charlieriana* var. *scaberrima*
circinnata Benth. ex Harv. GAB PRE PSUB SRGH UCBG
colutea (Burm.f.) Merr. var. **colutea** GAB PRE PSUB SRGH
comosa N.E.Br. PRE
 (*I. malacostachys* Benth. ex Harv. var. *seminuda* N.E.Br.)
costata Guill. & Perr. subsp. *macra* (E.Mey.) Gillet = *Indigostrum costatum* subsp. *macrum*
costata Guill. & Perr. subsp. *theuschii* (O.Hoffm.) J.B.Gillett = *Indigostrum costatum* subsp. *theuschii*
cryptantha Benth. ex Harv. var. **cryptantha** GAB PRE SRGH UCBG
daleoides Benth. ex Harv. var. **daleoides** GAB PRE PSUB SRGH UCBG
 (*I. dodecaphylla* Ficalho & Hiern)
daleoides Benth. ex Harv. var. **gossweileri** Baker f. PRE
deflexa Hochst. ex A.Rich. = *Indigostrum parviflorum* subsp. *parviflorum* var. *parviflorum*
dimorphophylla Schinz = *I. trita* subsp. *subulata*
divaricata De Wild. = *I. vicioides* var. *vicioides*
dodecaphylla Ficalho & Hiern = *I. daleoides* var. *daleoides*
echinata Willd. = *I. nummulariifolia*
effusa E.Mey. = *I. alternans* var. *alternans*
filipes Benth. ex Harv. GAB PRE PSUB SRGH UCBG
flavicans Baker GAB PRE PSUB SRGH UCBG
ferruginea Schumach. & Thonn. = *I. hirsuta* var. *hirsuta*
fusca G.Don = *I. hirsuta* var. *hirsuta*
gairdnerae Hutch. ex Baker f. GAB PRE PSUB
gonioides Hochst. ex Baker var. *damarensis* Baker f. = *Indigostrum costatum* subsp. *theuschii*
heterotricha DC. GAB PRE PSUB SRGH UCBG
 (*I. rudis* N.E.Br.)
hirsuta L. var. **hirsuta** PRE PSUB SRGH
 (*I. ferruginea* Schumach. & Thonn.)
 (*I. fusca* G.Don)
hochstetteri Baker subsp. **streyana** (Merxm.) A.Schreib. PRE
hofmanniana Schinz PRE

holubii N.E.Br. GAB PRE SRGH UCBG
ingrata N.E.Br. PRE
inhambanensis Klotzsch SRGH
(I. polycarpa Benth. ex Harv.)
malacostachys Benth. ex Harv. = *I. melanadenia*
malacostachys Benth. ex Harv. var. *macrura* Conrath ex Baker f. =
I. melanadenia
malacostachys Benth. ex Harv. var. *seminuda* N.E.Br. = *I. comosa*
melanadenia Benth. ex Harv. PRE SRGH UCBG
(I. malacostachys Benth. ex Harv.)
(I. malacostachys Benth. ex Harv. var. *macrura* Conrath
ex Baker f.)
mollicoma N.E.Br. PRE SRGH
(I. nelsonii N.E.Br.)
moniliformis Baker f. = *I. ormocarpoides*
nelsonii N.E.Br. = *I. mollicoma*
nummulariifolia Livera ex Alston GAB PRE SRGH
(Acanthonotus echinatus (Willd.) Benth.)
(Hedysarum nummulariifolium L.)
(I. echinata Willd.)
ormocarpoides Baker SRGH
(I. moniliformis Baker f.)
(I. torulosa Baker)
oxytropis Benth. ex Harv. GAB PRE SRGH
parviflora B.Heyne ex Wight & Arn. var. *parviflora* =
Indigastrium parviflorum subsp. *parviflorum* var. *parviflorum*
polycarpa Benth. ex Harv. = *I. inhambanensis*
praticola Baker f. GAB PRE SRGH
psammotrophia Bolus = *Cyamopsis serrata*
radicifera Cronquist SRGH
relaxata N.E.Br. = *I. charlieriana* var. *scaberrima*
rhytidocarpa Benth. ex Harv. subsp. **rhytidocarpa** GAB PRE
PSUB SRGH UCBG
rudis N.E.Br. = *I. heterotricha*
scaberrima Schinz = *I. charlieriana* var. *scaberrima*
schimperi Jaub. & Spach var. **schimperi** GAB PRE PSUB
SRGH UCBG
(I. tettensis Klotzsch)
semlikiensis Robyns & Boutique = *I. vicioides* var. *vicioides*
sessilifolia DC. PRE
sordida Benth. ex Harv. PRE UCBG
subincana N.E.Br. = *I. trita* subsp. *subulata*
subulata Vahl ex Poir. = *I. trita* subsp. *subulata*
suffruticosa Mill. GAB PSUB SRGH
tenuicaulis Klotzsch = *I. vicioides* var. *vicioides*
tetragonoloba E.Mey. = *I. trita* subsp. *subulata*
tettensis Klotzsch = *I. schimperi* var. *schimperi*
tinctoria L. var. **arcuata** J.B.Gillett GAB PRE SRGH UCBG
torulosa Baker = *I. ormocarpoides*
transvaalensis Baker f. = *I. vicioides* var. *vicioides*
trigonelloides Jaub. & Spach GAB PRE SRGH
(I. aeruginis Schweinf.)
trita L.f. subsp. **scabra** (Roth) de Kort & G.Thijssse PRE
trita L.f. subsp. **subulata** (Vahl ex Poir.) Ali GAB PRE PSUB
SRGH UCBG
(I. carinata De Wild.)
(I. dimorphophylla Schinz)

(I. subincana N.E.Br.)
(I. subulata Vahl ex Poir.)
(I. tetragonoloba E.Mey.)
(I. trita L.f. subsp. *subulata* (Vahl ex Poir.) Ali var. *subulata*)
trita L.f. subsp. *subulata* (Vahl ex Poir.) Ali var. *subulata* = *I. trita*
subsp. *subulata*
vicioides Jaub. & Spach var. **rogersii** (R.E.Fr.) J.B.Gillett PRE
vicioides Jaub. & Spach var. **vicioides** GAB PRE PSUB
SRGH UCBG
(I. divaricata De Wild.)
(I. semlikiensis Robyns & Boutique)
(I. tenuicaulis Klotzsch)
(I. transvaalensis Baker f.)

INGA Mill.
sericocephala A.Rich. = *Albizia amara* subsp. *sericocephala*

JULBERNARDIA Pellegr.
globiflora (Benth.) Troupin GAB PRE PSUB UCBG 🌳

LABLAB Adans.
***purpureus** (L.) Sweet subsp. **purpureus** PRE
purpureus (L.) Sweet subsp. **uncinatus** Verdc. var.
rhomboideus
(Schinz) Verdc. K

LEOBORDEA Delile
abyssinica Hochst. ex A.Rich. = *Lotononis platycarpa*
platycarpa Viv. = *Lotononis platycarpa*

LESSERTIA DC.
benguellensis Baker f. GAB PRE PSUB SRGH UCBG
(L. emarginata Schinz)
(L. emarginata Schinz var. *angustifolia* A.Schreib.)
emarginata Schinz = *L. benguellensis*
emarginata Schinz var. *angustifolia* A.Schreib. =
L. benguellensis
falciformis DC. GAB PRE SRGH
macrostachya DC. var. **macrostachya** PRE UCBG
pauciflora Harv. var. **pauciflora** PRE
prostrata DC. PRE
(Colutea prostrata Thunb.)

LIEBRECHTSIA De Wild.
esculenta De Wild. = *Vigna frutescens* subsp. *frutescens*
var. *frutescens*
katangensis De Wild. = *Vigna frutescens* subsp. *frutescens*
var. *buchneri*
scabra De Wild. = *Vigna unguiculata* subsp. *unguiculata*
var. *spontanea*
schweinfurthii De Wild. = *Vigna frutescens* subsp. *frutescens*
var. *buchneri*
spartioides (Taub.) De Wild. = *Vigna frutescens* subsp. *frutescens*
var. *buchneri*

LISTIA E.Mey.
heterophylla E.Mey. = *Lotononis listii*

LONCHOCARPUS Kunth*capassa* Rolfe = *Philenoptera violacea**nelsii* (Schinz) Schinz ex Heering & Grimmer subsp. *nelsii* =
Philenoptera nelsii subsp. *nelsii***LOTONONIS** (DC.) Eckl. & Zeyh.**bainesii** Baker PRE*(Amphinomia bainesii* (Baker) A.Schreib.)*barberae* Dummer = *L. marlothii***brachyantha** Harms PRE*(Amphinomia brachyantha* (Harms) A.Schreib.)*clandestina* (E.Mey.) Benth. = *L. platycarpa**clandestina* (E.Mey.) Benth. var. *steingroeveriana* Schinz =
*L. platycarpa***curtii** Harms PRE*dinteri* Schinz = *L. platycarpa***galpinii** Dummer PRE**listii** Polhill GAB PRE PSUB SRGH UCBG*(Listia heterophylla* E.Mey.)*listoides* Dinter & Harms = *L. marlothii***marlothii** Engl. PRE*(L. barberae* Dummer)*(L. listoides* Dinter & Harms)**platycarpa** (Viv.) Pic.Serm. GAB PRE PSUB SRGH UCBG*(Capnitis clandestina* E.Mey.)*(Leobordea abyssinica* Hochst. ex A.Rich.)*(Leobordea platycarpa* Viv.)*(L. clandestina* (E.Mey.) Benth.)*(L. clandestina* (E.Mey.) Benth. var. *steingroeveriana* Schinz)*(L. dinteri* Schinz)*(L. platycarpa* (Viv.) Pic.Serm. var. *abyssinica* (Hochst. ex
A.Rich.) Pic.Serm.)*(L. porrecta* (E.Mey.) Benth.)*(L. steingroeveriana* (Schinz) Dummer)*platycarpa* (Viv.) Pic.Serm. var. *abyssinica* (Hochst. ex A.Rich.)Pic.Serm. = *L. platycarpa***polycephala** Benth. GAB*porrecta* (E.Mey.) Benth. = *L. platycarpa***schoenfelderi** (Dinter ex Merxm. & A.Schreib.) A.Schreib. PRE**sericophylla** Benth. PRE*steingroeveriana* (Schinz) Dummer = *L. platycarpa***MACROTYLOMA** (Wight & Arn.) Verdc.**axillare** (E.Mey.) Verdc. var. **axillare** GAB K PRE PSUB SRGH*(Clitoria viridiflora* Bouton ex Hook.)*(Dolichos axillaris* E.Mey.)*(Dolichos axillaris* E.Mey. var. *glaber* E. Mey.)**axillare** (E.Mey.) Verdc. var. **glabrum** (E.Mey.) Verdc. GAB
PSUB SRGH**daltonii** (Webb) Verdc. BM PRE PSUB SRGH*(Dolichos daltonii* Webb)**uniflorum** (Lam.) Verdc. var. **stenocarpum** (Brenan) Verdc. C
GAB K PRE PSUB SRGH UCBG**MEDICAGO** L.*aschersoniana* Urb. = *M. laciniata* var. *laciniata****laciniata** (L.) Mill. var. **laciniata** GAB PRE*(M. aschersoniana* Urb.)*(M. polymorpha* L. var. *laciniata* L.)*polymorpha* L. var. *laciniata* L. = *M. laciniata* var. *laciniata****sativa** L. subsp. **sativa** GAB**MELANOSTICTA** DC.*burchellii* DC. = *Hoffmannseggia burchellii* subsp. *burchellii***MELOLOBIUM** Eckl. & Zeyh.**adenodes** Eckl. & Zeyh. PRE**calycinum** Benth. PRE**candicans** (E.Mey.) Eckl. & Zeyh. GAB PRE PSUB UCBG*(Dichilus candicans* E.Mey.)**macrocalyx** Dummer var. **macrocalyx** PRE UCBG**microphyllum** (L.f.) Eckl. & Zeyh. GAB PRE*(Dichilus microphyllum* E.Mey.)**obcordatum** Harv. PRE**MIMOSA** L.*asperata* L. = *M. pigra**capensis* Burm.f. = *Acacia karroo**leucacantha* Jacq. = *Acacia karroo**natans* L.f. = *Neptunia oleracea***pigra** L. K PRE 🌿 🌿 🌿*(M. asperata* L.)*prostrata* Lam. = *Neptunia oleracea***MUNDULEA** (DC.) Benth.**sericea** (Willd.) A.Chev. GAB PRE PSUB SRGH UCBG 🌿*(Cytisus sericeus* Willd.)*(M. suberosa* (DC.) Benth.)*(Tephrosia suberosa* DC.)*suberosa* (DC.) Benth. = *M. sericea***NEONOTONIA** J.A.Lackey**wightii** (Wight & Arn.) Lackey subsp. **wightii** var. **longicauda**

(Schweinf.) J.A.Lackey GAB K PRE PSUB SRGH

(Glycine albidiflora De Wild.)*(Glycine claessensii* De Wild.)*(Glycine javanica* L. subsp. *javanica*)*(Glycine javanica* L. subsp. *micrantha* (Hochst. & A.Rich.)
F.J.Herm.)*(Glycine javanica* L. subsp. *micrantha* (Hochst. ex A.Rich.)F.J.Herm. var. *longicauda* (Schweinf.) F.J.Herm.)*(Glycine javanica* L. subsp. *micrantha* (Hochst. ex A.Rich.)F.J.Herm. var. *moliniiformis* (Hochst. ex A.Rich.) F.J.Herm.)*(Glycine javanica* L. var. *claessensii* (De Wild.) Hauman)*(Glycine javanica* L. var. *longicauda* (Schweinf.) Baker)*(Glycine longicauda* Schweinf.)*(Glycine micrantha* Hochst. ex A.Rich.)*(Glycine moniliformis* Hochst. ex A.Rich.)*(Glycine wightii* (Wight & Arn.) Verdc. subsp. *wightii* var.
longicauda (Schweinf.) Verdc.)**NEORAUTANENIA** Schinz*amboensis* Schinz = *N. mitis**(Dolichos brachypus* Harms)

(*Dolichos ficifolius* (Benth.) Harms)
(*Pueraria ficifolia* (Benth.) L.Bolus)
(*Rhynchosia ficifolia* Benth.)
brachypus (Harms) C.A.Smith K SRGH
(*Dolichos seineri* Harms)
(*Galactia lugardii* N.E.Br.)
(*N. coriacea* C.A.Smith)
(*N. edulis* C.A.Smith)
(*N. lugardii* (N.E.Br.) C.A.Smith)
(*N. rogersii* (L.Bolus) C.A.Smith)
(*N. seineri* (Harms) C.A.Smith)
(*Pueraria rogersii* L.Bolus)
coriacea C.A.Smith = *N. brachypus*
deserticola C.A.Smith = *N. ficifolia*
edulis C.A.Smith = *N. brachypus*
ficifolia (Benth. ex Harv.) C.A.Smith C GAB K PRE SRGH
lugardii (N.E.Br.) C.A.Smith = *N. brachypus*
mitis (A.Rich.) Verdc. GAB K PRE PSUB SRGH UCBG
(*Dolichos mitis* A.Rich.)
(*Dolichos orbicularis* (Welw. ex Baker) Baker f.)
(*Dolichos pseudopachyrhizus* Harms var. *kilimandschari* Harms)
(*Dolichos pseudopachyrhizus* Harms var. *subintegrifolius* Harms)
(*Dolichos pseudopachyrhizus* Harms)
(*N. amboensis* Schinz)
(*N. orbicularis* (Welw. ex Baker) Torre)
(*N. pseudopachyrhiza* (Harms) Milne-Redh.)
(*Pachyrhizus orbicularis* Welw. ex Baker)
orbicularis (Welw. ex Baker) Torre = *N. mitis*
pseudopachyrhiza (Harms) Milne-Redh. = *N. mitis*
rogersii (L.Bolus) C.A.Smith = *N. brachypus*
seineri (Harms) C.A.Smith = *N. brachypus*
NEPTUNIA Lour.
oleracea Lour. GAB PRE SRGH ♣
(*Desmanthus stolonifer* DC.)
(*Mimosa natans* L.f.)
(*Mimosa prostrata* Lam.)
(*N. prostrata* (Lam.) Baill.)
(*N. stolonifera* (DC.) Guill. & Perr.)
prostrata (Lam.) Baill. = *N. oleracea*
stolonifera (DC.) Guill. & Perr. = *N. oleracea*
NESPHOSTYLIS Verdc.
junodii (Harms) Munyembenyembe & Bisby = *Dolichos junodii*
NICOLSONIA Span.
barbata (L.) DC. var. *dimorpha* (Welw. ex Baker) Schindl. =
Desmodium barbatum var. *dimorphum*
OPHRESTIA H.M.L.Forbes
oblongifolia (E.Mey.) H.M.L.Forbes var. **velutinos**
H.M.L.Forbes PRE
ORMOCARPUM P.Beauv.
setosum Burt Davy = *O. trichocarpum*

trichocarpum (Taub.) Engl. BM GAB K LISC PRE SRGH ♣
(*Diphaca trichocarpa* Taub.)
(*O. setosum* Burt Davy)
(*Saldania acanthocarpa* Sim)
OSTRYODERRIS Dunn
stuhlmannii (Taub.) Harms = *Xeroderris stuhlmannii*
OTOPTERA DC.
burchellii DC. C GAB K PRE PSUB SRGH UCBG
(*Vigna burchellii* (DC.) Harv.)
PACHYRHIZUS Rich. ex DC.
orbicularis Welw. ex Baker = *Neorautanenia mitis*
PARKINSONIA L.
***aculeata** L PRE ♣
africana Sond. UCBG ♣
PAULETIA Cav.
macrantha (Oliv.) A.Schmitz = *Bauhinia petersiana* subsp. *macrantha*
urbaniana (Schinz) A.Schmitz = *Bauhinia urbaniana*
PELTOPHORUM (Vogel) Benth.
africanum Sond. GAB PRE SRGH UCBG ♣
(*Brasilettia africana* (Sond.) Kuntze)
PERLEBIA Mart.
macrantha (Oliv.) A.Schmitz = *Bauhinia petersiana* subsp. *macrantha*
urbaniana (Schinz) A.Schmitz = *Bauhinia urbaniana*
PHASEOLUS L.
quadriflorus Hochst. ex A.Rich. = *Vigna vexillata* var. *vexillata*
schlechteri Harms = *Decorsea schlechteri*
PHILENOPTERA Fenzl ex A.Rich.
nelsii (Schinz) Schrire GAB PRE PSUB SRGH UCBG ♣
(*Dalbergia nelsii* Schinz)
(*Lonchocarpus nelsii* (Schinz) Schinz ex Heering & Grimme subsp. *nelsii*)
violacea (Klotzsch) Schrire GAB PRE PSUB SRGH UCBG ♣
(*Capassa violacea* Klotzsch)
(*Derris violacea* (Klotzsch) Harms)
(*Lonchocarpus capassa* Rolfe)
(*Lonchocarpus violaceus* (Klotzsch) Oliv.)
PILIOSTIGMA Hochst.
thonningii (Schumach.) Milne-Redh. GAB PRE SRGH ♣
PIPTADENIA Benth.
goetzei Harms = *Elephantorrhiza goetzei* subsp. *goetzei*
PROSOPIS L.
elephantina (Burch.) E.Mey. = *Elephantorrhiza elephantina*

elephantorrhiza (DC.) Spreng. = *Elephantorrhiza elephantina*

**glandulosa* Torr. var. *glandulosa* GAB PRE UCBG 🌿🌿

PSEUDOCADIA Harms

zambesiaca (Baker) Harms = *Xanthocercis zambesiaca*

PSORALEA L.

obtusifolia DC. = *Cullen tomentosum*

PTEROCARPUS Jacq.

angolensis DC. GAB PRE PSUB SRGH UCBG 🌿

antunesii (Taub.) Harms = *P. lucens* subsp. *antunesii*

chrysothrix Taub. = *P. tinctorius* Welw. ex Baker

lucens Lepr. ex Guill. & Perr. subsp. *antunesii* (Taub.) Rojo

GAB PRE PSUB SRGH 🌿

(*P. antunesii* (Taub.) Harms)

polyanthus Harms = *P. rotundifolius* subsp. *polyanthus*

rotundifolius (Sond.) Druce subsp. *polyanthus* (Harms)

Mendonça & E.C.Sousa GAB PRE PSUB SRGH

UCBG 🌿

(*P. polyanthus* Harms)

rotundifolius (Sond.) Druce subsp. *rotundifolius* PRE

SRGH UCBG 🌿

(*Dalbergia rotundifolia* Sond.)

tinctorius Welw. ex Baker ?

(*P. chrysothrix* Taub.)

PTYCHOLOBIUM Harms

biflorum (E.Mey.) Brummitt subsp. *angolensis* (Baker)

Brummitt PRE PSUB UCBG

biflorum (E.Mey.) Brummitt subsp. *biflorum* PRE

PSUB UCBG

contortum (N.E.Br.) Brummitt GAB PRE PSUB SRGH

(*Syllita contorta* (N.E.Br.) Baker f.)

(*Tephrosia contorta* N.E.Br.)

plicatum (Oliv.) Harms subsp. *plicatum* GAB PRE SRGH

(*Tephrosia plicata* Oliv.)

PUERARIA DC.

ficifolia (Benth.) L.Bolus = *Neorautanenia ficifolius*

rogersii L.Bolus = *Neorautanenia brachypus*

REQUIENIA DC.

pseudosphaerosperma (Schinz) Brummitt GAB PRE

SRGH UCBG

(*Tephrosia pseudosphaerosperma* Schinz)

sphaerosperma DC. GAB PRE PSUB SRGH UCBG

(*Tephrosia sphaerosperma* (DC.) Baker)

RHYNCHOSIA Lour.

albissima Gand. PRE

cajanoides Guill. & Perr. = *Eriosema psoraleoides*

caribaea (Jacq.) DC. PRE PSUB SRGH

chrysadenia Taub. = *R. densiflora* subsp. *chrysadenia*

ciliata (Thunb.) Schinz PRE

cinnamomea Schinz = *R. totta* var. *fenchelii*

confusa Burt Davy

debilis G.Don = *R. densiflora* subsp. *debilis*

densiflora (Roth) DC. subsp. *chrysadenia* (Taub.) Verdc. C

GAB K PRE PSUB SRGH UCBG UPS

(*R. chrysadenia* Taub.)

(*R. debilis* G.Don)

(*R. fischeri* Harms)

(*R. schweinfurthii* Harms)

densiflora (Roth) DC. subsp. *debilis* (G.Don) Verdc. K

desertorum Harms = *R. fleckii*

dinteri Schinz = *R. namaensis*

ficifolia Benth. = *Neorautanenia ficifolia*

filicaulis Welw. ex Baker = *R. totta* var. *fenchelii*

fischeri Harms = *R. densiflora* subsp. *chrysadenia*

fleckii Schinz GAB K PRE

(*R. desertorum* Harms)

(*R. nervosa* Benth. & Harv. var. *pauciflora* Harv.)

(*R. oligantha* Harms)

hirsuta Schinz = *R. venulosa* *R. totta* var. *fenchelii*

hockii De Wild. = *R. minima* var. *prostrata*

hockii De Wild. var. *grandifolia* Hauman = *R. minima*

var. *prostrata*

ischnoclada Harms = *R. minima* var. *prostrata*

holosericea Schinz GAB K PRE PSUB SRGH UCBG

holubii Hemsl. = *Eminia holubii*

komatiensis Harms ?

melanosperma Klotzsch = *R. sublobata*

memnonia (Delile) DC. var. *prostrata* Harv. = *R. minima*

var. *prostrata*

minima (L.) DC. var. *minima* GAB K PRE PSUB

SRGH UCBG

(*Dolicholus minimus* (L.) Hiern)

(*Dolichos minimus* L.)

(*R. hockii* De Wild.)

(*R. hockii* De Wild. var. *grandifolia* Hauman)

(*R. ischnoclada* Harms)

(*R. memnonia* (Delile) DC. var. *prostrata* Harv.)

minima (L.) DC. var. *prostrata* (Harv.) Meikle GAB K PRE

PSUB SRGH UCBG

mollis Burt Davy = *R. totta* var. *fenchelii*

namaensis Schinz GAB

(*R. dinteri* Schinz)

nervosa Benth. & Harv. var. *pauciflora* Harv. = *R. fleckii*

nyasica Baker GAB SRGH

oligantha Harms = *R. fleckii*

remota Conrath = *R. totta* var. *fenchelii*

resinosa (A.Rich.) Baker PRE SRGH

(*Fagelia resinosa* A.Rich.)

schweinfurthii Harms = *R. densiflora* subsp. *chrysadenia*

stipitata Verdc. GAB K SRGH

sublobata (Schumach.) Meikle GAB K PRE SRGH

(*Glycine sublobata* Schumach.)

(*R. melanosperma* Klotzsch)

totta (Thunb.) DC. var. *fenchelii* Schinz GAB K PRE

PSUB SRGH

(*Dolicholus venulosus* Hiern)

(*Dolichos venulosus* Hiern)

(*Glycine totta* Thunb.)

(*R. cinnamomea* Schinz)
 (*R. filicaulis* Welw. ex Baker)
 (*R. mollis* Burt Davy)
 (*R. remota* Conrath)
 (*R. totta* (Thunb.) DC. var. *venulosa* (Hiern) Verdc.)
 (*R. venulosa* (Hiern) K.Schum.)

totta (Thunb.) DC. var. **totta** GAB PRE PSUB
 SRGH UCBG

totta (Thunb.) DC. var. *venulosa* (Hiern) Verdc. = *R. totta*
 var. *fenchelii*
venulosa (Hiern) K.Schum. = *R. totta* var. *fenchelii*

SALDANIA T.R.Sim

acanthocarpa Sim = *Ormocarpum trichocarpum*

SCHOTIA Jacq.

brachypetala Sond. PRE PSUB SRGH UCBG 🌳
capitata Bolle 🌳 ?

SCYTALIS E.Mey.

helicopus E.Mey. var. *major* E.Mey. = *Vigna luteola*
helicopus E.Mey. var. *minor* E.Mey. = *Vigna luteola*
hispida E.Mey. = *Vigna unguiculata* subsp. *stenophylla*
protracta E.Mey. = *Vigna unguiculata* subsp. *stenophylla*

SENNA Mill.

italica Mill. subsp. **arachoides** (Burch.) Lock GAB PRE PSUB
 SRGH UCBG
 (*Cassia arachoides* Burch.)
 (*Cassia italica* (Mill.) Lam. ex F.W.Andrews subsp. *arachoides*
 (Burch.) Brenan)
 (*Cassia obovata* Collad. var. *mucronata* Burt Davy)
 (*Cassia obovata* Collad. var. *pilosa* Burt Davy)
 ***obtusifolia** (L.) Irwin & Barneby GAB PRE
 PSUB SRGH
 (*Cassia obtusifolia* L.)
 ***occidentalis** (L.) Link GAB PRE PSUB SRGH UCBG 🍄
 (*Cassia occidentalis* L.)

SESBANIA Scop.

aculeata (Willd.) Pers. = *S. bispinosa* var. *bispinosa*
 ***bispinosa** (Jacq.) W.Wight var. **bispinosa** GAB PRE PSUB
 SRGH UCBG 🍄
 (*S. aculeata* (Willd.) Pers.)
brevipedunculata J.B.Gillett PRE PSUB SRGH 🍄
cinerascens Welw. ex Baker GAB PRE PSUB 🌳 🍄
coerulescens Harms SRGH 🌳
leptocarpa DC. SRGH
macowaniana Schinz PRE PSUB
microphylla E.Phillips & Hutch. GAB PRE PSUB SRGH 🍄
pachycarpa DC. ?
rogersii E.Phillips & Hutch. GAB PSUB SRGH
 (*S. tetraptera* Hochst. ex Baker subsp. *rogersii* (E.Phillips &
 Hutch.) Lewis)
rostrata Bremek. & Oberm. GAB PRE PSUB SRGH 🍄
sesban (L.) Merr. subsp. **sesban** var. **nubica** Chiov. GAB PRE
 PSUB SRGH

sesban (L.) Merr. subsp. **sesban** var. **zambesiaca**

J.B.Gillett PRE

tetraptera Hochst. ex Baker subsp. *rogersii* (E.Phillips & Hutch.)
 Lewis = *S. rogersii*

tetraptera Hochst. ex Baker subsp. **tetraptera** PRE

STYLOSANTHES Sw.

bojeri Vogel = *S. fruticosa*

flavicans Baker = *S. fruticosa*

fruticosa (Retz.) Alston C GAB K PRE PSUB SRGH
 UCBG UPS

(*Arachis fruticosa* Retz.)

(*S. bojeri* Vogel)

(*S. flavicans* Baker)

(*S. mucronata* Willd.)

mucronata Willd. = *S. fruticosa*

SUTHERLANDIA R.Br. ex W.T.Aiton

frutescens (L.) R.Br. GAB PRE UCBG

(*Colutea frutescens* L.)

microphylla Burch. ex DC. PRE

SWARTZIA Schreb.

madagascariensis Desv. = *Bobgunnia madagascariensis* (Desv.)
 J.H.Kirkbr. & Wiersema

SYLITRA E.Mey.

contorta (N.E.Br.) Baker f. = *Ptychobium contortum*

TEPHROSIA Pers.

acaciifolia Baker PRE

albissima H.M.L.Forbes subsp. **zuluensis** (H.M.L.Forbes)
 Schire PRE

angustissima Engl. = *T. longipes* subsp. *longipes* var. *longipes*

anthylloides Hochst. ex Webb = *T. uniflora* subsp. *uniflora*

brachyloba E.Mey. = *T. dregeana* var. *dregeana*

burchellii Burt Davy GAB PRE UCBG

caerulea Baker f. subsp. **caerulea** GAB PRE PSUB SRGH UCBG

caerulea Baker f. subsp. **otaviensis** (Dinter) A.Schreib. &
 Brummitt GAB PRE UCBG

(*T. otaviensis* Dinter)

contorta N.E.Br. = *Ptychobium contortum*

damarensis Engl. = *T. dregeana* var. *dregeana*

dawsonii Baker f. = *T. longipes* subsp. *longipes* var. *longipes*

delagoensis H.M.L.Forbes = *T. purpurea* subsp. *leptostachya*
 var. *delagoensis*

dinteri Schinz = *T. dregeana* var. *dregeana*

dregeana E.Mey. var. **dregeana** GAB PRE PSUB UCBG

(*T. brachyloba* E.Mey.)

(*T. damarensis* Engl.)

(*T. dinteri* Schinz)

elongata E.Mey. var. **elongata** PRE

euprepes Brummitt GAB PRE SRGH

indigofera Bertol. = *T. purpurea* subsp. *leptostachya*
 var. *delagoensis*

leptostachya DC. = *T. purpurea* subsp. *leptostachya*
 var. *leptostachya*

lineata Schumach. & Thonn. = *T. purpurea* subsp. *leptostachya*
var. *leptostachya*

longipes Meisn. subsp. *longipes* var. *icosisperma* Brummitt =
T. longipes subsp. *longipes* var. *longipes*

longipes Meisn. subsp. **longipes** var. **longipes** GAB PRE SRGH UCBG
(*T. angustissima* Engl.)

(*T. dawsonii* Baker f.)

(*T. longipes* Meisn. subsp. *longipes* var. *icosisperma* Brummitt)

(*T. lurida* Sond. var. *drummondii* Brummitt)

(*T. lurida* Sond. var. *lissocarpa* Brummitt)

(*T. lurida* Sond. var. *lurida*)

lupinifolia DC. GAB PRE SRGH UCBG

lurida Sond. var. *drummondii* Brummitt = *T. longipes* subsp.
longipes var. *longipes*

lurida Sond. var. *lissocarpa* Brummitt = *T. longipes* subsp.
longipes var. *longipes*

lurida Sond. var. *lurida* = *T. longipes* subsp. *longipes*
var. *longipes*

macropoda (E.Mey.) Harv. var. *diffusa* (E.Mey.) Schrire PRE
mossambicensis Schinz = *T. uniflora* subsp. *uniflora*

multijuga R.G.N.Young PRE

otaviensis Dinter = *T. caerulea* subsp. *otaviensis*

plicata Oliv. = *Ptychlobium plicatum* subsp. *plicatum*

polystachya E.Mey. var. *hirta* Harv. PRE

pseudosphaerosperma Schinz =

Requienia pseudosphaerosperma

pumila (Lam.) Pers. var. **pumila** GAB PSUB SRGH

purpurea (L.) Pers. subsp. **leptostachya** (DC.) Brummitt var.

delagoensis (H.M.L.Forbes) Brummitt GAB PRE SRGH UCBG

(*T. delagoensis* H.M.L.Forbes)

(*T. indigofera* Bertol.)

(*T. leptostachya* DC.)

(*T. lineata* Schumach. & Thonn.)

purpurea (L.) Pers. subsp. **leptostachya** (DC.) Brummitt var.
leptostachya GAB PRE PSUB UCBG

purpurea (L.) Pers. subsp. **leptostachya** (DC.) Brummitt var.
pubescens Baker PRE

rhodesica Baker f. var. *evansii* (Hutch. & Burtt Davy)
Brummitt PRE

rhodesica Baker f. var. **rhodesica** PRE SRGH

semiglabra Sond. PRE

sericea Baker = *Dolichos kilimandscharicus* subsp.

kilimandscharicus var. *kilimandscharicus*

sphaerosperma (DC.) Baker = *Requienia sphaerosperma*

suberosa DC. = *Mundulea sericea*

uniflora Pers. subsp. **uniflora** SRGH

(*T. anthyllodes* Hochst. ex Webb)

(*T. mossambicensis* Schinz)

villosa (L.) Pers. subsp. **ehrenbergiana** (Schweinf.) Brummitt
var. *daviesii* Brummitt GAB PRE PSUB

zoutpansbergensis Bremek. GAB

TETRAPLEURA Benth.

andongensis Welw. ex Oliv. = *Amblygonocarpus andongensis*

TRIFOLIUM L.

africanum Ser. var. **africanum** PRE

(*T. africanum* Ser. var. *glabellum* (E.Mey.) Harv.)

africanum Ser. var. *glabellum* (E.Mey.) Harv. = *T. africanum*
var. *africanum*

TRIGONELLA L.

tomentosa Thunb. = *Cullen tomentosum*

TYLOSEMA (Schweinf.) Torre & Hillc.

esculentum (Burch.) A.Schreib. GAB PRE PSUB UCBG

(*Bauhinia bainesii* Schinz)

(*Bauhinia burkeana* (Benth.) Harv.)

(*Bauhinia esculenta* Burch.)

fassoglense (Schweinf.) Torre & Hillc. GAB UCBG

VIGNA Savi

angustifoliolata Verdc. = *V. unguiculata* subsp. *stenophylla*

brachycalyx Baker = *V. unguiculata* subsp. *unguiculata*
var. *spontanea*

buchneri Harms = *V. frutescens* subsp. *frutescens* var. *buchneri*

bukobensis Harms = *V. luteola*

burchellii (DC.) Harv. = *Otoptera burchellii*

crinita A.Rich. = *V. vexillata* var. *vexillata*

debanensis Martelli = *V. frutescens* subsp. *frutescens* var.
frutescens

decipiens Harv. = *V. frutescens* subsp. *frutescens* var. *frutescens*
dekindtiana Harms = *V. unguiculata* subsp. *dekindtiana*
var. *dekindtiana*

dinteri Harms = *V. vexillata* var. *lobatifolia*

dolichonema Harms = *V. vexillata* var. *vexillata*

esculenta (De Wild.) De Wild. = *V. frutescens* subsp. *frutescens*
var. *frutescens*

flagrans Baker f. = *V. frutescens* subsp. *frutescens* var. *frutescens*

frutescens A.Rich. subsp. **frutescens** var. **buchneri** (Harms)
Verdc. K LISC SRGH

(*Liebrechtsia katangensis* De Wild.)

(*Liebrechtsia schweinfurthii* De Wild.)

(*Liebrechtsia spartioides* (Taub.) De Wild.)

(*V. buchneri* Harms)

(*V. katangensis* (De Wild.) T.Durand & H.Durand)

(*V. spartioides* Taub.)

frutescens A.Rich. subsp. **frutescens** var. **frutescens** GAB K
LISC SRGH

(*Liebrechtsia esculenta* De Wild.)

(*V. debanensis* Martelli)

(*V. decipiens* Harv.)

(*V. esculenta* (De Wild.) De Wild.)

(*V. flagrans* Baker f.)

(*V. glandulosa* Chiov.)

(*V. harmsiana* Buscalioni & Muschler)

(*V. keniensis* Harms)

(*V. ledermannii* Harms)

(*V. longiloba* Burtt Davy)

(*V. pongolensis* Burtt Davy)

(*V. pseudotriloba* Harms)

(*V. sudanica* Baker f.)

(*V. taubertii* Volkens ex Harms)

(*V. violacea* Hutch.)

fischeri Harms = V. luteola
glandulosa Chiov. = V. frutescens subsp. frutescens var. frutescens
golungensis Baker = V. vexillata var. vexillata
harmsiana Buscalioni & Muschler = V. frutescens subsp. frutescens var. frutescens
helicopus (E.Mey.) Walp. = V. luteola
hirta Hook. = V. vexillata var. vexillata
hispida (E.Mey.) Walp. = V. unguiculata subsp. stenophylla
holstii Harms = V. luteola
huillensis Welw. ex Baker = V. unguiculata subsp. dekindtiana var. huillensis
hygrophila Harms = V. oblongifolia var. parviflora
jaegeri Harms = V. luteola
junodii Harms = Dolichos junodii
katangensis (De Wild.) T.Durand & H.Durand = V. frutescens subsp. frutescens var. buchneri
keniensis Harms = V. frutescens subsp. frutescens var. frutescens
lancifolia A.Rich. = V. oblongifolia var. oblongifolia
ledermannii Harms = V. frutescens subsp. frutescens var. frutescens
lobatifolia Baker = V. vexillata var. lobatifolia
longiloba Burt Davy = V. frutescens subsp. frutescens var. frutescens
lutea (Sw.) A.Gray = V. luteola
luteola (Jacq.) Benth. GAB K PRE PSUB SRGH ♦
(Dolichos emarginata P.Beauv.)
(Dolichos helicopus (E.Mey.) Steud.)
(Dolichos luteolus Jacq.)
(Dolichos luteus Sw.)
(Dolichos niloticus Delile)
(Dolichos repens L.)
(Scytalis helicopus E.Mey. var. *major* E.Mey.)
(Scytalis helicopus E.Mey. var. *minor* E.Mey.)
(V. bukobensis Harms)
(V. fischeri Harms)
(V. helicopus (E.Mey.) Walp.)
(V. holstii Harms)
(V. jaegeri Harms)
(V. lutea (Sw.) A.Gray)
(V. luteola (Jacq.) Benth. var. *angustifolia* B.L.Rob.)
(V. luteola (Jacq.) Benth. var. *villosa* Micheli)
(V. mildbraedii Harms)
(V. nigerica A.Chev.)
(V. nilotica (Delile) Hook f.)
(V. repens (L.) Kuntze)
luteola (Jacq.) Benth. var. *angustifolia* B.L.Rob. = V. luteola
luteola (Jacq.) Benth. var. *villosa* Micheli = V. luteola
mildbraedii Harms = V. luteola
monophylla Taub. GAB PSUB SRGH
(Dolichos gardneri Baker f.)
(Haydonia monophylla (Taub.) R.Wilczek)
(V. ostinii Chiov.)
nigerica A.Chev. = V. luteola
nilotica (Delile) Hook f. = V. luteola
oblongifolia A.Rich. var. ***oblongifolia*** K PRE
(Dolichos dillonii Delile)

(V. lancifolia A.Rich.)
(V. wilmsii Burt Davy)
oblongifolia A.Rich. var. ***parviflora*** (Baker) Verdc. GAB K PRE PSUB SRGH
(V. hygrophila Harms)
(V. parviflora Baker)
(V. uliginosa R.Vig.)
ostinii Chiov. = V. monophylla
parviflora Baker = V. oblongifolia var. parviflora
phaseoloides Baker = V. vexillata var. vexillata
pongolensis Burt Davy = V. frutescens subsp. frutescens var. frutescens
pseudotriloba Harms = V. frutescens subsp. frutescens var. frutescens
pygmaea R.E.Fr. SRGH
repens (L.) Kuntze = V. luteola
rhomboidea Burt Davy = V. unguiculata subsp. stenophylla
scabra (De Wild.) T.Durand & H.Durand = V. unguiculata subsp. unguiculata var. spontanea
scabra Sond. = V. vexillata var. vexillata
scabrida Burt Davy = V. unguiculata subsp. unguiculata var. spontanea
senegalensis A.Chev. = V. vexillata var. vexillata
sinensis (L.) Hassk. = V. unguiculata subsp. unguiculata
sinensis Hassk. var. *spontanea* Schweinf. = V. unguiculata subsp. unguiculata var. spontanea
spartioides Taub. = V. frutescens subsp. frutescens var. buchneri
stenophylla (Harv.) Burt Davy = V. unguiculata subsp. stenophylla
sudanica Baker f. = V. frutescens subsp. frutescens var. frutescens
taubertii Volkens ex Harms = V. frutescens subsp. frutescens var. frutescens
thonningii Hook. f. = V. vexillata var. vexillata
triloba (Thunb.) Walp. = V. unguiculata subsp. unguiculata V. unguiculata subsp. stenophylla
triloba Walp. var. *stenophylla* Harv. = V. unguiculata subsp. stenophylla
tuberosa A.Rich. = V. vexillata var. vexillata
uliginosa R.Vig. = V. oblongifolia var. parviflora
unguiculata (L.) Walp. subsp. ***dekindtiana*** (Harms) Verdc. var. ***dekindtiana*** GAB PRE PSUB SRGH UCBG
(Dolichos hastifolius Schnizl.)
(Dolichos obliquifolius Schnizl.)
(Dolichos sinensis L.)
(Dolichos unguiculatus L.)
(Liebrechtsia scabra De Wild.)
(Scytalis hispida E.Mey.)
(Scytalis protracta E.Mey.)
(V. dekindtiana Harms)
unguiculata (L.) Walp. subsp. ***dekindtiana*** (Harms) Verdc. var. ***huillensis*** (Welw. ex Baker) B.J.Pienaar PSUB UCBG
(V. huillensis Welw. ex Baker)
unguiculata (L.) Walp. subsp. *dekindtiana* (Harms) Verdc. var. *kgaladiensis* Mithen = V. unguiculata subsp. stenophylla
unguiculata (L.) Walp. subsp. *dekindtiana* (Harms) Verdc. var. *protracta* (E.Mey.) Verdc. = V. unguiculata subsp. stenophylla

unguiculata (L.) Walp. subsp. *protracta* (E.Mey.) B.J.Pienaar =
V. *unguiculata* subsp. *stenophylla*
unguiculata (L.) Walp. subsp. **stenophylla** (Harv.) Maréchal
et al. GAB K PRE SRGH
(*V. angustifoliolata* Verdc.)
(*V. hispida* (E.Mey.) Walp.)
(*V. rhomboidea* Burt Davy)
(*V. stenophylla* (Harv.) Burt Davy)
(*V. triloba* Walp. var. *stenophylla* Harv.)
(*V. unguiculata* (L.) Walp. subsp. *dekindtiana* (Harms) Verdc.
var. *kgalagadiensis* Mithen)
(*V. unguiculata* (L.) Walp. subsp. *dekindtiana* (Harms) Verdc.
var. *protracta* (E.Mey.) Verdc.)
(*V. unguiculata* (L.) Walp. subsp. *protracta* (E.Mey.)
B.J.Pienaar)

unguiculata (L.) Walp. subsp. **unguiculata** var. **spontanea**
(Schweinf.) Pasquet K SRGH
(*V. brachycalyx* Baker)
(*V. scabra* (De Wild.) T.Durand & H.Durand)
(*V. scabrida* Burt Davy)
(*V. sinensis* Hassk. var. *spontanea* Schweinf.)
unguiculata (L.) Walp. subsp. **unguiculata** var. **unguiculata** K
PRE SRGH
(*V. sinensis* (L.) Hassk.)

vexillata (L.) A.Rich. var. *dolichonema* (Harms) Verdc. =
V. *vexillata* var. *vexillata*

vexillata (L.) A.Rich. var. *hirta* (Hook.) Baker f. = V. *vexillata*
var. *vexillata*

vexillata (L.) A.Rich. var. *lobatifolia* (Baker) Pasquet K
(*V. dinteri* Harms)
(*V. lobatifolia* Baker)

vexillata (L.) A.Rich. var. *thoningii* (Hook.f.) Baker =
V. *vexillata* var. *vexillata*

vexillata (L.) A.Rich. var. *tuberosa* (A.Rich.) Chiov. = V. *vexillata*
var. *vexillata*

vexillata (L.) A.Rich. var. **vexillata** K
(*Phaseolus quadriflorus* Hochst. ex A.Rich.)
(*V. crinita* A.Rich.)
(*V. dolichonema* Harms)
(*V. golungensis* Baker)
(*V. hirta* Hook.)
(*V. phaseoloides* Baker)
(*V. scabra* (De Wild.) T.Durand & H.Durand)
(*V. scabra* Sond.)
(*V. senegalensis* A.Chev.)
(*V. thoningii* Hook. f.)
(*V. tuberosa* A.Rich.)
(*V. vexillata* (L.) A.Rich. var. *dolichonema* (Harms) Verdc.)
(*V. vexillata* (L.) A.Rich. var. *hirta* (Hook.) Baker f.)
(*V. vexillata* (L.) A.Rich. var. *thoningii* (Hook.f.) Baker)
(*V. vexillata* (L.) A.Rich. var. *tuberosa* (A.Rich.) Chiov.)

violacea Hutch. = V. *frutescens* subsp. *frutescens* var. *frutescens*
wilmsii Burt Davy = V. *oblongifolia* var. *oblongifolia*

XANTHOCERCIS Baill.

zambesiaca (Baker) Dumaz-le-Grand GAB PRE PSUB SRGH UCBG 🌿
(*Pseudocadia zambesiaca* (Baker) Harms)

XERODERRIS Roberty

stuhlmannii (Taub.) Mendonça & E.C.Sousa PRE PSUB
SRGH UCBG 🌿
(*Deguelia stuhlmannii* Taub.)
(*Derris stuhlmannii* (Taub.) Harms)
(*Ostryoderris stuhlmannii* (Taub.) Harms)

ZORNIA J.F.Gmel.

glochidiata DC. GAB K PRE PSUB SRGH UCBG
linearis E.Mey. PRE
milneana Mohlenbr. GAB K LISC PRE PSUB SRGH UCBG
pratensis Milne-Redh. subsp. **pratensis** var. **pratensis** K

FLACOURTIACEAE

ABERIA Hochst.

caffra Hook.f. & Harv. = *Dovyalis caffra*
tristis Sond. = *Dovyalis zeyheri*
zeyheri Sond. = *Dovyalis zeyheri*

DOVYALIS E.Mey. ex Arn.

caffra (Hook.f. & Harv.) Hook.f. GAB PRE SRGH UCBG 🌿
(*Aberia caffra* Hook.f. & Harv.)
tristis (Sond.) Warb. = D. *zeyheri*
zeyheri (Sond.) Warb. PRE SRGH 🌿
(*Aberia tristis* Sond.)
(*Aberia zeyheri* Sond.)
(D. *tristis* (Sond.) Warb.)

FLACOURTIA L'Hér.

hirtiuscula Oliv. = F. *indica*
indica (Burm.f.) Merr. GAB K PRE PSUB SRGH UCBG 🌿
(F. *hirtiuscula* Oliv.)
(F. *ramontchi* L'Hér.)
(*Gmelina indica* Burm.f.)
ramontchi L'Hér. = F. *indica*

HOMALIUM Jacq.

abdessammadii Asch. & Schweinf. PRE PSUB SRGH
dentatum (Harv.) Warb. PRE UCBG 🌿

ONCOBA Forssk.

spinosa Forssk. subsp. **spinosa** GAB PRE PSUB 🌿

SCOLOPIA Schreb.

ecklonii (Nees) Harv. = S. *zeyheri*
zeyheri (Nees) Harv. PRE SRGH UCBG 🌿
(S. *ecklonii* (Nees) Harv.)

GENTIANACEAE

BELMONTIA E.Mey.

grandis E.Mey. = *Sebaea grandis*

CHIRONIA L.

densiflora Scott Elliot = C. *krebsii*
krebsii Griseb. K

- (*C. densiflora* Scott Elliot)
palustris Burch. subsp. **transvaalensis** (Gilg) I.Verd. GAB PRE SRGH
(*C. transvaalensis* Gilg)
transvaalensis Gilg = *C. palustris* subsp. *transvaalensis*

ENICOSTEMA Blume

- axillare** (Lam.) A.Raynal subsp. **axillare** GAB K PRE PSUB SRGH
(*E. hyssopifolium* (Willd.) I.Verd.)
(*Exacum hyssopifolium* Willd.)
(*Gentiana axillaris* Lam.)
hyssopifolium (Willd.) I.Verd. = *E. axillare* subsp. *axillare*

EXACUM L.

- hyssopifolium* Willd. = *Enicostema axillare* subsp. *axillare*

EXOCHAENIUM Griseb.

- grande* (E.Mey.) Griseb. = *Sebaea grandis*

FAROA Welw.

- buchananii* Baker = *Pycnosphaera buchananii*

GENTIANA L.

- axillaris* Lam. = *Enicostema axillare* subsp. *axillare*

PYCNOSPHAERA Gilg

- buchananii** (Baker) N.E.Br. GAB K LISC PRE PSUB SRGH
(*Faroa buchananii* Baker)

SEBAEA Sol. ex R.Br.

- burchellii* Gilg = *S. pentandra* var. *burchellii*
conrathii Schinz = *S. pentandra* var. *burchellii*
grandis (E.Mey.) Steud. GAB PRE PSUB SRGH
(*Belmontia grandis* E.Mey.)
(*Exochaenium grande* (E.Mey.) Griseb.)
junodii Schinz PRE PSUB SRGH
microphylla (Edgew.) Knobl. ♦ ?
pentandra E.Mey. var. **burchellii** (Gilg) Marais C GAB K PRE SRGH
(*S. burchellii* Gilg)
(*S. conrathii* Schinz)
pentandra E.Mey. var. **pentandra** PRE

GERANIACEAE

MONSONIA L.

- angustifolia** E.Mey. ex A.Rich. BM GAB K PRE PSUB SRGH UCBG
hetschuanica R.Knuth = *M. burkeana*
biflora DC. = *M. burkeana*
burkeana Planch. ex Harv. BM GAB K PRE
SRGH UCBG
(*M. hetschuanica* R.Knuth)
(*M. biflora* DC.)
(*M. glandulosissima* Schinz)
(*M. malviflora* Schinz)
glandulosissima Schinz = *M. burkeana*
glauca R.Knuth GAB K PRE PSUB SRGH
(*M. ovata* Cav. subsp. *glauca* (R.Knuth) Bowden & F.S.Mull.)
(*M. stricta* R.Knuth)

- malviflora* Schinz = *M. burkeana*
ovata Cav. subsp. *glauca* (R.Knuth) Bowden & F.S.Mull. = *M. glauca*
senegalensis Guill. & Perr. GAB K PRE PSUB SRGH
stricta R.Knuth = *M. glauca*

PELARGONIUM L'Hér.

- bechuanicum* Burtt Davy = *P. dolomiticum*
bechuanicum Burtt Davy var. *latisectum* Burtt Davy =
P. dolomiticum
dolomiticum R.Knuth GAB PRE ♦
(*P. bechuanicum* Burtt Davy)
(*P. bechuanicum* Burtt Davy
var. *latisectum* Burtt Davy)
(*P. juttae* Dinter)
juttae Dinter = *P. dolomiticum*

SARCOCAULON (DC.) Sweet

- salmoniflorum** Moffet GAB PRE ♦

GISEKIACEAE

GISEKIA L.

- africana** (Lour.) Kuntze var. **africana** BM GAB K LISC PRE
SRGH UCBG
(*G. pentadecandra* Moq.)
africana (Lour.) Kuntze var. **cymosa** Adamson PRE
africana (Lour.) Kuntze var. **pedunculata** (Oliv.) Brenan PRE
pentadecandra Moq. = *G. africana* var. *africana*
pharnacioides L. var. **pharnacioides** GAB K LISC PRE SRGH UCBG ♦

GUNNERACEAE

GUNNERA L.

- perpensa** L. SRGH ♦

HALORAGACEAE

LAUREMBERGIA P.J.Bergius

- repens** P.J.Bergius subsp. **brachypoda** (Hiern) Oberm. GAB
PRE SRGH ♦
(*L. tetrandra* (Schott) Kanitz subsp. *brachypoda* (Welw. ex
Hiern) A.Raynal)
tetrandra (Schott) Kanitz subsp. *brachypoda* (Welw. ex Hiern)
A.Raynal = *L. repens* subsp. *brachypoda*

MYRIOPHYLLUM L.

- ✱ **spicatum** L. PRE PSUB SRGH ♦ ♦

HERNANDIACEAE

GYROCARPUS Jacq.

- americanus** Jacq. subsp. **africanus** Kubitzki PRE †

HETEROPYXIDACEAE

HETEROPYXIS Harv.

- natalensis** Harv. SRGH UCBG †

HYDNORACEAE

HYDNORA Thunb.

abyssinica A.Braun ex Schweinf. ODU ☹*africana* Thunb. PRE ☹*johannis* Becc. var. *johannis* GAB PRE PSUB ☹*(H. solmsiana* Dinter)*solmsiana* Dinter = *H. johannis* var. *johannis*

ICACINACEAE

APODYTES E.Mey. ex Arn.

dimidiata E.Mey. ex Arn. subsp. *dimidiata* GAB SRGH ⬆

KIRKIAEAE

KIRKIA Oliv.

acuminata Oliv. GAB K PRE PSUB SRGH UCBG ⬆*(K. acuminata* Oliv. var. *pubescens* (Burt Davy) Bremek.)*(K. pubescens* Burt Davy)*acuminata* Oliv. var. *pubescens* (Burt Davy) Bremek. =*K. acuminata**pubescens* Burt Davy = *K. acuminata*

LAMIACEAE (LABIATAE)

ACROTOME Benth. ex Endl.

amboensis Briq. = *A. inflata**angustifolia* G.Taylor GAB PRE PSUB SRGH UCBG*(A. lancifolia* Bremek. & Oberm.)*hispida* Benth. GAB UCBG*inflata* Benth. GAB PRE PSUB SRGH UCBG*(A. amboensis* Briq.)*(Lasiocorys eenii* (Hiern) Baker)*lancifolia* Bremek. & Oberm. = *A. angustifolia*

AEOLLANTHUS Mart. ex K.Spreng.

buchnerianus Brig. SRGH UCBG ⬆*crenatus* S.Moore = *A. rehmannii**heliotropioides* Oliv. = *A. suaveolens**namibiensis* Ryding ⬆ ?*neglectus* (Dinter) Launert GAB PRE SRGH ⬆*(Plectranthus neglectus* Dinter)*rehmannii* Gürke PRE SRGH ⬆*(A. crenatus* S.Moore)*suaveolens* Mart. ex K.Spreng. PRE ⬆*(A. heliotropioides* Oliv.)

BECIUM Lindl.

angustifolium (Benth.) N.E.Br. GAB PRE SRGH UCBG*(Ocimum angustifolium* Benth.)*filamentosum* (Forssk.) Chiov. GAB PRE PSUB SRGH*(B. knyanum* (Vatke) N.E.Br. ex Broun & R.E.Massey)*(B. obovatum* (E.Mey. ex Benth.) N.E.Br. var. *knyanum* (Vatke)

Cufod.)

(Ocimum fissilabrum Briq.)*(Ocimum knyanum* Vatke)*(Ocimum rautanenii* Briq.)*(Ocimum stenoglossum* Briq.)*knyanum* (Vatke) N.E.Br. ex Broun & R.E.Massey =*B. filamentosum**obovatum* (E.Mey. ex Benth.) N.E.Br. var. *knyanum* (Vatke)Cufod. = *B. filamentosum*

CLERODENDRUM L.

(Formerly also placed under Verbenaceae)

buchneri Gürke GAB PRE PSUB*glabrum* E.Mey. var. *glabrum* GAB PRE UCBG ⬆*(C. rehmannii* Gürke)*myricoides* (Hochst.) Vatke = *Rothea myricoides**(Cyclonema myricoides* Hochst.)*rehmannii* Gürke = *C. glabrum* var. *glabrum**spinescens* (Oliv.) Gürke = *Rothea uncinata**ternatum* Schinz GAB PRE PSUB UCBG*(C. ternatum* Schinz var. *lanceolatum**(Gürke)* Moldenke)*(C. wilmsii* Gürke)*ternatum* Schinz var. *lanceolatum* (Gürke) Moldenke =*C. ternatum* var. *ternatum**triphyllum* (Harv.) H.Pearson = *Rothea hirsuta**(Cyclonema triphylla* Harv.)*uncinatum* Schinz = *Rothea uncinata**(C. spinescens* (Oliv.) Gürke)*(Kalaharia uncinata* (Schinz) Moldenke)*wilmsii* Gürke = *C. ternatum*

CLINOPODIUM L.

martinicense Jacq. = *Leucas martinicensis*

COLEUS Lour.

carnosus Dinter ex Eliovson = *Plectranthus neochilus**decumbens* Gürke = *Plectranthus tetensis**neochilus* (Schltr.) Codd = *Plectranthus neochilus**pentheri* Gürke = *Plectranthus neochilus**schinzii* Gürke = *Plectranthus neochilus**tetensis* Baker = *Plectranthus tetensis**vagatus* E.A.Bruce = *Plectranthus tetensis*

CYCLONEMA Hochst.

myricoides Hochst. = *Rothea myricoides**triphylla* Harv. = *Rothea hirsuta*

ENDOSTEMON N.E.Br.

ocimoides Bremek. = *E. tereticaulis**tenuiflorus* (Benth.) M.Ashby GAB PRE PSUB SRGH

UCBG

(Orthosiphon tenuiflorus Benth.)*(Pseudocimum trichocalyx* Bremek.)*tereticaulis* (Poir.) M.Ashby GAB PRE PSUB SRGH UCBG*(E. ocimoides* Bremek.)*(Ocimum tereticaule* Poir.)

GENIOSPORUM Wall. ex Benth.

paniculatum Baker = *Neohyptis paniculata*

HEMIZYGIA (Benth.) Briq.

bracteosa (Benth.) Briq. GAB PRE PSUB SRGH

(*H. hoepfneri* Briq.)

(*H. serrata* Briq.)

(*Ocimum bracteosum* Benth.)

(*Orthosiphon bracteosus* (Benth.) Baker)

(*Orthosiphon schinzianus* Briq.)

dinteri Briq. = *H. petrensis*

elliottii (Baker) M.Ashby GAB PRE PSUB SRGH UCBG

(*Orthosiphon elliottii* Baker)

(*Orthosiphon messinensis* R.D.Good)

hoepfneri Briq. = *H. bracteosa*

linearis (Benth.) Briq. PRE SRGH

(*Orthosiphon linearis* Benth.)

mossiana (R.D.Good) M.Ashby = *H. petrensis*

petrensis (Hiern) M.Ashby GAB PRE PSUB SRGH

(*H. dinteri* Briq.)

(*H. mossiana* (R.D.Good) M.Ashby)

(*Orthosiphon engleri* Perkins)

(*Orthosiphon holubii* N.E.Br.)

(*Orthosiphon petrensis* Hiern)

(*Orthosiphon varians* N.E.Br.)

serrata Briq. = *H. bracteosa*

HOLOSTYLON Robyns & J.-P.Lebrun

baumii (Gürke) G.Taylor PRE SRGH

(*Plectranthus baumii* Gürke)

HOSLUNDIA Vahl

opposita Vahl GAB PRE PSUB SRGH

(*H. opposita* Vahl var. *decumbens* (Benth.) Baker)

(*H. opposita* Vahl var. *verticillata* (Vahl) Baker)

opposita Vahl var. *decumbens* (Benth.) Baker = *H. opposita*

opposita Vahl var. *verticillata* (Vahl) Baker = *H. opposita*

HYPTIS Jacq.

✳ **pectinata** (L.) Poit. GAB PRE PSUB SRGH

(*Nepeta pectinata* L.)

✳ **spicigera** Lam. GAB PRE PSUB

IBOZA N.E.Br.

bainesii N.E.Br. = *Tetradenia riparia*

galpinii N.E.Br. = *Tetradenia riparia*

riparia (Hochst.) N.E.Br. = *Tetradenia riparia*

LASIOCORYS Benth.

capensis Benth. = *Leucas capensis*

eenii (Hiern) Baker = *Acrotome inflata*

LEONOTIS (Pers.) R.Br.

dysophylla Benth. = *L. intermedia*

intermedia Lindl.

(*L. dysophylla* Benth.)

kwebensis N.E.Br. = *L. nepetifolia*

microphylla Skan = *L. randii*

nepetifolia (L.) R.Br. GAB PRE PSUB SRGH UCBG

(*L. kwebensis* N.E.Br.)

(*Phlomis nepetifolia* L.)

randii S.Moore PRE

(*L. microphylla* Skan)

LEUCAS R.Br.

capensis (Benth.) Engl. GAB PRE PSUB SRGH UCBG

(*Lasiocorys capensis* Benth.)

dinteri Briq. = *L. glabrata* var. *glabrata*

glabrata (Vahl) Sm. var. **glabrata** GAB PRE PSUB SRGH

UCBG

(*L. dinteri* Briq.)

(*L. junodii* Briq.)

(*L. natalensis* Sond.)

(*Phlomis glabrata* Vahl)

junodii Briq. = *L. glabrata* var. *glabrata*

martinicensis (Jacq.) R.Br. PRE PSUB SRGH

(*Clinopodium martinicense* Jacq.)

natalensis Sond. = *L. glabrata* var. *glabrata*

neuflyzeana Courbon PRE SRGH UCBG

sexdentata Skan GAB PRE PSUB SRGH UCBG

MENTHA L.

aquatica L. GAB PRE PSUB UCBG ♦

(*M. dumetorum* Schult. var. *natalensis* Briq.)

dumetorum Schult. var. *natalensis* Briq. = *M. aquatica*

MOSCHOSMA Rchb.

riparium Hochst. = *Tetradenia riparia*

NEOHYPTIS J.K.Morton

paniculata (Baker) J.K.Morton GAB PRE PSUB SRGH ♦

(*Geniosporum paniculatum* Baker)

NEOMUELLEA Briq.

damarensis S.Moore = *Plectranthus hereroensis*

NEPETA L.

pectinata L. = *Hyptis pectinata*

OCIMUM L.

americanum L. var. **americanum** PRE

(*O. canum* Sims)

(*O. fruticosum* Burch.)

angustifolium Benth. = *Becium angustifolium*

bracteosum Benth. = *Hemizygia bracteosa*

canum Sims = *O. americanum* var. *americanum*

fissilabrum Briq. = *Becium filamentosum*

fruticosum Burch. = *O. americanum* var. *americanum*

gratissimum L. subsp. **gratissimum** var. **gratissimum** PRE

(*O. urticifolium* Roth subsp. *urticifolium*)

knyanum Vatke = *Becium filamentosum*

rautanenii Briq. = *Becium filamentosum*

stenoglossum Briq. = *Becium filamentosum*

suffrutescens Thonn. = *Orthosiphon suffrutescens*

tereticaule Poir. = *Endostemon tereticaulis*

urticifolium Roth. subsp. *urticifolium* = *O. gratissimum*

subsp. *gratissimum* var. *gratissimum*

ORTHOSIPHON Benth.

- australis* Vatke = *O. suffrutescens*
bracteosus (Benth.) Baker = *Hemizygia bracteosa*
elliottii Baker = *Hemizygia elliottii*
engleri Perkins = *Hemizygia petrensis*
holubii N.E.Br. = *Hemizygia petrensis*
inconcinnus Briq. = *O. suffrutescens*
linearis Benth. = *Hemizygia linearis*
messinensis R.D.Good = *Hemizygia elliottii*
petrensis Hiern = *Hemizygia petrensis*
schinzianus Briq. = *Hemizygia bracteosa*
suffrutescens (Thonn.) J.K.Morton GAB PRE SRGH
 (*Ocimum suffrutescens* Thonn.)
 (*O. australis* Vatke)
 (*O. inconcinnus* Briq.)
 (*O. wilmsii* Gürke var. *komghensis* N.E.Br.)
 (*O. wilmsii* Gürke var. *wilmsii*)
tenuiflorus Benth. = *Endostemon tenuiflorus*
varians N.E.Br. = *Hemizygia petrensis*
wilmsii Gürke var. *komghensis* N.E.Br. = *O. suffrutescens*
wilmsii Gürke var. *wilmsii* = *O. suffrutescens*

PHLOMIS L.

- glabrata* Vahl = *Leucas glabrata* var. *glabrata*
nepetifolia L. = *Leonotis nepetifolia*

PLECTRANTHUS L'Hér.

- aurifer* Dinter ex Launert = *P. hereroensis*
baumii Gürke = *Holostylon baumii*
cylindraceus Hochst. ex Benth. GAB PRE SRGH UCBG ♣
 (*P. densiflorus* T.Cooke)
 (*P. glomeratus* R.A.Dyer)
 (*P. spiciformis* R.A.Dyer)
 (*P. villosus* T.Cooke)
densiflorus T.Cooke = *P. cylindraceus*
esculentus N.E.Br. PRE SRGH ♣
 (*P. floribundus* N.E.Br.)
floribundus N.E.Br. = *P. esculentus*
glomeratus R.A.Dyer = *P. cylindraceus*
hereroensis Engl. GAB PRE PSUB SRGH UCBG ♣
 (*Neomuelleria damarensis* S.Moore)
 (*P. aurifer* Dinter ex Launert)
 (*P. myrianthus* Briq.)
 (*P. otaviensis* Dinter)
myrianthus Briq. = *P. hereroensis*
neglectus Dinter = *Aeollanthus neglectus*
neochilus Schltr. PRE SRGH ♣
 (*Coleus carnosus* Dinter ex Elivson)
 (*Coleus neochilus* (Schltr.) Codd)
 (*Coleus pentheri* Gürke)
 (*Coleus schinzii* Gürke)
otaviensis Dinter = *P. hereroensis*
spiciformis R.A.Dyer = *P. cylindraceus*
tetensis (Baker) Agnew GAB PRE PSUB SRGH ♣
 (*Coleus decumbens* Gürke)
 (*Coleus tetensis* Baker)
 (*Coleus vagatus* E.A.Bruce)

(*P. vagatus* (E.A.Bruce) Codd)

tetragonus Gürke GAB PRE SRGH ♣

- vagatus* (E.A.Bruce) Codd = *P. tetensis*
villosus T.Cooke = *P. cylindraceus*

PREMNA L.

(Formerly usually placed under Verbenaceae)

senensis Klotzsch PRE SRGH ♣**PSEUDOCIMUM** Bremek.

trichocalyx Bremek. = *Endostemon tenuiflorus*

PYCNOTACHYS Hook.**coerulea** Hook. GAB PRE SRGH ♣**ROTHECA** Raf.**hirsuta** (Hochst.) R.Fern.

- (*Clerodendrum triphyllum* (Harv.) H.Pearson)
 (*Cyclonema triphylla* Harv.)

myricoides (Hochst.) Steane & Mabb.

- (*Clerodendrum myricoides* (Hochst.) Vatke)
 (*Cyclonema myricoides* Hochst.)

uncinata (Schinz) P.P.J.Herman & Retief

- (*Clerodendrum spinescens* (Oliv.) Gürke)
 (*Clerodendrum uncinatum* Schinz)
 (*Kalaharia uncinata* (Schinz) Moldenke)

wildii (Moldenke) R.Fern. PRE ♣**SALVIA** L.

chlorophylla Briq. = *S. stenophylla*

***coccinea** Etl. PRE SRGH UCBG

pallida Dinter ex Engl. = *S. stenophylla*

runcinata L.f. PRE**stenophylla** Burch. ex Benth. PRE UCBG

- (*S. chlorophylla* Briq.)
 (*S. pallida* Dinter ex Engl.)
 (*S. stenophylla* Burch. ex Benth. var. *subintegra* Skan)
stenophylla Burch. ex Benth. var. *subintegra* Skan =
S. stenophylla

STACHYS L.

karasmontana Dinter = *S. spathulata*

minima Gürke = *S. spathulata*

pachycalamna Briq. = *S. spathulata*

spathulata Burch. ex Benth. PRE SRGH

- (*S. karasmontana* Dinter)
 (*S. minima* Gürke)
 (*S. pachycalamna* Briq.)

TETRADENIA Benth.**brevispicata** (N.E.Br.) Codd GAB UCBG ♣**riparia** (Hochst.) Codd GAB PRE SRGH UCBG ♣

- (*Iboza bainesii* N.E.Br.)
 (*Iboza galpinii* N.E.Br.)
 (*Iboza riparia* (Hochst.) N.E.Br.)
 (*Moschosma riparium* Hochst.)

TEUCRIUM L.

- capense* Thunb. = *T. trifidum*
- trifidum** Retz. PRE
- (*T. capense* Thunb.)

TINNEA Kotschy & Peyr.

- ericalyx** Welw. GAB PRE
- rhodesiana** S.Moore SRGH

VITEX L.

(Formerly usually placed under Verbenaceae.)

- flavescens* Rolfe = *Vitex mombassae*
- mechowii* Gürke = *Vitex mombassae*
- mombassae** Vatke GAB PRE 🌳
- (*V. flavescens* Rolfe)
- (*V. mechowii* Gürke)
- (*V. payos* (Lour.) Merr.)
- payos* (Lour.) Merr. = *V. mombassae*
- pooara** Corbishley 🌳 ?
- zeyheri** Sond. GAB PRE UCBG 🌳

Lauraceae

CASSYTHA L.

- ***filiformis** L. GAB K PRE PSUB SRGH ☹

Lentibulariaceae

UTRICULARIA L.

- arenaria** A.DC. K SRGH
- (*U. exilis* Oliv.)
- (*U. tribracteata* Hochst. ex A.Rich.)
- australis** R.Br. K SRGH 🍈
- (*U. thonningii* Schumach.)
- benjaminiana** Oliv. GAB K PRE PSUB SRGH 🍈
- (*U. gillettii* De Wild. & T.Durand)
- cymbantha** Oliv. K 🍈
- exilis* Oliv. = *U. arenaria*
- exoleta* R.Br. = *U. gibba*
- falcata* Good = *U. tortilis*
- foliosa** L. GAB K PRE PSUB SRGH UCBG 🍈
- gibba** L. GAB K PRE PSUB SRGH UCBG 🍈
- (*U. exoleta* R.Br.)
- (*U. gibba* L. subsp. *exoleta* (R.Br.) P.Taylor)
- gibba* L. subsp. *exoleta* (R.Br.) P.Taylor = *U. gibba*
- gibbsiae* Stapf = *U. scandens*
- gillettii* De Wild. & T.Durand = *U. benjaminiana*
- grandivesiculosa* Czech = *U. reflexa*
- gyrans* Suess. = *U. tortilis*
- inflexa** Forssk. PRE PSUB SRGH 🍈
- inflexa* Forssk. var. *stellaris* (L.f.) P.Taylor = *U. stellaris*
- perpusilla* A.DC. = *U. subulata*
- reflexa** Oliv. GAB K PRE PSUB SRGH UCBG 🍈
- (*U. grandivesiculosa* Czech)
- scandens** Benj. K PRE PSUB SRGH 🍈
- (*U. gibbsiae* Stapf)
- stellaris** L.f. GAB K PRE PSUB SRGH 🍈

(*U. inflexa* Forssk. var. *stellaris* (L.f.) P.Taylor)

subulata L. K PRE PSUB SRGH 🍈

(*U. perpusilla* A.DC.)

thonningii Schumach. = *U. australis*

tortilis Welw. ex Oliv. K

(*U. falcata* Good)

(*U. gyrans* Suess.)

tribracteata Hochst. ex A.Rich. = *U. arenaria*

LOBELIACEAE

CYPHIA P.J.Bergius

- bechuanensis* Bremek. & Oberm. = *C. stenopetala*
- stenopetala** Diels BM PRE
- (*C. bechuanensis* Bremek. & Oberm.)
- (*C. stenopetala* Diels var. *johannesburgensis* E.Wimm.)
- stenopetala* Diels var. *johannesburgensis* E.Wimm. =
- C. stenopetala*

LOBELIA L.

- angolensis** Engl. & Diels BR GAB K LISC PRE PSUB SRGH UCBG
- (*L. depressa* L.f. var. *depressa*)
- (*L. depressa* L.f. var. *dregeana* (Sond.) E.Wimm.)
- (*L. depressa* L.f. var. *seineri* (Schltr.) E.Wimm.)
- (*L. minutidentata* Engl. & Gilg)
- benguellensis* Hiern = *L. erinus*
- depressa* of authors not of L.f. var. *depressa* = *L. angolensis*
- depressa* L.f. var. *dregeana* (Sond.) E.Wimm. = *L. angolensis*
- depressa* L.f. var. *seineri* (Schltr.) E.Wimm. = *L. angolensis*
- erinus** L. COI GAB K PRE PSUB SRGH UCBG
- (*L. benguellensis* Hiern)
- (*L. erinus* L. var. *bellidifolia* (Thunb.) Sond.)
- (*L. erinus* L. var. *grandiflora* Paxton)
- (*L. erinus* L. var. *schrunkii* (Sweet) E.Wimm.)
- (*L. erinus* L. var. *subvillosa* E.Wimm.)
- (*L. filiformis* Lam. var. *natalensis* (A.DC.) E.Wimm.)
- (*L. lavendulacea* Klotzsch)
- (*L. lydenburgensis* E.Wimm.)
- (*L. nuda* Hemsl.)
- (*L. rosulata* S.Moore)
- (*L. senegalensis* A.DC. var. *senegalensis*)
- (*L. transvaalensis* Schltr.)
- (*L. wildii* E.Wimm.)
- erinus* L. var. *bellidifolia* (Thunb.) Sond. = *L. erinus*
- erinus* L. var. *grandiflora* Paxton = *L. erinus*
- erinus* L. var. *schrunkii* (Sweet) E.Wimm. = *L. erinus*
- erinus* L. var. *subvillosa* E.Wimm. = *L. erinus*
- filiformis* Lam. var. *natalensis* (A.DC.) E.Wimm. = *L. erinus*
- lavendulacea* Klotzsch = *L. erinus*
- leptocarpa* Griess. = *L. thermalis*
- lydenburgensis* E.Wimm. = *L. erinus*
- minutidentata* Engl. & Gilg = *L. angolensis*
- mundtiana* Cham. = *L. thermalis*
- nuda* Hemsl. = *L. erinus*
- rosulata* S.Moore = *L. erinus*
- senegalensis* A.DC. var. *senegalensis* = *L. erinus*

thermalis Thunb. K PRE SRGH
(*L. leptocarpa* Griess.)
(*L. mundtiana* Cham.)
transvaalensis Schltr. = *L. erinus*
wildii E.Wimm. = *L. erinus*

MONOPSIS Salisb.

decipiens (Sond.) Thulin ?
(*Lobelia decipiens* Sond.)

LORANTHACEAE

ACRANTHEMUM Tiegh.

zeyheri (Harv.) Tiegh. = *Agelanthus natalitius* subsp. *zeyheri*

AGELANTHUS Tiegh.

lugardii (N.E.Br.) Polhill & Wiens K GAB PRE SRGH UCBG ☹
(*Loranthus breyeri* Bremek.)
(*Loranthus lugardii* N.E.Br.)
(*Loranthus lugardii* N.E.Br. var. *hirtellus* Weim.)
(*Tapinanthus lugardii* (N.E.Br.) Danser)

natalitius (Meisn.) Polhill & Wiens subsp. **zeyheri** (Harv.)
Polhill & Wiens GAB PRE SRGH ☹
(*Acranthemum zeyheri* (Harv.) Tiegh.)
(*Loranthus zeyheri* Harv.)
(*Loranthus zeyheri* Harv. var. *minor* Harv.)
(*Tapinanthus minor* (Harv.) Danser)
(*Tapinanthus natalitius* (Meisn.) Danser subsp. *zeyheri*
(Harv.) Wiens)
(*Tapinanthus zeyheri* (Harv.) Danser)

prunifolius (E.Mey. ex Harv.) Polhill & Wiens PRE ☹

DENDROPHTHOE Mart.

virescens (N.E.Br.) Danser = *Erianthemum virescens*

ERIANTHEMUM Tiegh.

dregei (Eckl. & Zeyh.) Tiegh. PRE ☹
ngamicum (Sprague) Danser GAB PRE PSUB SRGH UCBG ☹
(*Loranthus ngamicus* Sprague)
virescens (N.E.Br.) Wiens & Polhill GAB PSUB SRGH ☹
(*Dendrophthoe virescens* (N.E.Br.) Danser)
(*Loranthus virescens* N.E.Br.)

LICHTENSTEINIA J.C.Wendl.

oleifolia J.C.Wendl. = *Tapinanthus oleifolius*
speciosa (F.Dietr.) Tiegh. = *Tapinanthus oleifolius*

LORANTHUS Jacq.

acaciaedetinentis Dinter = *Plicosepalus kalachariensis*
breyeri Bremek. = *Agelanthus lugardii*
bumbensis Hiern = *Tapinanthus oleifolius*
dinteri Schinz = *Plicosepalus kalachariensis*
kalachariensis Schinz = *Plicosepalus kalachariensis*
lugardii N.E.Br. = *Agelanthus lugardii*
lugardii N.E.Br. var. *hirtellus* Weim. = *Agelanthus lugardii*
meyeri C.Presl = *Tapinanthus oleifolius*
meyeri C.Presl var. *inachabensis* Engl. = *Tapinanthus oleifolius*

namaquensis Harv. = *Tapinanthus oleifolius*
namaquensis Harv. var. *ligustrifolius* Engl. = *Tapinanthus oleifolius*
ngamicus Sprague = *Erianthemum ngamicum*
oleifolius (J.C.Wendl.) Cham. & Schldl. = *Tapinanthus oleifolius*
oleifolius (J.C.Wendl.) Cham. & Schldl. var. *luteus* Neusser =
Tapinanthus oleifolius
pentheri Schltr. = *Plicosepalus kalachariensis*
quinquangulus Engl. & Schinz = *Tapinanthus oleifolius*
quinquangulus Engl. & Schinz var. *pedicellatus* Sprague =
Tapinanthus oleifolius
rubroviridis Oliv. = *Oliverella rubroviridis*
rubroviridis Oliv. var. *bechuanica* Sprague = *Oliverella rubroviridis*
speciosus F.Dietr. = *Tapinanthus oleifolius*
splendens N.E.Br. = *Plicosepalus kalachariensis*
virescens N.E.Br. = *Erianthemum virescens*
zambesicus Gibbs = *Tapinanthus oleifolius*
zeyheri Harv. = *Agelanthus natalitius* subsp. *zeyheri*
zeyheri Harv. var. *minor* Harv. = *Agelanthus natalitius* subsp. *zeyheri*

OLIVERELLA Tiegh.

rubroviridis Tiegh. PRE PSUB SRGH
(*Loranthus rubroviridis* Oliv.)
(*Loranthus rubroviridis* Oliv. var. *bechuanicus* Sprague)
(*Tapinanthus rubroviridis* (Tiegh.) Danser)

Plicosepalus Tiegh.

acaciaedetinentis (Dinter) Danser = *P. kalachariensis*
kalachariensis (Schinz) Danser GAB PRE PSUB SRGH UCBG ☹
(*Loranthus acaciaedetinentis* Dinter)
(*Loranthus dinteri* Schinz)
(*Loranthus kalachariensis* Schinz)
(*Loranthus pentheri* Schltr.)
(*Loranthus splendens* N.E.Br.)
(*P. acaciaedetinentis* (Dinter) Danser)

TAPINANTHUS (Blume) Rchb.f.

dependens (Engl.) Danser
(*T. guttatus* Sprague)
guttatus Sprague = *T. dependens* (Engl.) Danser
lugardii (N.E.Br.) Danser = *Agelanthus lugardii*
minor (Harv.) Danser = *Agelanthus natalitius* subsp. *zeyheri*
namaquensis (Harv.) Tiegh. = *T. oleifolius*
natalitius (Meisn.) Danser subsp. *zeyheri* (Harv.) Wiens =
Agelanthus natalitius subsp. *zeyheri*
oleifolius (J.C.Wendl.) Danser GAB PRE PSUB SRGH UCBG ☹
(*Lichtensteinia oleifolia* J.C.Wendl.)
(*Lichtensteinia speciosa* (F.Dietr.) Tiegh.)
(*Loranthus bumbensis* Hiern)
(*Loranthus meyeri* C.Presl)
(*Loranthus meyeri* C.Presl var. *inachabensis* Engl.)
(*Loranthus namaquensis* Harv.)
(*Loranthus namaquensis* Harv. var. *ligustrifolius* Engl.)
(*Loranthus oleifolius* (J.C.Wendl.) Cham. & Schldl.)
(*Loranthus oleifolius* (J.C.Wendl.) Cham. & Schldl. var. *luteus* Neusser)

(*Loranthus quinquangulus* Engl. & Schinz)
(Loranthus quinquangulus Engl. & Schinz var.
pedicellatus Sprague)
(Loranthus speciosus F.Dietr.)
(Loranthus zambesicus Gibbs)
(T. namaquensis (Harv.) Tiegh.)
(T. quinquangulus (Engl. & Schinz) Danser)
quinquangulus (Engl. & Schinz) Danser = *T. oleifolius*
rubroviridis (Tiegh.) Danser = *Oliverella rubroviridis*
zeyheri (Harv.) Danser = *Agelanthus natalitius* subsp. *zeyheri*

LYTHRACEAE

AMMANNIA L.

auriculata Willd. var. *auriculata* GAB PRE PSUB SRGH ♣
baccifera L. subsp. *baccifera* GAB PRE PSUB
(A. wormskioldii Fisch. & C.A.Mey.)
(A. wormskioldii Fisch. & C.A.Mey. var. *alata* Koehne)
crassicaulis Guill. & Perr. = *Nesaea crassicaulis*
evansiana Fernandes & Diniz = *Nesaea ondongana* subsp.
ondongana var. *evansiana*
multiflora Roxb. = *A. prieuriana*
passerinoides Hiern = *Nesaea passerinoides*
prieuriana Guill. & Perr. GAB PRE PSUB
(A. multiflora Roxb.)
(A. pusilla Sond.)
pusilla Sond. = *A. prieuriana*
wormskioldii Fisch. & C.A.Mey. = *A. baccifera* subsp. *baccifera*
wormskioldii Fisch. & C.A.Mey. var. *alata* Koehne = *A. baccifera*
 subsp. *baccifera*

LYTHRUM L.

rigidulum Sond. = *Nesaea rigidula*

NESAEA Kunth

aspera (Guill. & Perr.) Koehne PRE
cordata Hiern GAB PRE ♣
crassicaulis (Guill. & Perr.) Koehne COI GAB K PRE
 PSUB SRGH ♣
(Ammannia crassicaulis Guill. & Perr.)
dinteri Koehne subsp. *elata* A.Fern. PRE PSUB
(N. transvaalica A.Fern.)
drummondii A.Fern. COI K PRE SRGH
floribunda Sond. = *N. radicans* var. *floribunda*
kuntzei Koehne = *N. schinzii*
luederitzii Koehne var. *luederitzii* PRE
minima Immelman PRE ♦
ondongana Koehne subsp. *ondongana* var. *evansiana*
(A.Fern. & Diniz) A.Fern. GAB IFAN K PRE PSUB SRGH
(Ammannia evansiana Fernandes & Diniz)
ondongana Koehne subsp. *ondongana* var. *ondongana* GAB K
 PRE PSUB SRGH
passerinoides (Hiern) Koehne PRE
(Ammannia passerinoides Hiern)
radicans Guill. & Perr. var. *floribunda* (Sond.) A.Fern. GAB
 PRE PSUB
(N. floribunda Sond.)

radicans Guill. & Perr. var. *radicans* PSUB
rautanenii Koehne
rigidula (Sond.) Koehne COI K PRE PSUB SRGH
(Lythrum rigidulum Sond.)
rivularis (J.M.Wood & M.S.Evans) Koehne = *N. schinzii*
schinzii Koehne GAB PRE PSUB
(N. kuntzei Koehne)
(N. rivularis (J.M.Wood & M.S.Evans) Koehne)
(N. schinzii Koehne var. *fleckii* Koehne)
(N. schinzii Koehne var. *rehmannii* Koehne)
schinzii Koehne var. *fleckii* Koehne = *N. schinzii*
schinzii Koehne var. *rehmannii* Koehne = *N. schinzii*
transvaalica A.Fern. = *N. dinteri* subsp. *elata*

ROOTALA L.

capensis (Harv.) A.Fern. & Diniz PSUB ♣
dinteri Koehne PRE ♣
filiformis (Bellardi) Hiern GAB PRE PSUB ♣
(R. heterophylla Welw. ex A.Fern. & Diniz)
fluitans Pohnert K PRE SRGH ♣
(R. tetragonocalyx A.Fern. & Diniz)
heterophylla Welw. ex A.Fern. & Diniz = *R. filiformis*
longistyla L.S.Gibbs COI SRGH UCBG ♣
myriophylloides Welw. ex Hiern COI GAB K PRE
 PSUB UCBG ♣
submersa Pohnert = *R. tenella*
tenella (Guill. & Perr.) Hiern GAB PRE UCBG ♣
(R. submersa Pohnert)
tetragonocalyx A.Fern. & Diniz = *R. fluitans*

MALPIGHIACEAE

ACRIDOCARPUS Guill. & Perr.

angolensis A.Juss. = *Sphedamnocarpus pruriens* subsp. *pruriens*
galphimiifolius A.Juss. = *Sphedamnocarpus pruriens*
 subsp. *galphimiifolius*
pruriens A.Juss. = *Sphedamnocarpus pruriens* subsp. *pruriens*
pruriens A.Juss. var. *laevigatus* Sond. = *Sphedamnocarpus*
pruriens subsp. *galphimiifolius*

SPHEDAMNOCARPUS Planch. ex Benth & Hook.f.

angolensis (A.Juss.) Planch. ex Oliv. = *S. pruriens* subsp. *pruriens*
angolensis (A.Juss.) Planch. ex Oliv. var. *pulcherrimus*
 (Engl. & Gilg) Nied. = *S. pruriens* subsp. *pruriens*
galphimiifolius (A.Juss.) Szyszyl. subsp. *galphimiifolius* =
S. pruriens subsp. *galphimiifolius*
galphimiifolius (A.Juss.) Szyszyl. subsp. *rehmannii* (Szyszyl.)
 Launert = *S. pruriens* subsp. *galphimiifolius*
latifolius (Engl.) Nied. = *S. pruriens* subsp. *pruriens*
pruriens (A.Juss.) Szyszyl. forma *brevipedunculatus* Nied. =
S. pruriens subsp. *pruriens*
pruriens (A.Juss.) Szyszyl. forma *longipedunculatus* Nied. =
S. pruriens subsp. *pruriens*
pruriens (A.Juss.) Szyszyl. forma *wilmsii* (Engl.) Nied. =
S. pruriens subsp. *pruriens*
pruriens (A.Juss.) Szyszyl. subsp. *galphimiifolius* (A.Juss.)
 P.D.de Villiers & D.J.Botha K PRE

(*Acridocarpus angolensis* A.Juss.)
(*Acridocarpus galphimiiifolius* A.Juss.)
(*Acridocarpus pruriens* A.Juss.)
(*Acridocarpus pruriens* A.Juss. var. *laevigatus* Sond.)
(*S. angolensis* (A.Juss.) Planch. ex Oliv.)
(*S. angolensis* (A.Juss.) Planch. ex Oliv. var. *pulcherrimus* (Engl. & Gilg) Nied.)
(*S. galphimiiifolius* (A.Juss.) Szyszyl. subsp. *galphimiiifolius*)
(*S. galphimiiifolius* (A.Juss.) Szyszyl. subsp. *rehmannii* (Szyszyl.) Launert)
(*S. latifolius* (Engl.) Nied.)
(*S. pruriens* (A.Juss.) Szyszyl. forma *brevipedunculatus* Nied.)
(*S. pruriens* (A.Juss.) Szyszyl. forma *longipedunculatus* Nied.)
(*S. pruriens* (A.Juss.) Szyszyl. forma *wilmsii* (Engl.) Nied.)
(*S. pruriens* (A.Juss.) Szyszyl. var. *lanceolatus* Launert)
(*S. pruriens* (A.Juss.) Szyszyl. var. *latifolius* Engl.)
(*S. pruriens* (A.Juss.) Szyszyl. var. *platypterus* Arènes)
(*S. pulcherrimus* Engl. & Gilg)
(*S. rehmannii* Szyszyl.)
(*S. rogersii* Burt Davy)
(*S. transvalicus* (Kuntze) Burt Davy)
(*S. wilmsii* Engl.)
(*S. woodianus* Arènes)
(*Triaspis transvalica* Kuntze)

pruriens (A.Juss.) Szyszyl. subsp. **pruriens** BM GAB PRE PSUB UCBG

pruriens (A.Juss.) Szyszyl. var. *lanceolatus* Launert = *S. pruriens* subsp. *pruriens*

pruriens (A.Juss.) Szyszyl. var. *latifolius* Engl. = *S. pruriens* subsp. *pruriens*

pruriens (A.Juss.) Szyszyl. var. *platypterus* Arènes = *S. pruriens* subsp. *pruriens*

pulcherrimus Engl. & Gilg = *S. pruriens* subsp. *pruriens*

rehmannii Szyszyl. = *S. pruriens* subsp. *galphimiiifolius*

rogersii Burt Davy = *S. pruriens* subsp. *galphimiiifolius*

transvalicus (Kuntze) Burt Davy = *S. pruriens*

subsp. *galphimiiifolius*

wilmsii Engl. = *S. pruriens* subsp. *pruriens*

woodianus Arènes = *S. pruriens* subsp. *galphimiiifolius*

TRIASPIS Burch.

hypericoides (DC.) Burch. subsp.

hypericoides PRE

transvalica Kuntze = *Sphedamnocarpus pruriens*

subsp. *galphimiiifolius*

MALVACEAE

ABUTILON Mill.

angulatum (Guill. & Perr.) Mast. var. **angulatum** GAB PRE PSUB UCBG

(*A. intermedium* Hochst. ex Garcke)

(*Bastardia angulata* Guill. & Perr.)

austro-africanum Hochr. BM BOL GAB GRA K PRE

PSUB UCBG

englerianum Ulbr. GAB PRE PSUB

(*A. membranifolium* Baker f.)

fruticosum Guill. & Perr. GAB GRA K PRE PSUB SRGH UCBG

graveolens (Roxb. ex Hornem.) Wight & Arn. = *A. hirtum*

var. *hirtum*

harmsianum Ulbr. = *A. ramosum*

hirtum (Lam.) Sweet var. **hirtum** BM GAB GRA K PRE

PSUB UCBG

(*A. graveolens* (Roxb. ex Hornem.)

Wight & Arn.)

(*A. lugardii* Hochr. & Schinz)

(*Sida graveolens* Roxb.)

(*Sida hirta* Lam.)

intermedium Hochst. ex Garcke = *A. angulatum*

var. *angulatum*

lugardii Hochr. & Schinz = *A. hirtum* var. *hirtum*

membranifolium Baker f. = *A. englerianum*

pyncnodon Hochr. GAB PRE 📌

ramosum (Cav.) Guill. & Perr. PRE PSUB SRGH

(*A. harmsianum* Ulbr.)

(*Sida ramosa* Cav.)

rehmannii Baker f. PRE PSUB

(*A. seineri* Ulbr.)

seineri Ulbr. = *A. rehmannii*

ALLENIA E.Phillips

urens (L.f.) E.Phillips = *Radyera urens*

ALTHAEA L.

burchellii DC. = *Pavonia burchellii*

AZANZA Alef.

garckeana (F.Hoffm.) Exell & Hillc. GAB PRE PSUB UCBG 📌

(*Shantzia garckeana* (F.Hoffm.) Lewton)

(*Thespesia garckeana* F.Hoffm)

BASTARDIA Kunth

angulata Guill. & Perr. = *Abutilon angulatum* var. *angulatum*

CIENFUEGOSIA Cav.

digitata Cav. BM GAB K PRE PSUB SRGH UCBG

(*Fugosia digitata* (Cav.) Pers.)

(*Modecca digitata* Harv.)

triphylla (Harv.) K.Schum. = *Gossypium triphyllum*

FUGOSIA Juss.

digitata (Cav.) Pers. = *Cienfuegosia digitata*

triphylla Harv. = *Gossypium triphyllum*

GOSSYPIMUM L.

anomalum Wawra ex Wawra & Peyr. subsp. *triphyllum* (Harv.)

Roberty = *G. triphyllum*

herbaceum L. subsp. **africanum** (Watt) Vollesen GAB PRE

PSUB UCBG

(*G. herbaceum* L. var. *africanum* (Watt) Hutch. & R.L.M.Ghose)

(*G. obtusifolium* Roxb. ex G.Don var. *africanum* Watt)

(*G. transvaalense* Watt)

herbaceum L. var. *africanum* (Watt) Hutch. &

R.L.M.Ghose = *G. herbaceum* subsp. *africanum*

obtusifolius Roxb. ex G.Don var. *africanum* Watt =
 G. herbaceum subsp. *africanum*
transvaalense Watt = G. herbaceum subsp. *africanum*
triphyllum (Harv.) Hochr. GAB K PRE PSUB SRGH
 (*Cienfuegosia triphylla* (Harv.) K.Schum.)
 (*Fugosia triphylla* Harv.)
 (G. *anomalum* Wawra ex Wawra & Peyr. subsp. *triphyllum*
 (Harv.) Roberty)

HIBISCUS L.

allenii Sprague & Hutch. PRE PSUB
articulatus Hochst. ex A.Rich. K PSUB
 (*H. eburneopetalus* Baker f.)
 (*H. rhodesicus* Baker f.)
atromarginatus Eckl. & Zeyh. = H. *pusillus*
beddomei Rakshit & Kundu = H. *mastersianus*
caesius Garcke var. **caesius** GAB PRE PSUB SRGH UCBG
 (*H. gibsonii* Harv.)
 (*H. pentaphyllus* F.Muell.)
calyphyllus Cav. GAB PRE PSUB UCBG
cannabinus L. GAB K PRE PSUB UCBG
 (*H. cannabinus* L. var. *genuinus* Hochr.)
 (*H. cannabinus* L. var. *purpureus* A.Howard & G.Howard)
 (*H. cannabinus* L. var. *ruber* A.Howard & G.Howard)
 (*H. cannabinus* L. var. *simplex* A.Howard & G.Howard)
 (*H. cannabinus* L. var. *viridis* A.Howard & G.Howard)
 (*H. cannabinus* L. var. *vulgaris* A.Howard & G.Howard)
 (*H. sabdariffa* L.)
 (*H. sabdariffa* L. subsp. *cannabinus* (L.) Panigrahi & Murti)
cannabinus L. var. *genuinus* Hochr. = H. *cannabinus*
cannabinus L. var. *purpureus* A.Howard & G.Howard =
 H. *cannabinus*
cannabinus L. var. *ruber* A.Howard & G.Howard =
 H. *cannabinus*
cannabinus L. var. *simplex* A.Howard & G.Howard =
 H. *cannabinus*
cannabinus L. var. *viridis* A.Howard & G.Howard =
 H. *cannabinus*
cannabinus L. var. *vulgaris* A.Howard & G.Howard =
 H. *cannabinus*
cordatus Hochst. ex Webb. = H. *rhabdotospermus*
diversifolius Jacq. subsp. **rivularis** (Bremek. & Oberm.) Exell
 var. **rivularis** GAB PRE PSUB SRGH 🌳
dongolensis Delile BM GAB PRE PSUB SRGH
 (*H. lunarifolius* Willd. var. *dongolensis* (Delile) Hochr.)
eburneopetalus Baker f. = H. *articulatus*
engleri K.Schum. PRE UCBG
 (*H. irritans* R.A.Dyer)
 (*H. subphysaloides* Hochr.)
gibsonii Harv. = H. *caesius* var. *caesius*
irritans R.A.Dyer = H. *engleri*
kirkii Mast. K
lancibracteatus De Wild. & T.Durand = H. *mechowii*
 ***lobatus** (Murray) Kuntze PRE PSUB
 (*H. solandra* L'Hér.)
 (*Solandra lobata* Murray)
lunarifolius Willd. PRE UCBG

lunarifolius Willd. var. *dongolensis* (Delile) Hochr. =
 H. *dongolensis*
mastersianus Hiern BM LISC PRE PSUB SRGH
 (*H. beddomei* Rakshit & Kundu)
 (*H. pachmarhicus* Haines)
 (*H. surattensis* L. var. *mastersianus* (Hiern) Hochr.)
mechowii Garcke PRE
 (*H. lancibracteatus* De Wild. & T.Durand)
meeusei Exell = H. *nigricaulis*
meyeri Harv. subsp. **meyeri** PRE
micranthus L.f. var. **micranthus** GAB PRE PSUB UCBG
mossamedensis (Hiern) Exell & Mendonça = H.
rhabdotospermus
mutatus N.E.Br. PRE SRGH
nigricaulis Baker f. PRE
 (*H. meeusei* Exell)
pachmarhicus Haines = H. *mastersianus*
panduriformis Burm.f. GAB
pentaphyllus F.Muell. = H. *caesius* var. *caesius*
platycalyx Mast. BM GAB PRE PSUB SRGH UCBG
 (*H. rogersii* Burtt Davy)
 (*H. seineri* Engl.)
praeteritus R.A.Dyer GAB PRE PSUB UCBG
pusillus Thunb. CAH K PRE SRGH
 (*H. atromarginatus* Eckl. & Zeyh.)
rhabdotospermus Garcke K
 (*H. cordatus* Hochst. ex Webb)
 (*H. mossamedensis* (Hiern) Exell & Mendonça)
rhodesicus Baker f. = H. *articulatus*
rogersii Burtt Davy = H. *platycalyx*
sabdariffa L. = H. *cannabinus*
sabdariffa L. subsp. *cannabinus* (L.) Panigrahi & Murti =
 H. *cannabinus*
schinzii Gürke BM CAH GAB PRE PSUB SRGH UCBG
 (*H. swynnertonii* Baker f.)
seineri Engl. = H. *platycalyx*
sidiformis Baill. GAB PRE PSUB UCBG
 (*H. ternatus* (Cav.) Mast.)
 (*H. ternifoliolus* F.W.Andrews)
solandra L'Hér. = H. *lobatus*
subphysaloides Hochr. = H. *engleri*
subreniformis Burtt Davy PRE SRGH UCBG
surattensis L. var. *mastersianus* (Hiern) Hochr. = H. *mastersianus*
swynnertonii Baker f. = H. *schinzii*
ternatus (Cav.) Mast. = H. *sidiformis*
ternifoliolus F.W.Andrews = H. *sidiformis*
trionum L. GAB PRE PSUB UCBG
upingtoniae Gürke PRE
urens L.f. = *Radyera urens*
vitifolius L. subsp. **vulgaris** Brenan & Exell BM GAB LISC
 PRE PSUB SRGH
 (*H. vitifolius* L. var. *genuinus* Hochr.)
vitifolius L. var. *genuinus* Hochr. = H. *vitifolius*
 subsp. *vulgaris*

KOSTELETZKYA C.Presl

buettneri Gürke GAB PRE PSUB 🌳

MALVA L.

- coromandeliana* L. = *Malvastrum coromandelianum*
tricuspidata R.Br. = *Malvastrum coromandelianum*

MALVASTRUM A.Gray

- ✱**coromandelianum** (L.) Garcke PRE
 (*Malva coromandeliana* L.)
 (*Malva tricuspidata* R.Br.)
 (*M. tricuspidatum* A.Gray)
tricuspidatum A.Gray = *M. coromandelianum*

PAVONIA Cav.

- baumii* Gürke = *P. senegalensis*
burchellii (DC.) R.A.Dyer BM GAB PRE UCBG
 (*Althaea burchellii* DC.)
 (*P. macrophylla* E.Mey. ex Harv.)
 (*P. patens* (Andrews) Chiov.)
clathrata Mast. BM GAB K PRE PSUB UCBG
 (*P. schumanniana* Gürke & Schinz)
hirsuta Guill. & Perr. = *P. senegalensis*
macrophylla E.Mey. ex Harv. = *P. burchellii*
patens (Andrews) Chiov. = *P. burchellii*
schumanniana Gürke & Schinz = *P. clathrata*
senegalensis (Cav.) Leistner BM BOL GAB LISC PRE
 PSUB SRGH UCBG
 (*P. baumii* Gürke)
 (*P. hirsuta* Guill. & Perr.)

RADYERA Bullock

- urens** (L.f.) Bullock PRE
 (*Allenia urens* (L.f.) E.Phillips)
 (*Hibiscus urens* L.f.)

SHANTZIA Lewton

- garckeana* (F.Hoffm.) Lewton = *Azanza garckeana*

SIDA L.

- alba** L. GAB PRE PSUB UCBG
aurescens Ulbr. = *S. ovata*
chrysanthia Ulbr. GAB PRE SRGH UCBG
cordifolia L. BM GAB GRA K PRE PSUB UCBG
 (*S. velutina* Willd. ex Spreng.)
dinteriana Hochr. = *S. ovata*
dregei Burtt Davy UCBG
flexuosa Burtt Davy = *S. ovata*
graveolens Roxb. = *Abutilon hirtum* var. *hirtum*
grewioides Guill. & Perr. = *S. ovata*
hirta Lam. = *Abutilon hirtum* var. *hirtum*
hoepfneri Gürke = *S. ovata*
ovata Forssk. BM BOL GAB GRA K PRE PSUB SRGH UCBG
 (*S. aurescens* Ulbr.)
 (*S. dinteriana* Hochr.)
 (*S. flexuosa* Burtt Davy)
 (*S. grewioides* Guill. & Perr.)
 (*S. hoepfneri* Gürke)
ramosa Cav. = *Abutilon ramosum*
rhombifolia L. subsp. *rhombifolia* PRE PSUB UCBG

- rostrata* Schumach. = *Wissadula rostrata*
spinosa L. = *S. alba*
urens L.f. = *Radyera urens*
velutina Willd. ex Spreng. = *S. cordifolia*

THESPESIA Sol. ex Corrèa

- garckeana* F.Hoffm. = *Azanza garckeana*

WISSADULA Medik.

- amplissima* R.E.Fr. var. *rostrata* (Schumach.) R.E.Fr. =
 W. *rostrata*
rostrata (Schumach.) Hook.f. BM GAB LISC PRE SRGH UCBG
 (*Sida rostrata* Schumach.)
 (*W. amplissima* R.E.Fr. var. *rostrata* (Schumach.) R.E.Fr.)

MELASTOMATACEAE**ANTHEROTOMA (Naudin) Hook.f.**

- debilis** (Sond.) Jacq.-Fél. GAB PRE PSUB
 (*Dissotis debilis* (Sond.) Triana var. *debilis*)
 (*Dissotis debilis* (Sond.) Triana var. *lanceolata* (Cogn.) A.Fern.
 & R.Fern.)
 (*Dissotis debilis* (Sond.) Triana var. *pedicellata* A.Fern.
 & R.Fern.)
 (*Dissotis debilis* (Sond.) Triana var. *postpluvialis* (Gilg) A.Fern.
 & R.Fern.)
 (*Dissotis debilis* (Sond.) Triana var. *prostrata* A.Fern.
 & R.Fern.)
 (*Dissotis debilis* (Sond.) Triana var. *pusilla* (R.E.Fr.) A.Fern.
 & R.Fern.)

DISSOTIS Benth.

- debilis* (Sond.) Triana var. *debilis* = *Antherotoma debilis*
debilis (Sond.) Triana var. *lanceolata* (Cogn.) A.Fern. & R.Fern.
 = *Antherotoma debilis*
debilis (Sond.) Triana var. *pedicellata* A.Fern. & R.Fern.
 = *Antherotoma debilis*
debilis (Sond.) Triana var. *postpluvialis* (Gilg) A.Fern. & R.Fern.
 = *Antherotoma debilis*
debilis (Sond.) Triana var. *prostrata* A.Fern. & R.Fern.
 = *Antherotoma debilis*
debilis (Sond.) Triana var. *pusilla* (R.E.Fr.) A.Fern. & R.Fern.
 = *Antherotoma debilis*
princeps (Kunth) Triana var. **princeps** PRE
 (*Rhexia princeps* Kunth)
 (*D. verticillata* De Wild.)
segregata (Benth.) Hook.f. = *Melastomastrum segregatum*
 forma *segregatum*
verticillata De Wild. = *D. princeps* var. *princeps*

HETEROTIS Benth.

- segregata* Benth. = *Melastomastrum segregatum* forma
segregatum

MELASTOMASTRUM Naudin

- segregatum** (Benth.) A.Fern. & R.Fern. forma **segregatum** PRE
 (*Dissotis segregata* (Benth.) Hook.f.)

(*Heterotis segregata* Benth.)

RHEXIA L.

principes Kunth = *Dissotis princeps* var. *principes*

MELIACEAE

EKEBERGIA Sparrm.

capensis Sparrm. GAB K PRE PSUB SRGH 🌳

(*E. meyeri* C.Presl & C.DC.)

(*Trichilia ekebergia* E.Mey. ex Sond.)

meyeri C.Presl & C.DC. = *E. capensis*

ENTANDROPHRAGMA C.DC.

caudatum (Sprague) Sprague FHO GAB K PRE PSUB 🌳

(*Pseudocedrela caudata* Sprague)

MELIA L.

✳️ **azedarach** L. GAB PRE UCBG 🌳🍄

PSEUDOCEDRELA Harms

caudata Sprague = *Entandrophragma caudatum*

TRICHILIA P.Browne

ekebergia E.Mey. ex Sond. = *Ekebergia capensis*

emetica Vahl subsp. **emetica** GAB K PRE PSUB UCBG 🌳

(*T. roka* Chiov.)

roka Chiov. = *T. emetica* subsp. *emetica*

TURRAEA L.

nilotica Klotschy & Peyr. var. **nilotica** GAB PRE 🌳

oblancifolia Bremek. = *T. obtusifolia*

obtusifolia Hochst. BM GAB K PRE PSUB UCBG 🌳

(*T. oblancifolia* Bremek.)

(*T. obtusifolia* Hochst. var. *microphylla* C.DC.)

obtusifolia Hochst. var. *microphylla* C.DC. = *T. obtusifolia*

zambesica Sprague & Hutch. GAB K PRE PSUB SRGH UCBG 🌳

MENISPERMACEAE

ANTIZOMA Miers

angustifolia (Burch.) Miers ex Harv. GAB PRE UCBG

(*A. burchelliana* Miers ex Harv.)

(*A. harveyana* Miers ex Harv.)

(*Cissampelos angustifolius* Burch.)

burchelliana Miers ex Harv. = *A. angustifolia*

harveyana Miers ex Harv. = *A. angustifolia*

CISSAMPELOS L.

angustifolius Burch. = *Antizoma angustifolia*

macrostachya Klotzsch = *C. mucronata*

mucronata A.Rich. BR GAB PRE PSUB

(*C. macrostachya* Klotzsch)

(*C. pareira* L. var. *mucronata* (A.Rich.) Engl.)

(*C. sinensis* Klotzsch)

pareira L. var. *mucronata* (A.Rich.) Engl. = *C. mucronata*

sinensis Klotzsch = *C. mucronata*

COCCULUS DC.

✳️ **hirsutus** (L.) Diels GAB K PRE PSUB SRGH UCBG

(*C. villosus* DC.)

(*Menispermum hirsutum* L.)

(*Menispermum villosum* Lam.)

villosus DC. = *C. hirsutus*

DESMONEMA Miers

caffrum Miers = *Tinospora caffra*

fragosum I.Verd. = *Tinospora fragosa*

tenerum (Miers) Diels = *Tinospora tenera*

HYALOSEPALUM Troupin

caffrum (Miers) Troupin = *Tinospora caffra*

tenerum (Miers) Troupin = *Tinospora tenera*

MENISPERMUM L.

hirsutum L. = *Cocculus hirsutus*

villosum Lam. = *Cocculus hirsutus*

TINOSPORA Miers

caffra (Miers) Troupin GAB PRE 🌳

(*Desmonema caffrum* Miers)

(*Hyalosepalum caffrum* (Miers) Troupin)

fragosa (I.Verd.) I.Verd. & Troupin PRE

(*Desmonema fragosum* I.Verd.)

tenera Miers GAB PSUB 🌳

(*Desmonema tenerum* (Miers) Diels)

(*Hyalosepalum tenerum* (Miers) Troupin)

MENYANTHACEAE

LIMNANTHEMUM S.Gmelin

abyssinicum N.E.Br. = *Nymphoides brevipedicellata*

brevipedicellatum Vatke = *Nymphoides brevipedicellata*

forbesianum Griseb. = *Nymphoides forbesiana*

niloticum Kotschy & Peyr. = *Nymphoides forbesiana*

thunbergianum Griseb. = *Nymphoides thunbergiana*

MENYANTHES L.

indica L. = *Nymphoides indica* subsp. *occidentalis*

NYMPHOIDES Séguier

brevipedicellata (Vatke) A.Raynal GAB K PRE PSUB

SRGH UCBG 🌳

(*Limnanthemum abyssinicum* N.E.Br.)

(*Limnanthemum brevipedicellatum* Vatke)

forbesiana (Griseb.) Kuntze SRGH 🌳

(*Limnanthemum forbesianum* Griseb.)

(*Limnanthemum niloticum* Kotschy & Peyr.)

indica (L.) Kuntze subsp. **occidentalis** A.Raynal BM GAB

PRE PSUB SRGH UCBG 🌳

(*Menyanthes indica* L.)

rautanenii (N.E.Br.) A.Raynal GAB K PRE PSUB SRGH UCBG 🌳

tenuissima A.Raynal GAB PSUB UCBG

thunbergiana (Griseb.) Kuntze K PRE PSUB SRGH UCBG 🌳

(*Limnanthemum thunbergianum* Griseb.)

MESEMBRYANTHEMACEAE

DELOSPERMA N.E.Br. emend. Lavis

herbeum (N.E.Br.) N.E.Br. PRE ♣

macellum (N.E.Br.) N.E.Br. PRE ♣

mahonii (N.E.Br.) N.E.Br. PRE ♣?
 (Mesembryanthemum mahonii N.E.Br.)

steytlerae L.Bolus PRE ♣

LITHOPS N.E.Br.

lesliei (N.E.Br.) N.E.Br. subsp. **lesliei** PRE ♣

(*L. lesliei* (N.E.Br.) N.E.Br. var. *lesliei* cv. "albiflora" D.T.Cole)

(*L. lesliei* (N.E.Br.) N.E.Br. var. *lesliei* cv. "albinica" D.T.Cole)

(*L. lesliei* (N.E.Br.) N.E.Br. var. *luteoviridis* de Boer)

(*Mesembryanthemum ferrugineum* Schwantes)

(*Mesembryanthemum lesliei* N.E.Br.)

lesliei (N.E.Br.) N.E.Br. var. *lesliei* cv. "albiflora" D.T.Cole =

L. lesliei subsp. *lesliei*

lesliei (N.E.Br.) N.E.Br. var. *lesliei* cv. "albinica" D.T.Cole =

L. lesliei subsp. *lesliei*

lesliei (N.E.Br.) N.E.Br. var. *luteoviridis* de Boer = *L. lesliei*

subsp. *lesliei*

MESEMBRYANTHEMUM L. emend. L.Bolus

ferrugineum Schwantes = *Lithops lesliei* subsp. *lesliei*

lesliei N.E.Br. = *Lithops lesliei* subsp. *lesliei*

longistylum DC. PRE ♣

(*Sphalmanthus vigilans* (L.Bolus) L.Bolus)

mahonii N.E.Br. = *Delosperma mahonii*

MESTOKLEMA N.E.Br. ex Glen

tuberosum (L.) N.E.Br. ex Glen GAB ♣

NANANTHUS N.E.Br.

margaritiferus L.Bolus PRE ♦♦

transvaalensis (Rolfe) L.Bolus = *N. vittatus*

vittatus (N.E.Br.) Schwant. ♣

(*N. transvaalensis* (Rolfe) L.Bolus)

RUSCHIA Schwant.

canonotata (L.Bolus) Schwant. GAB ♣

SPHALMANTHUS N.E.Br.

vigilans (L.Bolus) L.Bolus = *Mesembryanthemum longistylum*

STOMATIUM Schwantes

mustellinum (Salm-Dyck) Schwantes PRE UCBG ♣

MOLLUGINACEAE

CORBICHONIA Scop.

decumbens (Forssk.) Exell GAB PRE SRGH UCBG

(*Orygia decumbens* Forssk.)

GLINUS L.

bainesii (Oliv.) Pax GAB LISC PRE SRGH UCBG

(*Mollugo bainesii* Oliv.)

♣**lotoides** L. var. **lotoides** GAB PRE UCBG

lotoides L. var. **virens** Fenzl K PRE

oppositifolius (L.) DC. var. **oppositifolius** GAB LISC PRE SRGH ♣

(*Mollugo oppositifolius* L.)

(*Mollugo serrulata* Sond.)

HYPERTELIS E.Mey. ex Fenzl

bowkeriana Sond. GAB K LISC PRE SRGH UCBG ♣

(*Mollugo suffruticosa* Peter)

salsoloides (Burch.) Adamson var. **salsoloides** GAB

(*Pharnaceum salsoloides* Burch.)

(*Pharnaceum verrucosum* Eckl. & Zeyh.)

LIMEUM L.

aethiopicum Burtt Davy = *L. argute-carinatum* var.

argute-carinatum

aethiopicum Burm. subsp. **aethiopicum** var. **aethiopicum**

LISC PSUB SRGH

(*L. aethiopicum* Burm. var. *glabrum* Moq.)

aethiopicum Burm. subsp. **namaense** Friedrich var. **namaense**

K PRE SRGH

(*L. suffruticosum* G.Schellenb.)

aethiopicum Burm. var. *glabrum* Moq. = *L. aethiopicum* subsp.

namaense var. *namaense*

africanum L. subsp. **africanum** PRE

arenicolum G.Schellenb. K PRE SRGH

argute-carinatum Wawra ex Wawra & Peyr. var. **argute-**

carinatum GAB PRE UCBG

(*L. aethiopicum* Burtt Davy)

(*L. kwebense* N.E.Br.)

(*L. viscosum* Burtt Davy)

argute-carinatum Wawra ex Wawra & Peyr. var. **kwebense**

(N.E.Br.) Friedr. K LISC SRGH

fenestratum (Fenzl) Heimerl var. **fenestratum** GAB LISC

PRE PSUB SRGH UCBG

(*Semonvillea fenestrata* Fenzl)

humifusum Friedrich PRE

kwebense N.E.Br. = *L. argute-carinatum* var. *kwebense*

myosotis H.Walter var. **confusum** Friedrich PRE PSUB

(*L. pseudomyosotis* G.Schellenb.)

myosotis H.Walter var. **myosotis** GAB K PRE PSUB SRGH

myosotis H.Walter var. **rotundifolia** Friedrich PRE

natalense G.Schellenb. = *L. viscosum* subsp. *viscosum* var.

kraussii

neglectum Dinter = *L. pterocarpum* var. *pterocarpum*

pseudomyosotis G.Schellenb. = *L. myosotis* var. *confusum*

pterocarpum (J.Gay) Heimerl var. **apterum** Friedrich PRE

(*L. neglectum* Dinter)

(*Semonvillea pterocarpa* J.Gay)

pterocarpum (J.Gay) Heimerl var. **pterocarpum** GAB K PRE

PSUB SRGH

suffruticosum G.Schellenb. = *L. aethiopicum* subsp. *namaense*

var. *namaense*

sulcatum (Klotzsch) Hutch. var. **gracile** Friedrich PRE

sulcatum (Klotzsch) Hutch. var. **robustum** Friedrich GAB PRE

PSUB UCBG

sulcatum (Klotzsch) Hutch. var. **sulcatum** GAB K LISC PRE

PSUB SRGH UCBG

- viscosum* Burtt Davy = *L. argute-carinatum* var. *argute-carinatum*
viscosum (J.Gay) Fenzl subsp. *viscosum* var. *dubium* Friedrich PRE Z
viscosum (J.Gay) Fenzl subsp. *viscosum* var. *kraussii* Friedrich K PRE PSUB SRGH
(*L. natalense* G.Schellenb.)
viscosum (J.Gay) Fenzl subsp. *viscosum* var. *macrocarpum* Friedrich PRE PSUB
viscosum (J.Gay) Fenzl subsp. *viscosum* var. *viscosum* LISC PRE PSUB SRGH

MOLLUGO L.

- bainesii* Oliv. = *Glinus bainesii*
cerviana (L.) Ser. ex DC. var. *cerviana* GAB K PRE PSUB SRGH UCBG
(*Pharnaceum cervianum* L.)
**nudicaulis* Lam. GAB PRE PSUB UCBG
oppositifolius L. = *Glinus oppositifolius* var. *oppositifolius*
serrulata Sond. = *Glinus oppositifolius* var. *oppositifolius*
suffruticosa Peter = *Hypertelis bowkeriana*

ORYGIA Forssk.

- decumbens* Forssk. = *Corbichonia decumbens*
portulacifolia Forssk. = *Talinum portulacifolium*

PHARNACEUM L.

- cerviana* L. = *Mollugo cerviana* var. *cerviana*
salsoloides Burch. = *Hypertelis salsoloides* var. *salsoloides*
verrucosum Eckl. & Zeyh. = *Hypertelis salsoloides* var. *salsoloides*

SEMONVILLEA J.Gay

- fenestrata* Fenzl = *Limeum fenestratum* var. *fenestratum*
pterocarpa J.Gay = *Limeum pterocarpum* var. *pterocarpum*

MONTINIACEAE

MONTINIA Thunb.

- caryophyllacea* Thunb. K PRE SRGH

MORACEAE

FICUS L.

- abutilifolia* (Miq.) Miq. GAB K PRE SRGH UCBG 🌳🌳
(*F. soldanella* Warb.)
(*Urostigma abutilifolium* Miq.)
antithetophylla Miq. = *F. capreifolia*
barbata Warb. = *F. glumosa*
brachypoda Hutch. = *F. ovata* Vahl
brevicula Hiern = *F. pygmaea*
burkei (Miq.) Miq. PRE
capensis Thunb. = *F. sur*
capreifolia Delile GAB LISC PRE PSUB SRGH 🌳
(*F. antithetophylla* Miq.)
(*F. capreifolia* Delile var. *ovalifolia* Hutch.)
capreifolia Delile var. *ovalifolia* Hutch. = *F. capreifolia*
cordata Thunb. subsp. *cordata* GAB K PRE PSUB SRGH 🌳
(*F. rupium* Dinter)

- (*F. welwitschii* Warb.)
cordata Thunb. subsp. *salicifolia* (Vahl) C.C.Berg = *F. salicifolia*
erici-rosenii R.E.Fr. = *F. petersii*
fischeri Warb. ex Mildbr. & Burret GAB K PRE PSUB SRGH 🌳
(*F. kiloneura* Hornby)
glumosa Delile 🌳
(*F. barbata* Warb.)
(*F. sonderi* Miq.)
ingens (Miq.) Miq. var. *ingens* GAB K PRE SRGH UCBG 🌳
(*F. ingens* Miq. var. *tomentosa* Hutch.)
(*F. ingens* Miq. var. *tristis* Warb.)
(*Urostigma ingens* Miq.)
ingens Miq. var. *tomentosa* Hutch. = *F. ingens* var. *ingens*
ingens Miq. var. *tristis* Warb. = *F. ingens* var. *ingens*
kiloneura Hornby = *F. fischeri*
lichtensteini Link = *F. sur*
natalensis Hochst. subsp. *natalensis* GAB PSUB 🌳
nigropunctata Mildbr. & Burret SRGH 🌳
ovata Vahl
(*F. brachypoda* Hutch.)
petersii Warb.
(*F. erici-rosenii* R.E.Fr.)
(*F. thonningii* Blume in part)
pretoriae Burtt Davy = *F. salicifolia*
pygmaea Welw. ex Hiern GAB K PRE PSUB SRGH 🌳🌳
(*F. brevicula* Hiern)
rupium Dinter = *F. cordata* subsp. *cordata*
salicifolia Vahl
(*F. cordata* Thunb. subsp. *salicifolia* (Vahl) C.C.Berg)
(*F. pretoriae* Burtt Davy)
smutsii I.Verd. = *F. tettensis*
soldanella Warb. = *F. abutilifolia*
sonderi Miq. = *F. glumosa*
sur Forssk. GAB K PRE SRGH UCBG 🌳
(*F. capensis* Thunb.)
(*F. lichtensteini* Link)
(*Sycomorus thonningiana* Miq.)
sycomorus L. subsp. *sycomorus* GAB K PRE SRGH UCBG 🌳
(*Sycomorus antiquorum* Gasp.)
tettensis Hutch. GAB K PRE SRGH 🌳
(*F. smutsii* I.Verd.)
thonningii Blume in part = *F. petersii*
verruculosa Warb. GAB K LISC PRE PSUB SRGH UCBG 🌳🌳
welwitschii Warb. = *F. cordata* subsp. *cordata*

SYCOMORUS Gasp.

- antiquorum* Gasp. = *Ficus sycomorus* subsp. *sycomorus*
thonningiana Miq. = *Ficus sur*

UROSTIGMA Gasp.

- abutilifolium* Miq. = *Ficus abutilifolia*
ingens Miq. = *Ficus ingens* var. *ingens*

MORINGACEAE

MORINGA Adans.

- **oleifera* Lam. GAB UCBG

ovalifolia Dinter & A.Berger UCBG 🌿

MYRICACEAE

MORELLA Lour.

serrata (Lam.) Killick GAB PRE PSUB SRGH 🌿
(*Myrica mossii* Burtt Davy)
(*Myrica serrata* Lam.)

MYRICA L.

mossii Burtt Davy = *Morella serrata*
serrata Lam. = *Morella serrata*

MYROTHAMNACEAE

MYROTHAMNUS Welw.

flabellifolius Welw. GAB K PRE SRGH UCBG
(*Cliffortia flabellifolia* Sond.)

MYRTACEAE

SYZYGIUM Gaertn.

cordatum Hochst. ex C.Krauss var. **cordatum** PSUB SRGH 🌿
(*S. cordifolium* Klotzsch)
cordatum x **S. guineense** K 🌿
cordifolium Klotzsch = *S. cordatum* var. *cordatum*
gerrardii (Harv. ex Hook.f.) Burtt Davy 🌿 ?
guineense (Willd.) DC. subsp. **barotsense** F.White FHO
GAB PRE PSUB UCBG 🌿
guineense (Willd.) DC. subsp. **guineense** PRE 🌿
intermedium Engl. & Brehmer PRE 🌿

NEURADACEAE

GRIELUM L.

cuneifolium Schinz PRE ♦
humifusum Thunb. var. **humifusum** PRE
sinuatum Licht. ex Burch. PRE

NEURADA L.

austroafricana Schinz = *Neuradopsis austro-africana*

NEURADOPSIS Bremek. & Oberm.

austro-africana (Schinz) Bremek. & Oberm. GAB PRE SRGH
(*Neurada austroafricana* Schinz)
bechuanensis Bremek. & Schweick. BM GAB K LISC
PRE SRGH UCBG

NYCTAGINACEAE

AMPHORANTHUS Moore

spinosus S.Moore = *Phaeoptilum spinosum*

BOERHAVIA L.

adscendens Willd. = *B. diffusa* var. *diffusa*
bracteata T.Cooke = *B. coccinea* var. *coccinea*
coccinea Mill. var. *coccinea* K MO PRE SRGH UCBG

(*B. bracteata* T.Cooke)
(*B. diffusa* L. var. *hirsuta* Heimerl)
(*B. diffusa* L. var. *viscosa* (Lag. & Rodr.) Heimerl)
(*B. marlothii* Heimerl)

diffusa L. var. *hirsuta* Heimerl = *B. coccinea* var. *coccinea*
diffusa L. var. *viscosa* (Lag. & Rodr.) Heimerl = *B. coccinea*
var. *coccinea*

★ **diffusa** L. var. **diffusa** GAB PRE PSUB SRGH UCBG
(*B. adscendens* Willd.)

★ **erecta** L. GAB K PRE SRGH UCBG

helenae Roem. & Schult. = *Commicarpus helenae* var. *helenae*
marlothii Heimerl = *B. coccinea* var. *coccinea*
pentandra Burch. = *Commicarpus pentandrus*
plumbaginea Cav. = *Commicarpus plumbagineus* var.
plumbagineus
repens L. SRGH UCBG

COMMICARPUS Standl.

africanus of authors not of (Lour.) Dandy GAB UCBG
decipiens Meikle PRE
fallacissimus (Heimerl) Heimerl ex Oberm. Schweick. &
I.Verd. PRE UCBG
(*C. fallacissimus* (Heimerl) Pohnert)
fallacissimus (Heimerl) Pohnert = *C. fallacissimus*
helenae (Roem. & Schult.) Meikle var. **helenae** K PRE
SRGH UCBG
(*Boerhavia helenae* Roem. & Schult.)

pentandrus (Burch.) Heimerl GAB K LISC MO PRE SRGH UCBG
(*Boerhavia pentandra* Burch.)

pilosus (Heimerl) Meikle K MO PRE SRGH UCBG

plumbagineus (Cav.) Standl. var. **plumbagineus** K LISC
LMU PRE PSUB SRGH UCBG
(*Boerhavia plumbaginea* Cav.)

squarrosus (Heimerl) Standl. UCBG

NACHTIGALIA Schinz

protectoratus Schinz ex Engl. = *Phaeoptilum spinosum*

PHAEOPTILUM Radlk.

heimerli Engl. = *P. spinosum*
spinosum Radlk. GAB K PRE SRGH UCBG
(*Amphoranthus spinosus* S.Moore)
(*Nachtigalia protectoratus* Schinz ex Engl.)
(*P. heimerli* Engl.)

NYMPHAEACEAE

NYMPHAEA L.

caerulea Savigny = *N. nouchali* var. *caerulea*
calliantha Conard = *N. nouchali* var. *caerulea*
capensis Thunb. var. *alba* K.C.Landon = *N. nouchali* var. *caerulea*
capensis Thunb. var. *capensis* = *N. nouchali* var. *caerulea*
erici-rosenii R.E.Fr. = *N. maculata*
heudelotii Planch. = *N. maculata*
heudelotii (Planch.) var. *nana* Conard = *N. maculata*
lotus L. BM GAB K PRE PSUB SRGH UCBG ♦
maculata Schumach. & Thonn. K SRGH ♦

(*N. erici-rosenii* R.E.Fr.)
(*N. heudelotii* Planch.)
(*N. heudelotii* (Planch.) var. *nana* Conard)
mildbraedii Gilg = *N. nouchali* var. *caerulea*
nelsonii Burt Davy = *N. nouchali* var. *caerulea*
nouchali Burm.f. var. **caerulea** (Savigny) Verdc. BM GAB K
PRE PSUB SRGH UCBG ♠
(*N. caerulea* Savigny)
(*N. calliantha* Conard)
(*N. capensis* Thunb. var. *alba* K.C.Landon)
(*N. capensis* Thunb. var. *capensis*)
(*N. mildbraedii* Gilg)
(*N. nelsonii* Burt Davy)
(*N. spectabilis* Gilg)
nouchali Burm.f. var. **ovalifolia** (Conard) Verdc. PRE SRGH UCBG ♠
(*N. vernayi* Bremek. & Oberm.)
nouchali Burm.f. var. **petersiana** (Klotzsch) Verdc. GAB
PRE UCBG ♠
(*N. petersiana* Klotzsch)
petersiana Klotzsch = *N. nouchali* var. *petersiana*
spectabilis Gilg = *N. nouchali* var. *caerulea*
vernayi Bremek. & Oberm. = *N. nouchali* var. *ovalifolia*

OCHNACEAE

OCHNA L.
cinnabarina Engl. & Gilg GAB PRE PSUB UCBG 🌳
glauca I.Verd. GAB PRE UCBG 🌳
inermis (Forssk.) Schweinf. ex Penzig GAB PRE UCBG 🌳
pretoriensis E.Phillips GAB PRE UCBG 🌳
pulchra Hook.f. subsp. **pulchra** GAB K PRE PSUB SRGH UCBG 🌳

OLACACEAE

OLAX L.
dissitiflora Oliv. GAB PRE PSUB SRGH 🌳
(*O. stuhlmanni* Engl.)
stuhlmanni Engl. = *O. dissitiflora*

XIMENIA L.
aegyptiaca L. = *Balanites aegyptiaca* var. *aegyptiaca*
americana L. var. **americana** GAB K PRE PSUB UCBG 🌳
(*Ximenia aegyptiaca* L.)
americana L. var. **microphylla** Welw. ex Oliv. GAB K PRE UCBG 🌳
caffra Sond. var. **caffra** GAB K PRE PSUB SRGH UCBG 🌳
caffra Sond. var. **natalensis** Sond. GAB UCBG 🌳
rogersii Burt Davy = *X. americana* var. *microphylla*

OLEACEAE

JASMINUM L.
fluminense Vell. subsp. **fluminense** GAB K LISC PRE SRGH UCBG
(*J. mauritanium* Bojer ex DC.)
(*J. tettense* Klotzsch)
mauritanium Bojer ex DC. = *J. fluminense* subsp. *fluminense*
rotundatum Knobl. = *J. stenolobum*
stenolobum Rolfe GAB PRE SRGH UCBG(*J. rotundatum* Knobl.)

(*J. tomentosum* Knobl.)
tettense Klotzsch = *J. fluminense* subsp. *fluminense*
tomentosum Knobl. = *J. stenolobum*
MENODORA Bonpl.
africana Hook. PRE
heterophylla Moric. ex DC. var. **australis** Steyererm. GAB K PRE SRGH
(*X. rogersii* Burt Davy)

OLEA L.
africana Mill. = *O. europaea* subsp. *africana*
europaea L. subsp. **africana** (Mill.) P.S.Green GAB PRE
SRGH UCBG 🌳
(*O. africana* Mill.)

SCHREBERA Roxb.
buchananii Baker = *S. trichoclada*
golungensis Welw. = *S. trichoclada*
trichoclada Welw. PRE PSUB SRGH 🌳
(*S. buchananii* Baker)
(*S. golungensis* Welw.)

ONAGRACEAE

EPILOBIUM L.
salignum Hausskn. GAB PRE PSUB ♠

ISNARDIA L.
palustris L. = *Ludwigia palustris*

JUSSIAEA L.
diffusa Forssk. = *Ludwigia adscendens* subsp. *diffusa*
erecta L. = *Ludwigia erecta*
leptocarpa Nutt. = *Ludwigia leptocarpa*

LUDWIGIA L.
abyssinica A.Rich. GAB PRE PSUB ♠
adscendens (L.) Hara subsp. **diffusa** (Forssk.) P.H.Raven GAB K
PRE SRGH ♠
(*Jussiaea diffusa* Forssk.)
(*L. stolonifera* (Guill. & Perr.) P.H.Raven)
erecta (L.) Hara GAB PSUB SRGH UCBG ♠
(*Jussiaea erecta* L.)
leptocarpa (Nutt.) Hara GAB PRE PSUB ♠
(*Jussiaea leptocarpa* Nutt.)
octovalvis (Jacq.) P.H.Raven GAB PRE ♠
(*L. octovalvis* (Jacq.) P.H.Raven subsp. *brevisepala* (Brenan)
P.H.Raven)
(*L. octovalvis* (Jacq.) P.H.Raven subsp. *sessiliflora* (Micheli)
P.H.Raven)
octovalvis (Jacq.) P.H.Raven subsp. *brevisepala* (Brenan)
P.H.Raven = *L. octovalvis*
octovalvis (Jacq.) P.H.Raven subsp. *sessiliflora* (Micheli)
P.H.Raven = *L. octovalvis*
palustris (L.) Elliott GAB PRE PSUB SRGH ♠
(*Isnardia palustris* L.)
perennis L. ?

- senegalensis* (DC.) Troch. ♠ ?
stenorraphe (Brenan) Hara subsp. *macrosepala* (Brenan)
 Raven GAB PRE ♠
stolonifera (Guill. & Perr.) P.H.Raven = *L. adscendens* subsp. *diffusa*

OENOTHERA L.

- ♣ *indecora* Cambess. GAB UCBG
 ♣ *rosea* L'Hér. ex Aiton GAB PRE PSUB UCBG

OXALIDACEAE

OXALIS L.

- commutata* Sond. var. *pusilla* R.Knuth = *O. depressa*
convexula Jacq. var. *dilatata* Eckl. & Zeyh. = *O. depressa*
 ♣ *corniculata* L. GAB K PRE PSUB SRGH
 (*O. repens* Thunb.)
dammeriana Schltr. = *O. depressa*
depressa Eckl. & Zeyh. PRE UCBG
 (*O. commutata* Sond. var. *pusilla* R.Knuth)
 (*O. convexula* Jacq. var. *dilatata* Eckl. & Zeyh.)
 (*O. dammeriana* Schltr.)
 (*O. otaviensis* R.Knuth)
lawsonii F.Bolus UCBG
obliquifolia Steud. ex A.Rich. GAB PRE UCBG
otaviensis R.Knuth = *O. depressa*
purpurascens T.M.Salter PRE
repens Thunb. = *O. corniculata*
semiloba Sond. subsp. *semiloba* BM GAB PRE UCBG

PAPAVERACEAE

ARGEMONE L.

- ♣ *mexicana* L. GAB PSUB SRGH UCBG ♠
mexicana L. var. *ochroleuca* (Sweet) Lindl. =
A. ochroleuca subsp. *ochroleuca*
 ♣ *ochroleuca* Sweet subsp. *ochroleuca* PRE UCBG ♠
 (*A. mexicana* L. var. *ochroleuca* (Sweet) Lindl.)
 (*A. subfusiformis* G.B.Ownbey)
subfusiformis G.B.Ownbey = *A. ochroleuca* subsp. *ochroleuca*

PASSIFLORACEAE

ADENIA Forssk.

- digitata* (Harv.) Engl. GAB PRE SRGH UCBG ♠
fruticosa Burt Davy subsp. *simplicifolia* W.J.de Wilde PRE ♠
glauca Schinz K PRE UCBG ♠
 (*Modecca glauca* Schinz)
repanda (Burch.) Engl. GAB PRE PSUB SRGH ♠
 (*Modecca repanda* (Burch.) Druce)
 (*Paschanthus repandus* Burch.)
spinosa Burt Davy PRE ♠

BASANANTHE Peyr.

- hanningtoniana* (Mast.) W.J.de Wilde GAB PSUB
 (*Trypsohemma hanningtonianum* Mast.)
heterophylla Schinz K PRE SRGH UCBG
 (*Trypsohemma heterophyllum* (Schinz) Engl.)

- pedata* (Baker f.) W.J.de Wilde COI GAB K PRE SRGH
 (*Trypsohemma pedatum* Baker f.)

MODECCA Lam.

- digitata* Harv. = *Adenia digitata*
glauca Schinz = *Adenia glauca*
repanda (Burch.) Druce = *Adenia repanda*

PAROPSIA Noronha ex Thouars

- brazzeana* Baill. GAB PRE SRGH

PASCHANTHUS Burch.

- repandus* Burch. = *Adenia repanda*

TRYPHOSTEMMA Harv.

- hanningtonianum* Mast. = *Basananthe hanningtoniana*
heterophyllum (Schinz) Engl. = *Basananthe heterophylla*
pedatum Baker f. = *Basananthe pedata*

PEDALIACEAE

CERATOTHECA Endl.

- lamiifolia* (Engl.) Engl. = *C. triloba*
sesamoides Endl. GAB K PRE PSUB SRGH
 (*Sesamum heudelotii* Stapf)
triloba (Bernh.) Hook.f. GAB K M PRE PSUB SRGH UCBG
 (*C. lamiifolia* (Engl.) Engl.)
 (*Sporolidera triloba* Bernh.)

DICEROCARYUM Bojer

- eriocarpum* (Decne.) Abels GAB M PRE PSUB SRGH UCBG
 (*D. zanguebarium* (Lour.) Merr. subsp. *eriocarpum*
 (Decne.) Ihlenf.)
 (*Pretrea eriocarpa* Decne.)
senecioides (Klotzsch) Abels subsp. *senecioides* PRE SRGH
 (*Pretrea senecioides* Klotzsch)
senecioides (Klotzsch) Abels subsp. *transvaalense* Abels PRE
zanguebarium (Lour.) Merr. subsp. *eriocarpum* (Decne.) Ihlenf. =
D. eriocarpum

HARPAGOPHYTUM DC. ex Meisn.

- burchellii* Decne. = *H. procumbens* subsp. *procumbens*
peglerae Stapf = *H. zeyheri* subsp. *zeyheri*
pinnatifidum Engl. = *Pterodiscus speciosus*
procumbens (Burch.) DC. ex Meisn. subsp. *procumbens* GAB
 K PRE PSUB UCBG ♠♠
 (*H. burchellii* Decne.)
 (*Uncaria procumbens* Burch.)
procumbens (Burch.) DC. ex Meisn. subsp. *transvaalense*
 Ihlenf. & H.E.K.Hartmann PRE ♠♠
procumbens (Burch.) DC. ex Meisn. var. *sublobatum* Engl. =
H. zeyheri subsp. *sublobatum*
zeyheri Decne. subsp. *schijffii* Ihlenf. & H.E.K.Hartmann PRE
zeyheri Decne. subsp. *sublobatum* (Engl.) Ihlenf. &
 H.E.K.Hartmann AB K PRE SRGH UCBG
 (*H. procumbens* (Burch.) DC. ex Meisn. var. *sublobatum* Engl.)
zeyheri Decne. subsp. *zeyheri* BR GAB K SRGH UCBG ♠♠

(*H. peglerae* Stapf)
HOLUBIA Oliv.
 saccata Oliv. GAB K PRE PSUB SRGH UCBG ♣

PRETREA J.Gay ex Meisn.
 eriocarpa Decne. = *Dicerocaryum eriocarpum*
 senecioides Klotzsch = *Dicerocaryum senecioides*

PTERODISCUS Hook.
 aurantiacus Welw. K SRGH ♣
 ngamicus N.E.Br. ex Stapf GAB K PRE PSUB SRGH UCBG ♣
 This widespread species has been misinterpreted as *Pterodiscus*
 luridus Hook.f.; the true *P. luridus* has a very restricted distribution area
 near the southern coast of South Africa (FZ 8(3): 92-93). Therefore,
 specimens labled *P. luridus* at GAB PRE PSUB and UCBG probably
 belong to *P. ngamicus*.
 speciosus Hook. GAB PRE SRGH UCBG ♣
 (*Harpagophytum pinnatifidum* Engl.)

SESAMOTHAMNUS Welw.
 lugardii N.E.Br. ex Stapf BM GAB K PRE SRGH ♣♣
 (*S. seineri* Engl.)
 seineri Engl. = *S. lugardii*

SESAMUM L.
 alatum Thonn. GAB M PRE PSUB SRGH UCBG
 angustifolium of author not of (Oliv.) Engl. = *S. calycinum*
 subsp. *baumii*
 baumii Stapf = *S. calycinum* subsp. *baumii*
 calycinum Welw. subsp. *baumii* (Stapf) Seidenst. GAB PRE PSUB
 (*S. angustifolium* of author not of (Oliv.) Engl.)
 (*S. baumii* Stapf)
 (*S. calycinum* Welw. var. *angustifolium* (Oliv.) Ihlenf.
 & Seidenst.)
 calycinum Welw. var. *angustifolium* (Oliv.) Ihlenf. &
 Seidenst. = *S. calycinum* subsp. *baumii*
 capense Burm.f. PRE UCBG
 gibbosum Bremek. & Oberm. = *S. triphyllum* var. *triphyllum*
 heudelotii Stapf = *Ceratotheca sesamoides*
 triphyllum Welw. ex Asch. var. *triphyllum* GAB PRE PSUB
 SRGH UCBG
 (*S. gibbosum* Bremek. & Oberm.)

SPORLEDERA Bernh.
 triloba Bernh. = *Ceratotheca triloba*

UNCARIA Burch.
 procumbens Burch. = *Harpagophytum procumbens*
 subsp. *procumbens*

PHYTOLACCACEAE

LOPHIOCARPUS Turcz.
 burchellii Hook. = *L. polystachyus*
 dinteri Engl. PRE
 polystachyus Turcz. K PRE UCBG
 (*Microtea burchellii* (Hook.f.) N.E.Br.)
 (*Microtea gracilis* A.W.Hill)

(*Microtea polystachya* N.E.Br.)
(*Microtea polystachya* Turcz.)
(*Wallinia polystachya* (Turcz.) Moq.)
tenuissimus Hook.f. GAB K MO PRE PSUB UCBG
(*Microtea tenuissima* N.E.Br.)

MICROTEA Swartz
 burchellii (Hook.f.) N.E.Br. = *Lophiocarpus polystachyus*
 gracilis A.W.Hill = *Lophiocarpus polystachyus*
 polystachya N.E.Br. = *Lophiocarpus polystachyus*
 polystachya Turcz. = *Lophiocarpus polystachyus*
 tenuissima N.E.Br. = *Lophiocarpus tenuissimus*

PHYTOLACCA L.
 **dioica* L. GAB PRE UCBG ♣♣
 dodecandra L'Hér. ♣?

WALLINIA Moq.
 polystachya (Turcz.) Moq. = *Lophiocarpus polystachyus*

PITTOSPORACEAE

PITTOSPORUM Banks ex Sol.
 commutatum Putt. = *P. viridiflorum*
 floribundum Wight & Arn. = *P. viridiflorum*
 viridiflorum Sims ♣?
 (*P. commutatum* Putt.)
 (*P. floribundum* Wight & Arn.)

PLANTAGINACEAE

PLANTAGO L.
 **lanceolata* L. GAB K LISC PRE SRGH

PLUMBAGINACEAE

PLUMBAGO L.
 zeylanica L. GAB PRE PSUB SRGH UCBG

PODOSTEMACEAE

DICRAEIA Thouars
 tenax C.H.Wright = *Ledermanniella tenax*

INVERSODICRAEA Engl.
 tenax (C.H.Wright) Engl. ex R.E.Fr. = *Ledermanniella tenax*

LEDERMANNIELLA Engl.
 tenax (C.H.Wright) C.Cusset K SRGH
 (*Dicraeia tenax* C.H.Wright)
 (*Inversodicraea tenax* (C.H.Wright) Engl. ex R.E.Fr.)
 torrei C.Cusset BM

POLYGALACEAE

POLYGALA L.
 albida Schinz subsp. *albida* GAB PRE PSUB

bicornis (Burch.) Chodat = *P. schinziana*
capillaris E.Mey. subsp. **capillaris** GAB PRE
erioptera DC. subsp. **erioptera** GAB PSUB
 (*P. linearis* R.Br.)
gagnebiniana Chodat = *P. sphenoptera* var. *sphenoptera*
hottentotta C.Presl GAB PRE PSUB UCBG
kalaxariensis Schinz GAB PRE PSUB
 (*P. kubangensis* Gürke)
 (*P. reflexa* Schinz)
kubangensis Gürke = *P. kalaxariensis*
leptophylla Burch. var. **leptophylla** PRE PSUB
linearis R.Br. = *P. erioptera* subsp. *erioptera*
pallida E.Mey. PRE
petitiana A.Rich. subsp. **parviflora** (Exell) Paiva GAB PSUB
quartiniana A.Rich. = *P. sphenoptera* var. *sphenoptera*
reflexa Schinz = *P. kalaxariensis*
schinziana Chodat GAB PRE PSUB
 (*P. bicornis* (Burch.) Chodat)
seminuda Harv. K
sphenoptera Fresen. var. **sphenoptera** BM GAB PRE PSUB UCBG
 (*P. gagnebiniana* Chodat)
 (*P. quartiniana* A.Rich.)
 (*P. ukambica* Chodat)
ukambica Chodat = *P. sphenoptera* var. *sphenoptera*

SECURIDACA L.

longepedunculata Fresen. var. **longepedunculata** GAB PRE
 PSUB UCBG ♣
 (*S. longepedunculata* Fresen. var. *parvifolia* Oliv.)
longepedunculata Fresen. var. *parvifolia* Oliv. =
S. longepedunculata var. *longepedunculata*

POLYGONACEAE

CERATOGONUM C.A.Mey.

cordofanum Meisn. = *Oxygonum sinuatum*
sinuatum Hochst. & Steud. ex Meisn. = *Oxygonum sinuatum*

EMEX Neck. ex Campdera

✱**australis** Steinh. SRGH

FAGOPYRUM Mill.

✱**esculentum** Moench PRE
 (*Polygonum fagopyrum* L.)

OXYGONUM Burch. ex Campd.

alatum Burch. var. **alatum** GAB PRE PSUB UCBG
 (*O. alatum* Burch. var. *incisum* Sond.)
 (*O. alatum* Burch. var. *integrifolium* Sond.)
 (*O. alatum* Burch. var. *marlothii* Engl.)
alatum Burch. var. *incisum* Sond. = *O. alatum* var. *alatum*
alatum Burch. var. *integrifolium* Sond. = *O. alatum* var. *alatum*
alatum Burch. var. **longisquamatum** Germish. GAB PRE UCBG
alatum Burch. var. *marlothii* Engl. = *O. alatum* var. *alatum*
calcaratum Meisn. = *O. dregeanum* subsp. *canescens* var.
canescens
canescens Sond. = *O. dregeanum* subsp. *canescens* var. *canescens*

canescens Sond. var. *subglabra* Schinz = *O. dregeanum* subsp.
canescens var. *canescens*
delagoense Kuntze GAB PRE PSUB UCBG
 (*O. delagoense* Kuntze var. *strictum* C.H.Wright)
 (*O. dregeanum* Meisn. var. *pubescens* (C.H.Wright) Burtt Davy)
 (*O. dregeanum* Meisn. var. *strictum* (C.H.Wright) R.A.Graham)
 (*O. junodii* De Wild.)
delagoense Kuntze var. *strictum* C.H.Wright = *O. delagoense*
dregeanum Meisn. subsp. **canescens** (Sond.) Germish. var.
canescens GAB PRE PSUB UCBG
 (*O. calcaratum* Meisn.)
 (*O. canescens* Sond.)
 (*O. canescens* Sond. var. *subglabra* Schinz)
 (*O. dregeanum* Meisn. var. *canescens* (Sond.) R.A.Graham)
 (*O. zeyheri* Sond.)
dregeanum Meisn. var. *canescens* (Sond.) R.A.Graham =
O. dregeanum subsp. *canescens* var. *canescens*
dregeanum Meisn. var. *pubescens* (C.H.Wright) Burtt Davy =
O. delagoense
dregeanum Meisn. var. *strictum* (C.H.Wright) R.A.Graham =
O. delagoense
elongatum Dammer = *O. sinuatum*
junodii De Wild. = *O. delagoense*
sinuatum (Hochst. & Steud. ex Meisn.) Dammer GAB PRE UCBG
 (*Ceratogonum cordofanum* Meisn.)
 (*Ceratogonum sinuatum* Hochst. & Steud. ex Meisn.)
 (*O. elongatum* Dammer)
 (*O. somalense* Chiov. var. *pterocarpum* Chiov.)
somalense Chiov. var. *pterocarpum* Chiov. = *O. sinuatum*
zeyheri Sond. = *O. dregeanum* subsp. *canescens* var. *canescens*

PERSICARIA (L.) Mill.

attenuata (R.Br.) Soják subsp. **africana** K.L.Wilson PRE UCBG ♣
 (*Polygonum senegalense* Meisn. subsp. *albotomentosum*
 (R.A.Graham) Germish.)
decipiens (R.Br.) Wilson PRE
 (*P. serrulata* (Lag.) Webb & Moq.)
hystricula (J.Schust.) Soják PRE
 (*Polygonum hystriculium* J.Schust.)
 ✱**lapathifolia** (L.) Gray GAB PRE UCBG ♣
 (*Polygonum lapathifolium* L. subsp. *maculatum* (Gray)
 T.-Dyer & Trimen)
 (*Polygonum lapathifolium* L. var. *maculatum*
 T.-Dyer & Trimen)
 ✱**limbata** (Meisn.) H.Hara GAB PRE PSUB UCBG ♣
 (*Polygonum glutinosum* Meisn. var. *capensis* Meisn.)
 (*Polygonum limbatum* Meisn.)
 (*Polygonum piliferum* Tikovsky)
 (*Polygonum schinzii* C.H.Wright)
meisneriana (Cham. & Schltdl.) M.Gómez
 (*Polygonum meisnerianum* Cham. & Schltdl.)
 (*Polygonum strigosum* of authors not of R.Br.)
senegalensis (Meisn.) Soják forma **albotomentosa**
 (R.A.Graham) K.L.Wilson GAB PRE PSUB UCBG ♣
 (*Polygonum lanigerum* R.Br. var. *africanum* Meisn.)
 (*Polygonum senegalense* Meisn. forma *albotomentosum*
 R.A.Graham)

senegalensis (Meisn.) Soják forma *senegalensis* GAB PRE
PSUB UCBG ♣
(*Polygonum sambesiacum* J.Schust.)
(*Polygonum senegalense* Meisn. subsp. *senegalense*)
serrulata (Lag.) Webb & Moq. = *P. decipiens*

POLYGONUM L.

**aviculare* L. ?
fagopyrum L. = *Fagopyrum esculentum*
glutinosum Meisn. var. *capensis* Meisn. = *Persicaria*
senegalensis
forma *albotomentosa*
hystriculum J.Schust. = *Persicaria hystricola*
lanigerum R.Br. var. *africanum* Meisn. = *Persicaria senegalensis*
forma *albotomentosa*
lapathifolium L. subsp. *maculatum* (Gray) T.-Dyer & Trimen =
Persicaria lapathifolia
lapathifolium L. var. *maculatum* T.-Dyer & Trimen =
Persicaria lapathifolia
limbatum Meisn. = *Persicaria limbata*
meisnerianum Cham. & Schtdl. = *Persicaria meisneriana*
piliferum Tikovsky = *Persicaria limbata*
plebeium R.Br. GAB PRE PSUB SRGH UCBG
pulchrum of author not of Blume = *Persicaria attenuata*
salicifolium Willd. = *Persicaria decipiens*
sambesiacum J.Schust. = *Persicaria senegalensis* forma
senegalensis
schinzii C.H.Wright = *Persicaria limbata*
senegalense Meisn. forma *albotomentosum* R.A.Graham =
Persicaria senegalensis forma *albotomentosa*
senegalense Meisn. subsp. *albotomentosum* (R.A.Graham)
Germish. = *Persicaria senegalensis* forma *albotomentosa*
senegalense Meisn. subsp. *senegalense* = *Persicaria*
senegalensis
forma *senegalensis*
serrulatum Lag. = *Persicaria decipiens*
strigosum of authors not of R.Br. = *Persicaria meisneriana*

RUMEX L.

ecklonianus Meisn. = *R. lanceolatus*
ecklonii Meisn. = *R. lanceolatus*
lanceolatus Thunb. PRE
(*R. ecklonianus* Meisn.)
(*R. ecklonii* Meisn.)
(*R. linearis* Campd.)
(*R. meyeri* Meisn.)
(*R. meyerianus* Meisn.)
linearis Campd. = *R. lanceolatus*
meyeri Meisn. = *R. lanceolatus*
meyerianus Meisn. = *R. lanceolatus*
sagittatus Thunb. PRE SRGH

PORTULACACEAE

ANACAMPSEROS L.

bremekampii Poelln. = *Avonia rhodesica*
lanceolata (Harv.) Sweet subsp. *lanceolata* ?

rhodesica N.E.Br. = *Avonia rhodesica*
starkiana Poelln. = *A. subnuda* subsp. *subnuda*
subnuda Poelln. subsp. *subnuda* PRE SRGH ♣
(*A. starkiana* Poelln.)

AVONIA (E.Mey. ex Fenzl) G.D.Rowley

rhodesica (N.E.Br.) G.D.Rowley
(*Anacampseros bremekampii* Poelln.)
(*Anacampseros rhodesica* N.E.Br.)

PORTULACA L.

caffra Thunb. = *Talinum caffrum*
crocodilorum Poelln. = *P. kermesina*
cuneifolia Vahl = *Talinum portulacifolium*
hereroensis Schinz BM GAB K PRE PSUB SRGH UCBG ♣
(*P. sedeooides* Welw.)
kermesina N.E.Br. GAB K PRE PSUB SRGH UCBG ♣
(*P. crocodilorum* Poelln.)
**oleracea* L. GAB PRE PSUB UCBG ♣
(*P. oleracea* L. subsp. *sylvestris* (DC.) Thell.)
(*P. oleracea* L. var. *opposita* Poelln.)
oleracea L. subsp. *sylvestris* (DC.) Thell. = *P. oleracea*
oleracea L. var. *opposita* Poelln. = *P. oleracea*
pilosa L. PRE ♣
quadrifida L. GAB PSUB UCBG ♣
(*P. walteriana* Poelln.)
rhodesiana R.A.Dyer & E.A.Bruce GAB ♣
sedeoides Welw. = *P. hereroensis*
walteriana Poelln. = *P. quadrifida*

TALINUM Adans.

arnotii Hook.f. K PRE PSUB UCBG ♣
caffrum (Thunb.) Eckl. & Zeyh. PRE UCBG ♣
crispatulatum in sense of Wild = *T. tenuissimum*
crispatulum Dinter ex Poelln. GAB K PRE PSUB
SRGH UCBG ♣
cuneifolium Willd. = *T. portulacifolium*
dinteri Poelln. = *T. tenuissimum*
portulacifolium (Forssk.) Asch. ex Schweinf. K PRE ♣
(*Orygia portulacifolia* Forssk.)
(*Portulaca cuneifolia* Vahl)
(*T. cuneifolium* Willd.)
tenuissimum Dinter GAB PRE PSUB UCBG ♣
(*T. crispatulum* in sense of Wild)
(*T. dinteri* Poelln.)
(*T. transvaalense* Poelln.)
transvaalense Poelln. = *T. tenuissimum*

PRIMULACEAE

SAMOLUS L.

valerandi L. K LISC PRE ♣

PROTEACEAE

FAUREA Harv.

saligna Harv. GAB PRE SRGH UCBG ♣

PROTEA L.
gaguedi J.F.Gmel. GAB PRE SRGH 🌿

Ptaeroxylaceae—see RUTACEAE

RANUNCULACEAE

CLEMATIS L.

brachiata Thunb. GAB PRE PSUB SRGH UCBG

(*C. brachiata* Thunb. var. *burkei* Burtt Davy)

(*C. petersiana* Klotzsch)

(*C. thunbergii* Steud.)

(*C. triloba* Thunb.)

brachiata Thunb. var. *burkei* Burtt Davy = *C. brachiata*

oweniae Harv. BM PRE

petersiana Klotzsch = *C. brachiata*

scabiosifolia DC. = *C. villosa* subsp. *villosa*

thunbergii Steud. = *C. brachiata*

triloba Thunb. = *C. brachiata*

villosa DC. subsp. *villosa* PRE

(*C. scabiosifolia* DC.)

(*Clematopsis scabiosifolia* (DC.) Hutch.)

CLEMATOPSIS Bojer ex Hutch.

scabiosifolia (DC.) Hutch. = *Clematis villosa* subsp. *villosa*

RANUNCULUS L.

forskoehlii DC. = *R. multifidus*

membranaceus Fresen. = *R. multifidus*

multifidus Forssk. GAB PRE SRGH UCBG 🌿

(*R. forskoehlii* DC.)

(*R. membranaceus* Fresen.)

(*R. pinnatus* Poir.)

(*R. pubescens* Thunb.)

pinnatus Poir. = *R. multifidus*

pubescens Thunb. = *R. multifidus*

rionii Lager PRE 🌿

trichophyllus of authors not of Chaix subsp. *drouetii* (Schultz)

A.R.Clapham = *R. rionii*

RESEDACEAE

HOLOPETALUM Turcz.

burchellii Müll.Arg. = *Oligomeris dipetala* var. *dipetala*

pumilum Turcz. = *Oligomeris dipetala* var. *dipetala*

OLIGOMERIS Cambess.

burchellii (Müll.Arg.) Harv. = *O. dipetala* var. *dipetala*

capensis (Thunb.) Harv. var. *burchellii* (Müll.Arg.) Abdallah =

O. dipetala var. *dipetala*

capensis (Thunb.) Harv. var. *capensis* (Thunb.) Perkins =

O. dipetala var. *dipetala*

capensis (Thunb.) Harv. var. *pumila* (Harv.) Perkins =

O. dipetala var. *dipetala*

capensis (Thunb.) Harv. var. *virgata* Harv. = *O. dipetala*

var. *dipetala*

dipetala (Aiton) Turcz. var. *capensis* (Thunb.) Müll.Arg. =

O. dipetala var. *dipetala*

dipetala (Aiton) Turcz. var. **dipetala** GAB PRE

(*Holopetalum burchellii* Müll.Arg.)

(*Holopetalum pumilum* Turcz.)

(*O. burchellii* (Müll.Arg.) Harv.)

(*O. capensis* (Thunb.) Harv. var. *burchellii* (Müll.Arg.) Abdallah)

(*O. capensis* (Thunb.) Harv. var. *capensis* (Thunb.) Perkins)

(*O. capensis* (Thunb.) Harv. var. *pumila* (Harv.) Perkins)

(*O. capensis* (Thunb.) Harv. var. *virgata* Harv.)

(*O. dipetala* (Aiton) Turcz. var. *capensis* (Thunb.) Müll.Arg.)

(*O. dipetala* (Aiton) Turcz. var. *pumila* (Harv.) Müll.Arg.)

(*O. dipetala* (Aiton) Turcz. var. *virgata* (Harv.) Müll.Arg.)

(*O. frutescens* Dinter)

(*O. lycopodioides* Schinz & Dinter)

(*O. upingtoniae* Dinter)

(*Reseda capensis* Thunb.)

(*Reseda dipetala* Aiton)

(*Reseda microphylla* C.Presl)

(*Resedella dipetala* (Aiton) Webb & Berthel.)

dipetala (Aiton) Turcz. var. *pumila* (Harv.) Müll.Arg. =

O. dipetala var. *dipetala*

dipetala (Aiton) Turcz. var. *virgata* (Harv.) Müll.Arg. =

O. dipetala var. *dipetala*

frutescens Dinter = *O. dipetala* var. *dipetala*

lycopodioides Schinz & Dinter = *O. dipetala* var. *dipetala*

upingtoniae Dinter = *O. dipetala* var. *dipetala*

RESEDA L.

capensis Thunb. = *Oligomeris dipetala* var. *dipetala*

dipetala Aiton = *Oligomeris dipetala* var. *dipetala*

microphylla C.Presl = *Oligomeris dipetala* var. *dipetala*

RESEDELLA Webb & Berthel.

dipetala (Aiton) Webb & Berthel. = *Oligomeris dipetala*

var. *dipetala*

RHAMNACEAE

BERCHEMIA Neck. ex DC.

discolor (Klotzsch) Hemsf. GAB K PRE PSUB UCBG 🌿

(*Phyllogeiton discolor* (Klotzsch) Herzog)

(*Scutia discolor* Klotzsch)

zeyheri (Sond.) Grubov GAB PRE UCBG 🌿

(*Phyllogeiton zeyheri* (Sond.) Suess.)

(*Rhamnus zeyheri* Sond.)

GOUANIA Jacq.

integrifolia Lam. = *Helinus integrifolius*

HELINUS E.Mey. ex Endl.

integrifolius (Lam.) Kuntze GAB K PRE PSUB SRGH UCBG 🌿

(*Gouania integrifolia* Lam.)

(*H. ovatus* E.Mey. ex Sond.)

(*H. scandens* (Eckl. & Zeyh.) A.Rich.)

ovatus E.Mey. ex Sond. = *H. integrifolius*

scandens (Eckl. & Zeyh.) A.Rich. = *H. integrifolius*

spartioides (Engl.) Schinz ex Engl. BM GAB K PRE SRGH UCBG
(*Marlothia spartioides* Engl.)

MARLOTHIA Engl.
spartioides Engl. = *Helinus spartioides*

PHYLLOGEITON Werberb.
discolor (Klotzsch) Herzog = *Berchemia discolor*
zeyheri (Sond.) Suess. = *Berchemia zeyheri*

RHAMNUS L.
prinoides L'Hér. PRE
zeyheri Sond. = *Berchemia zeyheri*

SCUTIA (DC.) Brongn.
discolor Klotzsch = *Berchemia discolor*

ZIZIPHUS Mill.
helvola Sond. = *Z. zeyheriana*
mucronata Willd. subsp. **mucronata** GAB K PRE PSUB UCBG 🌳
mucronata Willd. subsp. **rhodesica** R.B.Drumm. K PRE PSUB 🌳
zeyheriana Sond. GAB PRE 🌳
(*Z. helvola* Sond.)

.....
ROSACEAE
.....

CLIFFORTIA L.
flabellifolia Sond. = *Myrothamnus flabellifolius*

RUBUS L.
adolphi-friedericii Engl. = *R. apetalus* var. *apetalus*
adolphi-friedericii Engl. var. *rubristylus* Gust. = *R. apetalus*
var. *apetalus*
apetalus Poir. var. **apetalus** PRE 🍈
(*R. adolphi-friedericii* Engl.)
(*R. adolphi-friedericii* Engl. var. *rubristylus* Gust.)
(*R. ecklonii* Focke)
(*R. exsuccus* Steud.)
(*R. interjungens* Gust.)
(*R. pinnatiformis* Gust.)
atrocoeruleus Gust. = *R. rigidus*
chrysocarpus Mundt = *R. rigidus*
discolor E.Mey. = *R. rigidus*
ecklonii Focke = *R. apetalus* var. *apetalus*
exsuccus Steud. = *R. apetalus* var. *apetalus*
inedulis Rolfe = *R. rigidus*
interjungens Gust. = *R. apetalus* var. *apetalus*
mundtii Cham. & Schltdl. = *R. rigidus*
pinnatiformis Gust. = *R. apetalus* var. *apetalus*
rigidus Sm. PRE PSUB
(*R. atrocoeruleus* Gust.)
(*R. chrysocarpus* Mundt)
(*R. discolor* E.Mey.)
(*R. inedulis* Rolfe)
(*R. mundtii* Cham. & Schltdl.)
(*R. rigidus* Sm. var. *buchananii* Focke)
(*R. rigidus* Sm. var. *chrysocarpus* (Mundt) Focke)

(*R. rigidus* Sm. var. *incisus* Gust.)
(*R. rigidus* Sm. var. *mundtii* (Cham. & Schltdl.) Focke)
rigidus Sm. var. *buchananii* Focke = *R. rigidus*
rigidus Sm. var. *chrysocarpus* (Mundt) Focke = *R. rigidus*
rigidus Sm. var. *incisus* Gust. = *R. rigidus*
rigidus Sm. var. *mundtii* (Cham. & Schltdl.) Focke = *R. rigidus*

.....
RUBIACEAE
.....

ANCYLANTHOS Desf.
bainesii Hiern = *A. rubiginosus*
ferrugineus Welw. = *A. rubiginosus*
rubiginosus Desf. K PRE PSUB SRGH
(*A. bainesii* Hiern)
(*A. ferrugineus* Welw.)

ANTHOSPERMUM L.
ericoideum K.Krause = *A. rigidum* subsp. *pumilum*
humile N.E.Br. = *A. rigidum* subsp. *pumilum*
pumilum Sond. subsp. *pumilum* = *A. rigidum* subsp. *pumilum*
pumilum Sond. var. *pilosum* E.Phillips = *A. rigidum* subsp.
pumilum
rigidum Eckl. & Zeyh. subsp. **pumilum** (Sond.) Puff K LISC
PRE SRGH UCBG
(*A. ericoideum* K.Krause)
(*A. humile* N.E.Br.)
(*A. pumilum* Sond. subsp. *pumilum*)
(*A. pumilum* Sond. var. *pilosum* E.Phillips)

BORRERIA G.Mey.
paludosa Hepper = *Spermacoce quadrisulcata*
quadrisulcata Bremek. = *Spermacoce quadrisulcata*
squarrosa Schinz = *Spermacoce senensis*
subvulgata K.Schum. = *Spermacoce subvulgata*

CANTHIUM Lam.
frangula S.Moore = *C. glaucum* subsp. *frangula* var. *frangula*
burtii in sense of authors not of Bullock = *C. pseudorandii*
gilfillanii (N.E.Br.) O.B.Mill. PRE UCBG 🌳
(*Plectronia gilfillanii* N.E.Br.)
glaucum Hiern subsp. **frangula** (S.Moore) Bridson var. **frangula**
M PRE SRGH
(*C. frangula* S.Moore)
huillense Hiern = *Psydrax livida*
lanciflorum Hiern = *Vangueriopsis lanciflora*
lividum Hiern = *Psydrax livida*
mundianum Cham. & Schlecht. 🌳 ?
pseudorandii Bridson K PRE 🌳
wildii (Suess.) Codd = *Psydrax livida*

CARPHALEA Juss.
pubescens (Klotzsch) Verdc. GAB K PRE
(*Dirichletia pubescens* Klotzsch)

CATUNAREGAM Wolf
sp. A (see Coates Palgrave (2002: 1050) PRE 🌳
(*C. spinosa* (Thunb.) Tirveng subsp. *spinosa*)

spinosa (Thunb.) Tirveng. subsp. **spinosa** PRE †

CODDIA Verdc.

rudis (E.Mey. ex Harv.) Verdc. † ?

(*Randia rudis* E.Mey. ex Harv.)

(*Xeromphis rudis* (E.Mey. ex Harv.) Codd)

CROSSOPTERYX Fenzl

febrifuga (Afzel. ex G.Don) Benth. GAB PRE PSUB †

(*C. kotschyana* Fenzl)

(*Rondeletia febrifuga* Afzel. ex G.Don)

kotschyana Fenzl = *C. febrifuga*

DINOCANTHIUM Bremek.

hystrix Bremek. = *Pyrostria hystrix*

DIODIA L.

senensis Klotzsch = *Spermacoce senensis*

DIRICHLETIA Klotzsch

pubescens Klotzsch = *Carphalea pubescens*

FERETIA Delile

aeruginescens Stapf PRE PSUB †

GALIUM L.

horridum Thunb. = *Rubia horrida*

GARDENIA J.Ellis

brachythamnus (K.Schum.) Launert GAB PRE PSUB

(*Randia brachythamnus* K.Schum.)

resiniflua Hiern subsp. **resiniflua** PRE UCBG †

rothmannia L.f. = *Rothmannia capensis*

spatulifolia Stapf & Hutch. = *G. volkensii* subsp. *spatulifolia*

ternifolia Schumach. & Thonn. subsp. **jovis-tonantis**

(Welw.) Verdc. var. **goetzei** (Stapf & Hutch.) Verdc. PRE PSUB †

(*G. spatulifolia* Stapf & Hutch.)

volkensii K.Schum. subsp. **volkensii** var. **volkensii** PRE PSUB †

HEDYOTIS L.

aspera B.Heyne ex Roth = *Kohautia aspera*

brachyloba Sond. = *Kohautia caespitosa* subsp. *brachyloba*

capensis (L.f.) Lam. = *Oldenlandia capensis* var. *capensis*

cynanchica (DC.) Steud. = *Kohautia cynanchica*

decumbens Hochst. = *Oldenlandia affinis* subsp. *fugax*

fugax Vatke = *Oldenlandia affinis* subsp. *fugax*

gerrardii Harv. ex Sond. = *Kohautia virgata*

goreensis DC. = *Oldenlandia goreensis* var. *goreensis*

herbacea L. = *Oldenlandia herbacea* var. *herbacea*

heynei (G.Don) Sond. = *Oldenlandia herbacea* var. *herbacea*

lancifolia Schumach. = *Oldenlandia lancifolia* var. *scabridula*

pentandra Schumach. & Thonn. = *Pentodon pentandrus*

var. *pentandrus*

setifera (DC.) Steud. = *Kohautia virgata*

stricta Sond. = *Kohautia cynanchica*

thymifolia C.Presl = *Kohautia caespitosa* subsp. *brachyloba*

virgata Willd. = *Kohautia virgata*

HEINSIA DC.

crinita (Afzel.) G.Taylor subsp. **parviflora** (K.Schum. & K.Krause) Verdc. PRE

KOHAUTIA Cham. & Schtdl.

aspera (B.Heyne ex Roth) Bremek. GAB PRE PSUB UCBG

(*Hedyotis aspera* B.Heyne ex Roth)

(*Oldenlandia aspera* (B.Heyne ex Roth) DC.)

brachyloba (Sond.) Bremek. = *K. caespitosa* subsp. *brachyloba*

caespitosa Schnizl. subsp. **brachyloba** (Sond.) Mantell

GAB K PRE PSUB SRGH UCBG

(*Hedyotis brachyloba* Sond.)

(*Hedyotis thymifolia* C.Presl)

(*K. brachyloba* (Sond.) Bremek.)

(*K. caespitosa* Schnizl. var. *delagoensis* (Schinz) Bremek.)

(*K. lasiocarpa* Klotzsch)

(*Oldenlandia brachyloba* (Sond.) Kuntze)

(*Oldenlandia delagoensis* Schinz)

(*Oldenlandia lasiocarpa* (Klotzsch) Hiern)

caespitosa Schnizl. var. *delagoensis* (Schinz) Bremek. =

K. caespitosa subsp. *brachyloba*

cuspidata (K.Schum.) Bremek. GAB K PRE PSUB

(*Oldenlandia cuspidata* K.Schum.)

cynanchica DC. GAB J K LISC PRE SRGH UCBG WAG

(*Hedyotis cynanchica* (DC.) Steud.)

(*Hedyotis stricta* Sond.)

(*K. gracilifolia* Bremek.)

(*K. longiflora* DC.)

(*K. omahekensis* (K.Krause) Bremek.)

(*K. raphidophylla* Bremek.)

(*Oldenlandia cynanchica* (DC.) K.Schum. ex Kuntze)

(*Oldenlandia omahekensis* K.Krause)

gracilifolia Bremek. = *K. cynanchica*

lasiocarpa Klotzsch = *K. caespitosa* subsp. *brachyloba*

longiflora DC. = *K. cynanchica*

microflora D.Mantell K SRGH

omahekensis (K.Krause) Bremek. = *K. cynanchica*

ramosissima Bremek. SRGH

raphidophylla Bremek. = *K. cynanchica*

setifera DC. = *K. virgata*

subverticillata (K.Schum.) D.Mantell subsp. **subverticillata**

GAB K SRGH

(*Oldenlandia sordida* K.Krause)

(*Oldenlandia subverticillata* K.Schum.)

(*Oldenlandia trothae* K.Krause)

virgata (Willd.) Bremek. GAB K PRE PSUB SRGH UCBG

(*Hedyotis gerrardii* Harv. ex Sond.)

(*Hedyotis setifera* (DC.) Steud.)

(*Hedyotis virgata* Willd.)

(*K. setifera* DC.)

(*Oldenlandia virgata* (Willd.) DC.)

MITRACARPUM Zucc.

dregeanum Harv. & Sond. = *Spermacoce senensis*

OLDENLANDIA L.

affinis (Roem. & Schult.) DC. subsp. **fugax** (Vatke) Verdc. PRE

- (*Hedyotis decumbens* Hochst.)
 (*Hedyotis fugax* Vatke)
 (*O. decumbens* (Hochst.) Hiern)
- angolensis** K.Schum. var. **angolensis** GAB K PRE PSUB SRGH ♣
aspera (B.Heyne ex Roth) DC. = *Kohautia aspera*
brachyloba (Sond.) Kuntze = *Kohautia caespitosa*
 subsp. *brachyloba*
- capensis** L.f. var. **capensis** K LISC PRE PSUB SRGH
 (*Hedyotis capensis* (L.f.) Lam.)
- capensis** L.f. var. **pleiosepala** Bremek. K SRGH
caespitosa (Benth.) Hiern = *O. corymbosa* var. *caespitosa*
- corymbosa** L. var. **caespitosa** (Benth.) Verdc. GAB PRE PSUB
 (*O. caespitosa* (Benth.) Hiern)
 (*O. caespitosa* (Benth.) Hiern var. *major* Bremek.)
- caespitosa* (Benth.) Hiern var. *major* Bremek. = *O. corymbosa*
 var. *caespitosa*
- corymbosa** L. var. **linearis** (DC.) Verdc. BM BR C EA GAB
 K PSUB SRGH UPS WAG
- cuspidata* K.Schum. = *Kohautia cuspidata*
cynanchica (DC.) K.Schum. ex Kuntze = *Kohautia cynanchica*
decumbens (Hochst.) Hiern = *O. affinis* subsp. *fugax*
decumbens Spreng. = *Vahlia digyna*
delagoensis Schinz = *Kohautia caespitosa* subsp. *brachyloba*
digyna Retz. = *Vahlia digyna*
- fastigiata** Bremek. var. **fastigiata** GAB
- goreensis** (DC.) Summerh. var. **goreensis** GAB K PRE PSUB SRGH
 (*Hedyotis goreensis* DC.)
- herbacea** (L.) Roxb. var. **flaccida** Bremek. PRE
- herbacea** (L.) Roxb. var. **herbacea** GAB K PRE PSUB UCBG
 (*Hedyotis herbacea* L.)
 (*Hedyotis heynei* (G.Don) Sond.)
- lancifolia** (Schumach.) DC. var. **scabridula** Bremek. GAB K
 LISC PRE SRGH ♣
 (*Hedyotis lancifolia* Schumach.)
- lasiocarpa* (Klotzsch) Hiern = *Kohautia caespitosa* subsp.
brachyloba
- omahekensis* K.Krause = *Kohautia cynanchica*
- pentandra* (Schumach. & Thonn.) DC. = *Pentodon pentandrus*
 var. *pentandrus*
- rosulata** K.Schum. var. **rosulata** PRE
- sordida* K.Krause = *Kohautia subverticillata* subsp.
 subverticillata
- subverticillata* K.Schum. = *Kohautia subverticillata* subsp.
 subverticillata
- trothae* K.Krause = *Kohautia subverticillata* subsp.
 subverticillata
- zeyheri* Sond. = *Pygmaeothamnus zeyheri* var. *zeyheri*
virgata (Willd.) DC. = *Kohautia virgata*
- PAVETTA** L.
assimilis Sond. var. *assimilis* = *P. gardeniifolia* var. *gardeniifolia*
assimilis Sond. var. *glabra* Bremek. = *P. gardeniifolia* var.
gardeniifolia
assimilis Sond. var. *glabra-brevituba* Bremek. = *P. gardeniifolia*
 var. *gardeniifolia*
assimilis Sond. var. *pubescens* Bremek. = *P. gardeniifolia*
 var. *subtomentosa*

- assimilis* Sond. var. *pubescens-brevituba* Bremek. =
P. gardeniifolia var. *subtomentosa*
- cataractarum** S.Moore GAB PRE
- dissimilis* Bremek. = *P. zeyheri*
- eylesii** S.Moore GAB PRE UCBG 🌳
- gardeniifolia** A.Rich. var. **gardeniifolia** PRE PSUB 🌳
 (*P. assimilis* Sond. var. *assimilis*)
 (*P. assimilis* Sond. var. *glabra* Bremek.)
 (*P. assimilis* Sond. var. *glabra-brevituba* Bremek.)
- gardeniifolia** A.Rich. var. **subtomentosa** K.Schum. GAB
 PRE UCBG 🌳
 (*P. assimilis* Sond. var. *pubescens* Bremek.)
 (*P. assimilis* Sond. var. *pubescens-brevituba* Bremek.)
 (*P. heidelbergensis* Bremek.)
- harborii** S.Moore GAB PRE PSUB UCBG 🌳
 (*P. marlothii* Bremek.)
- heidelbergensis* Bremek. = *P. gardeniifolia* var. *subtomentosa*
- inconspicua* Dinter ex Bremek. = *P. zeyheri*
- lasiopeplus* K.Schum. = *P. zeyheri*
- luteola* Stapf = *Tarenna luteola*
- marlothii* Bremek. = *P. harborii*
- microlancea* K.Schum. = *P. zeyheri*
- middelburgensis* Bremek. = *P. zeyheri*
- pseudo-zeyheri* Bremek. = *P. zeyheri*
- schumanniana** F.Hoffm. ex K.Schum. PRE PSUB UCBG 🌳
- zeyheri** Sond. GAB PRE PSUB UCBG 🌳
 (*P. dissimilis* Bremek.)
 (*P. inconspicua* Dinter ex Bremek.)
 (*P. lasiopeplus* K.Schum.)
 (*P. microlancea* K.Schum.)
 (*P. middelburgensis* Bremek.)
 (*P. pseudo-zeyheri* Bremek.)

PENTODON Hochst.

- pentandrus** (Schumach. & Thonn.) Vatke var. **pentandrus**
 K LISC PRE PSUB SRGH ♣
 (*Hedyotis pentandra* Schumach. & Thonn.)
 (*Oldenlandia pentandra* (Schumach. & Thonn.) DC.)

PLECTRONIA DC.

- gilfillanii* N.E.Br. = *Canthium gilfillanii*
junodii Burtt Davy = *Psydrax livida*

PLECTRONIELLA Robyns

- armata** (K.Schum.) Robyns GAB 🌳
 (*Vangueria armata* K.Schum.)

PSYCHOTRIA L.

- zombamontana** (Kuntze) E.M.A.Petit UCBG 🌳
 (*Uragoga zombamontana* Kuntze)

PSYDRAX Gaertn.

- livida** (Hiern) Bridson GAB K PRE UCBG 🌳
 (*Canthium huillense* Hiern)
 (*Canthium lividum* Hiern)
 (*Canthium wildii* (Suess.) Codd)
 (*Plectronia junodii* Burtt Davy)

PYGMAEOTHAMNUS Robyns

- zeyheri* (Sond.) Robyns var. *oatesii* Robyns = *Pygmaeothamnus zeyheri* var. *zeyheri*
zeyheri (Sond.) Robyns var. **zeyheri** GAB K PRE PSUB SRGH UCBG
 (*Pygmaeothamnus zeyheri* (Sond.) Robyns var. *oatesii* Robyns)
 (*Vangueria zeyheri* (Sond.) Sond.)

PYROSTRIA Comm. ex Juss.

- hystrix** (Bremek.) Bridson UCBG 🚫
 (*Dinocanthium hystrix* Bremek.)

RANDIA L.

- brachythamnus* K.Schum. = *Gardenia brachythamnus*
rudis E.Mey. ex Harv. = *Coddia rudis*

RICHARDIA L.

- ✱**scabra** L. PRE

RONDELETIA L.

- febrifuga* Afzel. ex G.Don = *Crossopteryx febrifuga*

ROTHMANNIA Thunb.

- capensis** Thunb. PRE UCBG 🚫
 (*Gardenia rothmannia* L.f.)

RUBIA L.

- horrida** (Thunb.) Puff GAB PRE SRGH
 (*Galium horridum* Thunb.)

RYTIGYNIA Blume

- umbellulata** (Hiern) Robyns GAB PRE PSUB SRGH
 (*Vangueria umbellulata* Hiern)

SPERMACOCE L.

- deserti** N.E.Br. C GAB K PSUB SRGH UCBG
quadrisulcata (Bremek.) Verdc. GAB K LISC PRE PSUB SRGH ♠
 (*Borreria paludosa* Hepper)
 (*Borreria quadrisulcata* Bremek.)
senensis (Klotzsch) Hiern GAB K PRE PSUB SRGH UCBG
 (*Borreria squarrosa* Schinz)
 (*Diodia senensis* Klotzsch)
 (*Mitracarpum dregeanum* Harv. & Sond.)
subvulgata (K.Schum.) J.G.García UCBG
 (*Borreria subvulgata* K.Schum.)

TAPIPHYLLUM Robyns

- parvifolium* (Sond.) Robyns = *Vangueria parvifolia*

TARENNA Gaertn.

- luteola** (Stapf) Bremek. PRE PSUB 🚫
 (*Pavetta luteola* Stapf)

TRICALYSIA A.Rich. ex DC.

- allenii* (Stapf) Brenan var. *kirkii* (Hook.f.) Brenan = *T. junodii*
 var. *kirkii*
cacondensis Hiern PRE PSUB

- junodii** (Schinz) Brenan var. **junodii** PRE 🚫
junodii (Schinz) Brenan var. **kirkii** (Hook.f.) Robbr. GAB PRE PSUB UCBG 🚫
 (*T. allenii* (Stapf) Brenan var. *kirkii* (Hook.f.) Brenan)
lanceolata (Sond.) Burttt Davy 🚫?

URAGOGA Baill.

- zombamontana* Kuntze = *Psychotria zombamontana*

VANGUERIA Comm. ex Juss.

- armata* K.Schum. = *Plectroniella armata*
cyanescens Robyns PRE 🚫
esculenta S.Moore UCBG 🚫
infausta Burch. subsp. **infausta** C GAB K PRE PSUB SRGH UCBG WAG 🚫
 (*V. tomentosa* Hochst.)
lasioclados K.Schum. = *V. proschii*
madagascariensis J.F.Gmel. PRE 🚫
parvifolia Sond. C GAB K PRE SRGH UCBG WAG 🚫
 (*Tapiphyllum parvifolium* (Sond.) Robyns)
proschii Briq. K PRE PSUB 🚫
 (*V. lasioclados* K.Schum.)
randii S.Moore subsp. **randii** K UCBG 🚫
tomentosa Hochst. = *V. infausta* subsp. *infausta*
umbellulata Hiern = *Rytigynia umbellulata*
zeyheri (Sond.) Sond. = *Pygmaeothamnus zeyheri* var. *zeyheri*

VANGUERIOPSIS Robyns

- lanciflora** (Hiern) Robyns ex R.D.Good GAB PSUB 🚫
 (*Canthium lanciflorum* Hiern)

XEROMPHIS Raf.

- rudis* (E.Mey. ex Harv.) Codd = *Coddia rudis*

RUTACEAE (including Ptaeroxylaceae)**CITROPSIS** (Engl.) Swingle & M.Kellerm.

- daweana** Swingle & M.Kellerm. BM GAB PRE PSUB UCBG 🚫

FAGARA L.

- capensis* Thunb. = *Zanthoxylum capense*

PTAEROXYLON Eckl. & Zeyh.

- obliquum** (Thunb.) Radlk. FHO GAB PRE 🚫
 (*P. utile* Eckl. & Zeyh.)
utile Eckl. & Zeyh. = *P. obliquum*

TECLEA Delile

- rogersii** Mendonça UCBG 🚫

THAMNOSMA Torr. & Frém.

- africana* Engl. var. *rhodesica* Baker f. = *T. rhodesica*
rhodesica (Baker f.) Mendonça K PRE UCBG
 (*T. africana* Engl. var. *rhodesica* Baker f.)

TODDALIOPSIS Engl.

- bremekampii** I.Verd. 🚫?

VEPRIS Comm. ex A.Juss.

reflexa I.Verd. PRE SRGH UCBG 🌿

termitaria Mendonça 🌿 ?

zambesiaca S.Moore GAB PRE

ZANTHOXYLUM L.

capense (Thunb.) Harv. PRE UCBG 🌿

(*Fagara capensis* Thunb.)

SALICACEAE

SALIX L.

**babylonica* L. GAB SRGH 🌿 🌿

capensis Thunb. var. *mucronata* (Thunb.) Anderson =

S. mucronata subsp. *mucronata*

hutchinsii Skan = *S. mucronata* subsp. *mucronata*

mucronata Thunb. subsp. *mucronata* K PRE PSUB

SRGH UCBG 🌿

(*S. capensis* Thunb. var. *mucronata* (Thunb.) Anderson)

(*S. hutchinsii* Skan)

(*S. safsaf* Forssk. ex Trautv.)

(*S. subserrata* Willd.)

(*S. subserrata* Willd. var. *cyathipoda* (Andersson) Cufod.)

safsaf Forssk. ex Trautv. = *S. mucronata* subsp. *mucronata*

subserrata Willd. = *S. mucronata* subsp. *mucronata*

subserrata Willd. var. *cyathipoda* (Andersson) Cufod. =

S. mucronata subsp. *mucronata*

SALVADORACEAE

AZIMA Lam.

pubescens Suess. = *Carissa edulis*

SALVADORA Garcin ex L.

angustifolia Turill var. *australis* (Schweick.) I.Verd. = *S. australis*

australis Schweick. PRE 🌿 🌿

(*S. angustifolia* Turill var. *australis* (Schweick.) I.Verd.)

persica L. var. *persica* GAB K PRE PSUB 🌿 🌿

persica L. var. *pubescens* Brenan GAB K LISC PRE 🌿 🌿

SANTALACEAE

OSYRIS L.

abyssinica Hochst. ex A.Rich. = *O. lanceolata*

lanceolata Hochst. & Steud. GAB PRE SRGH UCBG 🌿

(*O. abyssinica* Hochst. ex A.Rich.)

THESIUM L.

dinteri A.W.Hill = *T. megalocarpum*

dissitum N.E.Br. SRGH ♦

goetzeanum Engl. PRE

hystrix A.W.Hill PRE

lacinulatum A.W.Hill ?

lopollense Hiern GAB PRE PSUB

megalocarpum A.W.Hill GAB PRE SRGH UCBG

(*T. dinteri* A.W.Hill)

myriocladum Baker SRGH

resedoides A.W.Hill SRGH

SAPINDACEAE

ALLOPHYLUS L.

africanus Beauv. var. *africanus* K PRE UCBG 🌿

melanocarpus (Sond.) Radlk. = *A. africanus* var. *africanus*

CARDIOSPERMUM L.

alatum Bremek. & Oberm. = *C. corindum*

corindum L. BM GAB PRE PSUB UCBG

(*C. alatum* Bremek. & Oberm.)

halicacabum L. var. *halicacabum* GAB LISC PRE PSUB 🌿

halicacabum L. var. *microcarpum* (Kunth) Blume GAB

BM LISC PRE SRGH 🌿

(*C. microcarpum* Kunth)

microcarpum Kunth = *C. halicacabum* var. *microcarpum*

DODONAEA Mill.

angustifolia L.f. = *D. viscosa* var. *angustifolia*

thunbergiana Radlk. = *D. viscosa* var. *angustifolia*

thunbergiana Radlk. var. *linearis* Sond. = *D. viscosa* var. *angustifolia*

viscosa (L.) Jacq. var. *angustifolia* (L.f.) Benth. GAB 🌿

(*D. angustifolia* L.f.)

(*D. thunbergiana* Radlk.)

(*D. thunbergiana* Radlk. var. *linearis* Sond.)

ERYTHROPHYSA E.Mey. ex Arn.

transvaalensis I.Verd. PRE UCBG 🌿 🌿

PAPPEA Eckl. & Zeyh.

capensis Eckl. & Zeyh. GAB K PRE PSUB SRGH UCBG 🌿

(*P. capensis* Eckl. & Zeyh. var. *radkloferi* (Schweinf. ex

Radlk.) Schinz)

(*P. fulva* Conrath)

(*P. ugandensis* Baker f.)

(*Sapindus pappea* Sond.)

capensis Eckl. & Zeyh. var. *radkloferi* (Schweinf. ex Radlk.)

Schinz = *P. capensis*

fulva Conrath = *P. capensis*

ugandensis Baker f. = *P. capensis*

PAULLINIA L.

pinnata L. PRE

SAPINDUS L.

pappea Sond. = *Pappea capensis*

SAPOTACEAE

BEQUAERTIODENDRON De Wild.

magalismontanum (Sond.) Heine & J.H.Hemsl. =

Englerophytum magalismontanum

BOIVINELLA Pierre ex Aubrév. & Pellegr.

argyrophylla (Hiern) Aubrév. & Pellegr. =


Englerophytum magalismontanum

wilmsii (Engl.) Aubrév. & Pellegr. =
Englerophytum magalismontanum

CHRYSOPHYLLUM L.

antunesii Engl. = Englerophytum magalismontanum
argyrophyllum Hiern = Englerophytum magalismontanum
carvalhoi Engl. = Englerophytum magalismontanum
farannense A.Chev. = Englerophytum magalismontanum
lujai De Wild. = Englerophytum magalismontanum
magalismontanum Sond. = Englerophytum magalismontanum
mohorensis Engl. = Englerophytum magalismontanum
wilmsii Engl. = Englerophytum magalismontanum


ENGLEROPHYTUM K.Krause

magalismontanum (Sond.) T.D.Penn. PRE SRGH UCBG 
(*Bequaertiodendron magalismontanum* (Sond.) Heine &
J.H.Hemsl.)
(*Boivinella argyrophylla* (Hiern) Aubrév. & Pellegr.)
(*Boivinella wilmsii* (Engl.) Aubrév. & Pellegr.)
(*Chrysophyllum antunesii* Engl.)
(*Chrysophyllum argyrophyllum* Hiern)
(*Chrysophyllum carvalhoi* Engl.)
(*Chrysophyllum farannense* A.Chev.)
(*Chrysophyllum lujai* De Wild.)
(*Chrysophyllum magalismontanum* Sond.)
(*Chrysophyllum mohorensis* Engl.)
(*Chrysophyllum wilmsii* Engl.)
(*Neoboivinella argyrophylla* (Hiern) Aubrév. & Pellegr.)
(*Neoboivinella wilmsii* (Engl.) Aubrév. & Pellegr.)
(*Pachystela antunesii* (Engl.) Lecomte)
(*Pachystela argyrophylla* (Hiern) Lecomte)
(*Pachystela magalismontana* (Sond.) Lecomte)
(*Pouteria antunesii* (Engl.) Baehni)
(*Pouteria magalismontana* (Sond.) A.Meeuse)
(*Sideroxylon randii* S.Moore)
(*Zeyherella farannensis* (A.Chev.) Aubrév. & Pellegr.)
(*Zeyherella magalismontana* (Sond.) Aubrév. & Pellegr.)

KAUKENIA Kuntze


mochisia (Baker) Kuntze = Manilkara mochia

MANILKARA Adans.

densiflora Dale = M. mochia
densiflora Dale var. *paolii* (Chiov.) Cufod. = M. mochia
macaulayae (Hutch. & Corbishley) H.J.Lam = M. mochia
menyharti (Engl.) H.J.Lam = M. mochia
mochisia (Baker) Dubard GAB K LISC PRE PSUB SRGH 
(*Kaukenia mochia* (Baker) Kuntze)
(*M. densiflora* Dale)
(*M. densiflora* Dale var. *paolii* (Chiov.) Cufod.)
(*M. macaulayae* (Hutch. & Corbishley) H.J.Lam)
(*M. menyhartii* (Engl.) H.J.Lam)
(*M. spiculosa* (Hutch. & Corbishley) H.J.Lam)
(*M. umbraculigera* (Hutch. & Corbishley) H.J.Lam)
(*Mimusops densiflora* Engl. var. *paolii* Chiov.)
(*Mimusops macaulayae* Hutch. & Corbishley)
(*Mimusops menyhartii* Engl.)

(*Mimusops mochia* Baker)
(*Mimusops spiculosa* Hutch. & Corbishley)
(*Mimusops umbraculigera* Hutch. & Corbishley)
spiculosa (Hutch. & Corbishley) H.J.Lam = M. mochia
umbraculigera (Hutch. & Corbishley) H.J.Lam = M. mochia

MIMUSOPS L.

decorifolia S.Moore = M. zeyheri
densiflora Engl. var. *paolii* Chiov. = Manilkara mochia
macaulayae Hutch. & Corbishley = Manilkara mochia
menyharti Engl. = Manilkara mochia
mochisia Baker = Manilkara mochia
monroi S.Moore = M. zeyheri
spiculosa Hutch. & Corbishley = Manilkara mochia
umbraculigera Hutch. & Corbishley = Manilkara mochia
zeyheri Sond. FHO GAB PRE PSUB SRGH UCBG 
(*M. decorifolia* S.Moore)
(*M. monroi* S.Moore)
(*M. zeyheri* Sond. var. *laurifolia* Engl.)
zeyheri Sond. var. *laurifolia* Engl. = M. zeyheri

NEOBOIVINELLA Aubrév. & Pellegr.

argyrophylla (Hiern) Aubrév. & Pellegr. = Englerophytum
magalismontanum
wilmsii (Engl.) Aubrév. & Pellegr. = Englerophytum
magalismontanum

PACHYSTELA Pierre ex Engl.

antunesii (Engl.) Lecomte = Englerophytum magalismontanum
argyrophylla (Hiern) Lecomte = Englerophytum
magalismontanum
magalismontana (Sond.) Lecomte = Englerophytum
magalismontanum

POUTERIA Aubl.

antunesii (Engl.) Baehni = Englerophytum magalismontanum
magalismontana (Sond.) A. Meeuse = Englerophytum
magalismontanum

SIDEROXYLON L.

randii S.Moore = Englerophytum magalismontanum

ZEYHERELLA (Pierre ex Engl.) Aubrév.

farannensis (A.Chev.) Aubrév. & Pellegr. = Englerophytum
magalismontanum
magalismontana (Sond.) Aubrév. & Pellegr. = Englerophytum
magalismontanum

SCROPHULARIACEAE

ALECTRA Thunb.

angustifolia Engl. = A. vogelii
bainesii Hemsl. PRE
barbata (Hiern) Melch. = A. sessiliflora var. sessiliflora
cordata Benth. = A. sessiliflora var. senegalensis
heyntiae (Dinter) Dinter = A. orobanchoides
kirkii Hemsl. = A. orobanchoides

lancifolia Hemsl. ☹

(Melasma indicum Hiern)

melampyroides Benth. = A. sessiliflora var. sessiliflora**orobanchoides** Benth. GAB K PRE PSUB ☹

(A. heyntiae (Dinter) Dinter)

(A. kirkii Hemsl.)

(A. parvifolia (Engl.) Schinz)

(Celsia parvifolia Engl.)

(Melasma orobanchoides (Benth.) Engl.)

parvifolia (Engl.) Schinz = A. orobanchoides**picta** (Hiern) Hemsl. K PRE

(Melasma pictum Hiern)

pseudobarleriae (Dinter) Dinter ?**pumila** Benth. PRE ☹**senegalensis** Benth. = A. sessiliflora var. senegalensis**senegalensis** Benth. var. *minima* A.Chev. = A. sessiliflora var. senegalensis**senegalensis** var. *pallescens* Bonati = A. sessiliflora var. sessiliflora**sessiliflora** (Vahl) Kuntze var. **senegalensis** (Benth.) Hepper SRGH ☹

(A. cordata Benth.)

(A. senegalensis Benth.)

(A. senegalensis Benth. var. minima A.Chev.)

sessiliflora (Vahl) Kuntze var. **sessiliflora** GAB PSUB UCBG ☹

(A. barbata (Hiern) Melch.)

(A. melampyroides Benth.)

(A. senegalensis var. pallescens Bonati)

(Gerardia sessiliflora Vahl)

(Melasma barbatum Hiern)

(Melasma sessiliflorum (Vahl) Hiern)

vogelii Benth. GAB K PRE SRGH ☹

(A. angustifolia Engl.)

AMBULIA Lam.**bangweolensis** R.E.Fr. = Limnophila bangweolensis**ceratophylloides** (Hiern) Engl. & Gilg = Limnophila**ceratophylloides****ANTHEROTHAMNUS** N.E.Br.**pearsonii** N.E.Br. GAB K PRE SRGH UCBG

(A. rigida (L.Bolus) E.Phillips)

(Manuleopsis karasmontana Dinter ex Schinz & Thell.)

(Sutera rigida L.Bolus)

rigida (L.Bolus) E.Phillips = A. pearsonii**ANTICHARIS** Endl.**aschersoniana** Schinz = A. senegalensis**linearis** (Benth.) Hochst. ex Asch. = A. senegalensis**longifolia** Marloth & Engl. = A. senegalensis**senegalensis** (Walp.) Bhandari

(A. aschersoniana Schinz)

(A. linearis (Benth.) Hochst. ex Asch.)

(A. longifolia Marloth & Engl.)

(Doratanthera linearis Benth.)

ANTIRRHINUM L.**fruticans** Thunb. = Nemesia fruticans**APTOSIMUM** Burch. ex Benth.**albomarginatum** Marloth & Engl. GAB K PRE SRGH UCBG**decumbens** Schinz GAB K MO PRE PSUB SRGH**depressum** Burch. ex Benth. = A. procumbens**depressum** Burch. ex Benth. var. **elongatum** Hiern =

A. elongatum

elongatum Engl. GAB K LISC PRE SRGH UCBG

(A. depressum Burch. ex Benth. var. elongatum Hiern)

(A. eriocephalum E.Mey. ex Benth. var. pubescens Diels ex F.E.Weber)

(A. procumbens (Lehm.) Steud. var. elongatum (Hiern) Codd)

(A. pubescens (Diels ex F.E.Weber) F.E.Weber)

eriocephalum E.Mey. ex Benth. var. pubescens Diels ex F.E.Weber = A. elongatum**indivisum** Burch. ex Benth. PRE**juncum** (Hiern) Philcox K PRE SRGH**lineare** Marloth & Engl. GAB K PRE SRGH UCBG

(A. nelsii F.E.Weber)

lugardiae (N.E.Br. ex Hemsl. & Skan) E.Phillips BR GAB K

LISC PRE SRGH UCBG

(Peliostomum leucorrhizum E.Mey. ex Benth. var. linearifolium Schinz ex Kuntze F.E.Weber)

(Peliostomum lugardiae N.E.Br. ex Hemsl. & Skan)

marlothii (Engl.) Hiern K PRE SRGH**nelsii** F.E.Weber = A. lineare**procumbens** (Lehm.) Steud. PRE UCBG

(A. depressum Burch. ex Benth.)

(Ohlendorffia procumbens Lehm.)

procumbens (Lehm.) Steud. var. **elongatum** (Hiern) Codd =

A. elongatum

pubescens (Diels ex F.E.Weber) F.E.Weber = A. elongatum**BACOPA** Aubl.**floribunda** (R.Br.) Wettst. GAB PRE ♦

(B. pubescens (Skan) Hutch. & Dalziel)

(Herpestis floribunda R.Br.)

pubescens (Skan) Hutch. & Dalziel = B. floribunda**BUCHNERA** L.**asiatica** L. = Striga asiatica**aurantiaca** Burch. = Jamesbrittenia aurantiaca**bilabiata** Thunb. = Striga bilabiata var. bilabiata**brevibractealis** Hiern = B. longespicata**browniana** Schinz = B. hispida**gesnerioides** Willd. = Striga gesnerioides**glabrata** Benth. = B. simplex**henriquesii** Engl.

(B. rhodesiana S.Moore)

hispida Buch.-Ham. ex D.Don GAB PRE PSUB

(B. browniana Schinz)

(Striga schimperiana Hochst. ex A.Rich.)

longespicata Schinz GAB PRE SRGH

(B. brevibractealis Hiern)

pinnatifida L.f. = Chascanum pinnatifidum var.

pinnatifidum

randii S.Moore BR GAB K PRE PSUB SRGH ☹**reducta** Hiern PRE

rhodesiana S.Moore = *B. henriquesii*

simplex (Thunb.) Druce PRE

(*B. glabrata* Benth.)

CAPRARIA L.

rigida Thunb. = *Ehretia rigida* subsp. *rigida*

CELSIA L.

parvifolia Engl. = *Alectra orobanchoides*

CHAENOSTOMA Benth.

aurantiacum (Burch.) Thell. = *Jamesbrittenia aurantiaca*

burkeanum (Benth.) Diels = *Jamesbrittenia burkeana*

micranthum (Klotzsch) Engl. = *Jamesbrittenia micrantha*

pedicellatum (Klotzsch) Engl. = *Jamesbrittenia micrantha*

CRATEROSTIGMA Hochst.

plantagineum Hochst. C GAB K PRE PSUB SRGH
UCBG WAG

CREPIDORHOPALON Eb.Fisch.

spicatus (Engl.) Eb.Fisch. GAB K PRE SRGH UCBG
(*Torenia spicata* Engl.)

CYCNIUM E.Mey. ex Benth. emend. Engl.

adonense E.Mey. ex Benth. PRE SRGH
(*C. buchneri* Engl.)

(*C. camporum* Engl.)

buchneri Engl. = *C. adonense*

camporum Engl. = *C. adonense*

filicalyx (E.A.Bruce) O.J.Hansen GAB K PSUB SRGH
(*Rhamphicarpa filicalyx* E.A.Bruce)

tubulosum (L.f.) Engl. subsp. **tubulosum** BR GAB PRE PSUB
SRGH UCBG ♣

(*Gerardia tubulosa* L.f.)

(*Rhamphicarpa tubulosa* (L.f.) Benth.)

DICLIS Benth.

petiolaris Benth. BR GAB K MO PRE PSUB SRGH UCBG

DOPATRIUM Buch.-Ham. ex Benth.

junceum (Roxb.) Buch.-Ham. ex Benth. GAB PRE
(*Gratiola juncea* Roxb.)

DORATANThERA Benth.

linearis Benth. = *Anticharis senegalensis*

FREYLINIA Pangella ex Colla

lanceolata (L.f.) G.Don PRE

GERARDIA Benth.

sessiliflora Vahl = *Alectra sessiliflora* var. *sessiliflora*

tubulosa L.f. = *Cycnium tubulosum* subsp. *tubulosum*

GRATIOLA L.

juncea Roxb. = *Dopatrium junceum*

parviflora Roxb. = *Lindernia parviflora*

HALLERIA L.

lucida L. PRE UCBG ♣

HEBENSTRETIA L.

angolensis Rolfe

(*H. holubii* Rolfe)

holubii Rolfe = *H. angolensis*

integrifolia L. GAB K PRE SRGH UCBG

(*H. watsonii* Rolfe)

watsonii Rolfe = *H. integrifolia*

HERPESTIS C.F.Gaertn.

floribunda R.Br. = *Bacopa floribunda*

HOTTONIA Burm.

indica L. = *Limnophila indica*

ILYSANTHES Raf.

conferta Hiern = *Lindernia conferta*

dubia of many authors not of (L.) Barnhart = *Lindernia parviflora*

parviflora (Roxb.) Benth. = *Lindernia parviflora*

plantaginella S.Moore = *Lindernia conferta*

purpurascens Hutch. = *Lindernia purpurascens*

JAMESBRITTENIA Kuntze

atropurpurea (Benth.) Hilliard subsp. **pubescens** Hilliard

BM GAB K LISC PRE SRGH UCBG

(*Lyperia atropurpurea* Benth.)

(*Sutera atropurpurea* (Benth.) Hiern)

aurantiaca (Burch.) Hilliard GAB K PRE

(*Buchnera aurantiaca* Burch.)

(*Chaenostoma aurantiacum* (Burch.) Thell.)

(*Lyperia multifida* Benth.)

(*Manulea multifida* (Benth.) Kuntze)

(*Sutera aurantiaca* (Burch.) Hiern)

burkeana (Benth.) Hilliard PRE UCBG

(*Chaenostoma burkeanum* (Benth.) Diels)

(*Lyperia burkeana* Benth.)

(*Sutera burkeana* (Benth.) Hiern)

canescens (Benth.) Hilliard var. **canescens** PRE

canescens (Benth.) Hilliard var. **seineri** (Pilg.) Hilliard PRE UCBG

(*Lyperia confusa* Dinter)

(*Lyperia seineri* Pilg.)

concinna (Hiern) Hilliard PRE ♦

(*Sutera concinna* Hiern)

(*Sutera tenuis* Pilg.)

elegantissima (Schinz) Hilliard BR GAB K LISC PRE SRGH

(*Lyperia elegantissima* Schinz)

(*Sutera elegantissima* (Schinz) Skan)

integerrima (Benth.) Hilliard ♦ ?

(*Sutera batlapina* Hiern)

micrantha (Klotzsch) Hilliard GAB K LISC SRGH UCBG

(*Chaenostoma micranthum* (Klotzsch) Engl.)

(*Chaenostoma pedicellatum* (Klotzsch) Engl.)

(*Lyperia micrantha* Klotzsch)

(*Lyperia pedicellata* Klotzsch)

(*Sutera blantyreensis* Skan)

(*Sutera bolusii* Hiern)
(*Sutera fissifolia* S.Moore)
(*Sutera micrantha* Hiern)

LIMNOPHILA R.Br.

bangweolensis (R.E.Fr.) Verdc. BR GAB PRE PSUB ♣
(*Ambulia bangweolensis* R.E.Fr.)
ceratophylloides (Hiern) Skan GAB K PRE PSUB ♣
(*Ambulia ceratophylloides* (Hiern) Engl. & Gilg)
(*Stemodiacra ceratophylloides* Hiern)
gratioloides R.Br. = *L. indica*
indica (L.) Druce GAB PRE PSUB ♣
(*Hottonia indica* L.)
(*L. gratioides* R.Br.)

LIMOSELLA L.

australis R.Br. PRE ♣
(*L. lineata* Glück)
(*L. minuta* Dinter & Suess.)
capensis Thunb. = *L. grandiflora*
grandiflora Benth. GAB PRE UCBG ♣
(*L. capensis* Thunb.)
inflata Hilliard & B.L.Burt PRE
lineata Glück = *L. australis*
maior Diels K SRGH ♣
minuta Dinter & Suess. = *L. australis*

LINARIA Mill.

♣ **bipartita** Willd. GAB

LINDERNIA Ail.

conferta (Hiern) Philcox K ♣
(*Ilysanthes conferta* Hiern)
(*Ilysanthes plantaginella* S.Moore)
parviflora (Roxb.) Haines GAB K PRE ♣
(*Gratiola parviflora* Roxb.)
(*Ilysanthes dubia* of many authors not of (L.) Barnhart)
(*Ilysanthes parviflora* (Roxb.) Benth.)

LYPERIA Benth.

atropurpurea Benth. = *Jamesbrittenia atropurpurea* subsp.
pubescens
burkeana Benth. = *Jamesbrittenia burkeana*
confusa Dinter = *Jamesbrittenia canescens* var. *seineri*
elegantissima Schinz = *Jamesbrittenia elegantissima*
micrantha Klotzsch = *Jamesbrittenia micrantha*
multifida Benth. = *Jamesbrittenia aurantiaca*
pedicellata Klotzsch = *Jamesbrittenia micrantha*
seineri Pilg. = *Jamesbrittenia canescens* var. *seineri*

MACROSIPHON Hochst.

fistulosus Hochst. = *Rhamphicarpa fistulosa*

MANULEA L.

burchellii Hiern PRE
(*M. simpliciflora* Thell.)
conferta Pilg. PRE

multifida (Benth.) Kuntze = *Jamesbrittenia aurantiaca*
simpliciflora Thell. = *M. burchellii*

MANULEOPSIS Thell. ex Schinz

karasmontana Dinter ex Schinz & Thell. = *Antherothamnus*
pearsonii

MELANOSPERMUM Hilliard

foliosum (Benth.) Hilliard PRE UCBG
(*Polycarena discolor* Schinz)
(*Polycarena foliosa* Benth.)
transvaalensis (Hiern) Hilliard GAB K SRGH UCBG
(*Polycarena transvaalensis* Hiern)

MELASMA P.J.Bergius

barbatum Hiern = *Alectra sessiliflora* var. *sessiliflora*
indicum Hiern = *Alectra lancifolia*
orobanchoides (Benth.) Engl. = *Alectra orobanchoides*
pictum Hiern = *Alectra picta*
sessiliflorum (Vahl) Hiern = *Alectra sessiliflora* var. *sessiliflora*

MIMULUS L.

gracilis R.Br. BM GAB K MO PRE PSUB SRGH UCBG ♣

NEMESIA Vent.

fruticans (Thunb.) Benth. UCBG
(*Antirrhinum fruticans* Thunb.)
lilacina N.E.Br. PRE SRGH
(*N. linearis* Vent. var. *denticulata* Kuntze)
linearis Vent. var. *denticulata* Kuntze = *N. lilacina*

NORTENIA Thou.

thouarsii Cham. & Schltdl. = *Torenia thouarsii*

OHELENDORFFIA Lehm.

procumbens Lehm. = *Aptosimum procumbens*

PELIOSTOMUM E.Mey. ex Benth.

leucorrhizum E.Mey. ex Benth. var. *linearifolium* Weber =
Aptosimum lugardiae
lugardiae N.E.Br. = *Aptosimum lugardiae*

POLYCARENA Benth.

discolor Schinz = *Melanospermum foliosum*
foliosa Benth. = *Melanospermum foliosum*
transvaalensis Hiern = *Melanospermum transvaalense*

RAPHIDOPHYLLUM Hochst.

simplex Hochst. = *Sopubia simplex*

RHAMPHICARPA Benth. emend. Engl.

brevipedicellata O.J.Hansen GAB PRE SRGH
filicalyx E.A.Bruce = *Cycnium filicalyx*
fistulosa (Hochst.) Benth. GAB K LISC PRE PSUB SRGH ♣
(*Macrosiphon fistulosus* Hochst.)
tubulosa (L.f.) Benth. = *Cycnium tubulosum*
subsp. *tubulosum*

SELAGO L.

albomarginata Hilliard PRE(S. *alliodora* Dinter ex Engl.)*alliodora* Dinter ex Engl. = S. *albomarginata***angolensis** Rolfe(Walafrida *angolensis* (Rolfe) Rolfe)(Walafrida *chongweensis* Rolfe)**ceciliae** (Rolfe) Eyles PRE*chongweensis* (Rolfe) Torre & Harms = S. *angolensis***densiflora** Rolfe ?(S. *densiflora* Rolfe in part)(Walafrida *densiflora* (Rolfe) Rolfe in part)**dinteri** Rolfe subsp. **dinteri** PRE(Walafrida *dinteri* (Rolfe) Rolfe)(Walafrida *fleckii* Rolfe)**dinteri** Rolfe subsp. **pseudodinteri** Hilliard PRE*hoepfneri* Rolfe in part = S. *welwitschii* var. *welwitschii***kurtdinteri** Hilliard PRE**lacunosa** Klotzsch ?(Walafrida *lacunosa* (Klotzsch) Rolfe)**nachtigalii** Rolfe(Walafrida *nachtigalii* (Rolfe) Rolfe)**paniculata** Thunb.(Walafrida *paniculata* (Thunb.) Rolfe)**saxatilis** E.Mey.(Walafrida *saxatilis* (E.Mey.) Rolfe)**welwitschii** Rolfe var. **australis** Hilliard GAB PRE UCBG**welwitschii** Rolfe var. **holubii** (Rolfe) Brenan GAB K UCBG**welwitschii** Rolfe var. **welwitschii** GAB K LISC PRE

SRGH UCBG

SOPUBIA Buch.-Ham. ex D.Don

dregeana (Benth. ex Hochst.) Benth. var. *tenuifolia* Engl. & Gilg =S. *mannii* var. *tenuifolia***mannii** Skan var. **tenuifolia** (Engl. & Gilg) Hepper BR GAB

K PRE PSUB ☹

(S. *dregeana* Benth. var. *tenuifolia* Engl. & Gilg)(S. *trifida* Buch.-Ham. ex D.Don forma *humilis* Engl.)**simplex** (Hochst.) Hochst.(Raphidophyllum *simplex* Hochst.)*trifida* Buch.-Ham. ex D.Don forma *humilis* Engl. & Gilg =S. *mannii* var. *tenuifolia*

STEMODIACRA P.Browne

ceratophylloides Hiern = *Limnophila ceratophylloides*

STRIGA Lour.

asiatica (L.) Kuntze BR GAB K PRE PSUB SRGH UCBG ☹(Buchnera *asiatica* L.)(S. *lutea* Lour.)**bilabiata** (Thunb.) Kuntze var. **bilabiata** C GAB K PRE PSUB

SRGH UCBG UPS ☹

(Buchnera *bilabiata* Thunb.)(S. *thunbergii* Benth.)*chloroleuca* Dinter = S. *gesnerioides***elegans** Benth. GAB K PRE PSUB SRGH ☹**forbesii** Benth. GAB K PRE PSUB ☹**gesnerioides** (Willd.) Vatke ex Engl. C GAB K PRE PSUB

SRGH UCBG ☹☹

(Buchnera *gesnerioides* Willd.)(S. *chloroleuca* Dinter)(S. *orobanchoides* (R.Br.) Benth.)*lutea* Lour. = S. *asiatica**orobanchoides* (R.Br.) Benth. = S. *gesnerioides**schimperiana* Hochst. ex A.Rich. = *Buchnera hispida**thunbergii* Benth. = S. *bilabiata* var. *bilabiata*

SUTERA Roth

atropurpurea (Benth.) Hiern = *Jamesbrittenia atropurpurea*subsp. *pubescens**aurantiaca* (Burch.) Hiern = *Jamesbrittenia aurantiaca**batlapina* Hiern = *Jamesbrittenia integerrima**blantyrensis* Skan = *Jamesbrittenia micrantha**bolusii* Hiern = *Jamesbrittenia micrantha**burkeana* (Benth.) Hiern = *Jamesbrittenia burkeana**concinna* Hiern = *Jamesbrittenia concinna**elegantissima* (Schinz) Skan = *Jamesbrittenia elegantissima**fissifolia* S.Moore = *Jamesbrittenia micrantha***levis** Hiern GAB K PRE(S. *palustris* Hiern)*micrantha* Hiern = *Jamesbrittenia micrantha**palustris* Hiern = S. *levis**rigida* L.Bolus = *Antherothamnus pearsonii**tenuis* Pilg. = *Jamesbrittenia concinna*

TORENIA L.

parviflora Buch.-Ham. ex Benth. = T. *thouarsii**spicata* Engl. = *Crepidiorhopalon spicatus***thouarsii** (Cham. & Schltdl.) Kuntze BR GAB K PRE PSUB

SRGH ♠

(Nortenia *thouarsii* Cham. & Schltdl.)(T. *parviflora* Buch.-Ham. ex Benth.)

WALAFRIDA E.Mey.

angolensis (Rolfe) Rolfe = *Selago angolensis**chongweensis* Rolfe = *Selago angolensis**densiflora* (Rolfe) Rolfe in part = *Selago densiflora**dinteri* (Rolfe) Rolfe = *Selago dinteri* subsp. *dinteri**fleckii* Rolfe = *Selago dinteri* subsp. *dinteri**lacunosa* (Klotzsch) Rolfe = *Selago lacunosa**nachtigalii* (Rolfe) Rolfe = *Selago nachtigalii**paniculata* (Thunb.) Rolfe = *Selago paniculata**saxatilis* (E.Mey.) Rolfe = *Selago saxatilis*

SOLANACEAE

BRUGMANSIA Pers.

* **aurea** (Lagerh.) Saff. PRE

DATURA L.

* **ferox** L. GAB PRE UCBG ☹* **inoxia** Mill. subsp. **inoxia** GAB PRE PSUB UCBG ☹(D. *meteloides* Dunal)*meteloides* Dunal = D. *inoxia* subsp. *inoxia*

***stramonium** L. GAB PRE PSUB UCBG ☹

(*D. tatula* L.)

tatula L. = *D. stramonium*

LYCIUM L.

albiflorum Dammer = L. shawii

arenicola Miers

austrinum Miers = L. oxycarpum

bosciifolium Schinz GAB PRE UCBG

(*L. dunaloides* Dammer)

(*L. emarginatum* Dammer)

(*L. namaquense* Dammer)

(*L. pauciflorum* Dammer)

(*L. schaeferi* Dammer)

(*L. squarrosum* Dammer)

caespitosum Dinter & Dammer = L. cinereum

cinereum Thunb. GAB PRE PSUB UCBG

(*L. caespitosum* Dinter & Dammer)

(*L. roridum* Miers)

dunaloides Dammer = L. bosciifolium

echinatum Dunal = L. horridum

emarginatum Dammer = L. bosciifolium

glandulosissimum Schinz = L. pilifolium

hirsutum Dunal PRE

(*L. pilosum* Dammer)

horridum Thunb. PRE

(*L. echinatum* Dunal)

(*L. kraussii* Dunal)

(*L. leptacanthum* C.H.Wright)

(*L. minutiflorum* Dammer)

(*L. omahekense* Dammer)

(*L. oxycladum* Miers)

kraussii Dunal = L. horridum

leptacanthum C.H.Wright = L. horridum

minutiflorum Dammer = L. horridum

namaquense Dammer = L. bosciifolium

omahekense Dammer = L. horridum

ovinum Dammer = L. shawii

oxycarpum Dunal PSUB

(*L. austrinum* Miers)

oxycladum Miers = L. horridum

pauciflorum Dammer = L. bosciifolium

pilosum Dammer = L. hirsutum

roridum Miers = L. cinereum

schaeferi Dammer = L. bosciifolium

schizocalyx C.H.Wright PRE

shawii Roem. & Schult. PRE

(*L. albiflorum* Dammer)

(*L. ovinum* Dammer)

squarrosum Dammer = L. bosciifolium

villosum Schinz PRE

NICOTIANA L.

***glauca** Graham GAB PRE UCBG ☹

PHYSALIS L.

***angulata** L. PRE PSUB

somnifera L. = *Withania somnifera*

SOLANDRA Sw.

lobata Murray = *Hibiscus lobatus*

SOLANUM L.

aculeatissimum Jacq. PRE

***americanum** Mill. PRE PSUB

(*S. nodiflorum* Jacq.)

aranoideum Dammer = *S. supinum* var. *supinum*

catombelense Peyr. PRE PSUB

(*S. rautanenii* Schinz)

(*S. sparsiflorum* Dammer)

chondropetalum Dammer = *S. tettense* var. *renschii*

coccineum Jacq. = *S. tomentosum* var. *coccineum*

delagoense Dunal GAB PRE PSUB UCBG

(*S. omahekense* Dammer)

(*S. omitiorense* Dammer)

incanum of authors not of L. = *S. lichtensteinii*

kwebense N.E.Br. ex C.H.Wright = *S. tettense* var. *renschii*

lichtensteinii Willd.

(*S. incanum* of authors not of L.)

luederitzii Schinz = *S. tettense* var. *renschii*

lyratifolium Dammer = *S. supinum* var. *supinum*

***nigrum** L. GAB PRE PSUB UCBG

nodiflorum Jacq. = *S. americanum*

omahekense Dammer = *S. delagoense*

omitiorense Dammer = *S. delagoense*

panduriforme E.Mey. GAB PRE PSUB UCBG

rautanenii Schinz = *S. catombelense*

renschii Vatke = *S. tettense* var. *renschii*

retroflexum Dunal PRE

***seafortianum** Andrews var. **disjunctum** O.E.Schulz PRE UCBG ☹

sparsiflorum Dammer = *S. catombelense*

supinum Dunal var. **supinum** GAB PRE UCBG

(*S. aranoideum* Dammer)

(*S. lyratifolium* Dammer)

tenuiramosum Dammer = *S. tettense* var. *renschii*

tettense Klotzsch var. **renschii** (Vatke) A.E.Gonç. PRE PSUB UCBG

(*S. chondropetalum* Dammer)

(*S. kwebense* N.E.Br. ex C.H.Wright)

(*S. luederitzii* Schinz)

(*S. renschii* Vatke)

(*S. tenuiramosum* Dammer)

(*S. upingtoniae* Schinz)

tettense Klotzsch var. **tettense** PRE

upingtoniae Schinz = *S. tettensis* var. *renschii*

WITHANIA Pauquy

microphyalis Suess. = *W. somnifera*

***somnifera** (L.) Dunal GAB PRE UCBG

(*Physalis somnifera* L.)

(*W. microphyalis* Suess.)

SPHENOCLEACEAE

SPHENOCLEA Gaertn.

zeylanica Gaertn. GAB K PRE

STERCULIACEAE

DOMBEYA Cav.

- damarana* K.Schum. = *D. rotundifolia* var. *rotundifolia*
densiflora Planch. ex Harv. = *D. rotundifolia* var. *rotundifolia*
dinteri Schinz = *D. rotundifolia* var. *rotundifolia*
rotundifolia (Hochst.) Planch. var. **rotundifolia** BM GAB K
 PRE PSUB SRGH UCBG 🌿
 (*D. damarana* K.Schum.)
 (*D. densiflora* Planch. ex Harv.)
 (*D. dinteri* Schinz)
 (*Xeropetalum rotundifolium* Hochst.)
rotundifolia (Hochst.) Planch. var. **velutina** I.Verd. PRE 🌿

HERMANNIA L.

- abyssinica* (Harv.) K.Schum. = *H. stellulata*
adenotricha K.Schum. = *H. stellulata*
angolensis K.Schum. = *H. eenii*
arabica Hochst. & Steud. ex Fisch. = *H. modesta*
boraginiflora Hook. BM GAB PRE PSUB UCBG
brachypetala Harv. = *H. tomentosa*
brandtii Engl. ex Dinter = *H. eenii*
burchellii (Sweet) I.Verd. PRE
burkei Burtt Davy GAB PRE UCBG
comosa Burch. ex DC. BOL PRE SRGH
cyclophylla K.Schum. = *H. glanduligera*
damarana Baker f. PRE SRGH
 (*H. lindquistii* Engl.)

eenii Baker f. GAB K PRE PSUB SRGH UCBG

- (*H. angolensis* K.Schum.)
 (*H. brandtii* Engl. ex Dinter)
 (*H. seineri* Engl. var. *latifolia* Engl.)

engleri Schinz PRE**erodioides** (Burch. ex DC.) Kuntze GAB PRE SRGH

- (*H. resedifolia* (Burch.) R.A.Dyer)
 (*Mahernia erodioides* Burch. ex DC.)

exilis Burtt Davy = *H. stellulata**filipes* Harv. = *H. modesta**geminiflora* Dinter & Engl. = *H. stellulata***glanduligera** K.Schum. GAB K PRE PSUB

- (*H. cyclophylla* K.Schum.)
 (*H. inamoena* K.Schum.)
 (*H. nyasica* Baker)

guerkeana K.Schum. GAB K PRE PSUB SRGH UCBG**helianthemum** K.Schum. GAB K*holubii* Burtt Davy = *H. modesta**inamoena* K.Schum. = *H. glanduligera**kirkii* Mast. = *H. modesta**lindquistii* Engl. = *H. damarana***linnaeoides** (Burch.) K.Schum. PRE

- (*Mahernia linnaeoides* Burch.)

longiramosa Engl. = *H. tomentosa**lugardii* N.E.Br. = *H. modesta***modesta** (Ehrenb.) Mast. BM GAB K PRE PSUB SRGH UCBG

- (*H. arabica* Hochst. & Steud. ex Fisch.)
 (*H. filipes* Harv.)
 (*H. holubii* Burtt Davy)

(H. kirkii Mast.)

(H. lugardii N.E.Br.)

nyasica Baker = *H. glanduligera***parvula** Burtt Davy GAB PRE SRGH UCBG**procumbens** Cav. subsp. **myrrhifolia** (Thunb.) De Winter PRE**quartiniana** A.Rich. PRE**rautanenii** Schinz ex K.Schum. PRE*resedifolia* (Burch.) R.A.Dyer = *H. erodioides**schinzii* K.Schum. = *H. stellulata**seineri* Engl. PRE*seineri* Engl. var. *latifolia* Engl. = *H. eenii**sinuata* Burtt Davy = *H. stellulata***stellulata** (Harv.) K.Schum. GAB K PRE UCBG

- (*H. abyssinica* (Harv.) K.Schum.)

- (*H. adenotricha* K.Schum.)

- (*H. exilis* Burtt Davy)

- (*H. geminiflora* Dinter & Engl.)

- (*H. quartiniana* A.Rich. subsp. *stellulata* (K.Schum.)
 De Winter)

- (*H. schinzii* K.Schum.)

- (*H. sinuata* Burtt Davy)

- (*Mahernia abyssinica* Hochst. ex Harv.)

- (*Mahernia stellulata* Harv.)

tomentosa (Turcz.) Schinz ex Engl. BM GAB K PRE SRGH UCBG

- (*H. brachypetala* Harv.)

- (*H. longiramosa* Engl.)

- (*Mahernia tomentosa* Turcz.)

MAHERNIA L.

abyssinica Hochst. ex Harv. = *Hermannia stellulata**erodioides* Burch. ex DC. = *Hermannia erodioides**linnaeoides* Burch. = *Hermannia linnaeoides**stellulata* Harv. = *Hermannia stellulata**tomentosa* Turcz. = *Hermannia tomentosa*

MELHANIA Forssk.

acuminata Mast. var. **acuminata** BM GAB K PRE
PSUB UCBG**acuminata** Mast. var. **agnosta** (K.Schum.) Wild GAB PRE
PSUB UCBG

- (*M. agnosta* K.Schum.)

agnosta K.Schum. = *M. acuminata* var. *agnosta**albicans* Baker f. = *M. burchellii**bolusii* Burtt Davy = *M. virescens***burchellii** DC. GAB K PRE SRGH UCBG

- (*M. albicans* Baker f.)

damarana Harv. PRE**didyma** Eckl. & Zeyh. PRE**forbesii** Planch. ex Mast. K PRE PSUB SRGH

- (*M. serrulata* R.E.Fr.)

griquensis Bolus in part = *M. rehmannii**griquensis* Bolus in part = *M. virescens***prostrata** DC. K SRGH UCBG**rehmannii** Szyzysl. BM GAB K PRE PSUB SRGH UCBG

- (*M. griquensis* Bolus in part)

- (*M. rupestris* Schinz)

rupestris Schinz = *M. rehmannii*

- serrulata* R.E.Fr. = *M. forbesii*
virescens (K.Schum.) K.Schum. GAB K PRE PSUB SRGH
(*M. bolusii* Burt Davy)
(*M. griquensis* Bolus in part)

MELOCHIA L.

- corchorifolia* L. GAB K PRE PSUB SRGH UCBG

STERCULIA L.

- africana* (Lour.) Fiori var. *africana* GAB K PRE PSUB SRGH UCBG 🌳
(*S. guerichii* K.Schum.)
(*S. triphaca* R.Br.)
(*Triphaca africana* Lour.)
guerichii K.Schum. = *S. africana* var. *africana*
rogersii N.E.Br. FHO GAB PRE UCBG 🌳
triphaca R.Br = *S. africana* var. *africana*

TRIPHACA Lour.

- africana* Lour. = *Sterculia africana* var. *africana*

WALTHERIA L.

- americana* L. = *W. indica*
americana L. var. *indica* (L.) K.Schum. = *W. indica*
americana L. var. *subspicata* K.Schum. = *W. indica*
indica L. GAB K PRE PSUB SRGH UCBG
(*W. americana* L.)
(*W. americana* L. var. *indica* (L.) K.Schum.)
(*W. americana* L. var. *subspicata* K.Schum.)

XEROPETALUM Delile

- rotundifolium* Hochst. = *Dombeya rotundifolia* var. *rotundifolia*

STRYCHNACEAE

STRYCHNOS L.

- cocculoides* Baker FHO GAB PRE PSUB UCBG 🌳
innocua Delile subsp. *dysophylla* (Benth.) I.Verd. =
S. madagascariensis
madagascariensis Poir. BM F GAB K PRE PSUB UCBG 🌳
(*S. innocua* Delile subsp. *dysophylla* (Benth.) I.Verd.)
potatorum L.f. K PRE SRGH 🌳
(*S. stuhlmannii* Gilg)
pungens Soler. K GAB PRE PSUB UCBG WAG 🌳
spinosa Lam. PRE PSUB UCBG 🌳
stuhlmannii Gilg = *S. potatorum*
usambarensis Gilg UCBG 🌳

THYMELAEACEAE

ARTHROSOLEN C.A.Mey.

- polycephalus* C.A.Mey. = *Gnidia polycephala*
sericocephalus Meisn. = *Gnidia sericocephala*

GNIDIA L.

- burchellii* (Meisn.) Gilg GAB PRE UCBG
(*Lasiosiphon burchellii* Meisn.)
capitata L.f. GAB PRE UCBG

- (*Lasiosiphon capitatus* (L.f.) Burt Davy)
(*Lasiosiphon linifolius* Decne.)
hoepfneriana Gilg = *G. kraussiana* var. *kraussiana*
insignis Compton PRE
kraussiana Meisn. var. *kraussiana* GAB PRE
(*G. hoepfneriana* Gilg)
(*Lasiosiphon hoepfnerianus* Vatke ex Gilg)
(*Lasiosiphon kraussii* Meisn.)
microcephala Meisn. PRE
polycephala (C.A.Mey.) Gilg GAB PRE PSUB UCBG
(*Arthrosolen polycephalus* C.A.Mey.)
sericocephala (Meisn.) Gilg ex Engl. GAB PRE
(*Arthrosolen sericocephalus* Meisn.)

LASIOSIPHON Fres.

- burchellii* Meisn. = *Gnidia burchellii*
capitatus (L.f.) Burt Davy = *Gnidia capitata*
hoepfnerianus Vatke ex Gilg = *Gnidia kraussiana* var. *kraussiana*
kraussii Meisn. = *Gnidia kraussiana* var. *kraussiana*
linifolius Decne. = *Gnidia capitata*

TILIACEAE

CHADARA Forssk.

- tenax* Forssk = *Grewia tenax* var. *tenax*

CORCHORUS L.

- asplenifolius* Burch. BM GAB K PRE PSUB SRGH UCBG
(*C. serrifolius* Burch.)
confusus Wild PRE SRGH UCBG
kirkii N.E.Br. GAB K PRE PSUB SRGH UCBG
(*C. pongolensis* Burt Davy & Greenway)
longipedunculatus Mast. PRE UCBG
**olitorius* L. var. *olitorius* GAB PRE PSUB SRGH
pinnatipartitus Wild PRE SRGH
pongolensis Burt Davy & Greenway = *C. kirkii*
psammophilus Codd GAB PRE
schimperi Cufod. PRE SRGH
serrifolius Burch. = *C. asplenifolius*
**tridens* L. GAB K PRE PSUB SRGH
**trilocularis* L. GAB PRE SRGH

GREWIA L.

- albiflora* K.Schum. = *G. praecox*
avellana Hiern BM GAB K PRE PSUB SRGH UCBG 🌳
(*G. calycina* N.E.Br.)
bicolor Juss. var. *bicolor* GAB K PRE PSUB SRGH UCBG 🌳
(*G. disticha* Dinter & Burret)
(*G. kwebensis* N.E.Br.)
(*G. miniata* Mast. ex Hiern)
caffra Meisn. PSUB
(*G. fruticetorum* J.R.Drummond ex Baker f.)
calycina N.E.Br. = *G. avellana*
cana Sond. = *G. flava*
congesta Weim. = *G. praecox*
cordata N.E.Br. = *G. monticola*
cyclopetala Wawra SRGH

deserticola Ulbr. = *G. retinervis*
discolor Harv. = *G. monticola*
disticha Dinter & Burret = *G. bicolor* var. *bicolor*
falcistipula K.Schum. GAB PRE PSUB SRGH
flava DC. GAB K PRE PSUB SRGH UCBG 🌿
 (*G. cana* Sond.)
 (*G. hermannioides* Harv.)
flavescens Juss. var. **flavescens** BM GAB K PRE PSUB UCBG 🌿
flavescens Juss. var. **olukondae** (Schinz) Wild GAB K PRE PSUB UCBG 🌿
 (*G. olukondae* Schinz)
fruticetorum J.R.Drummond ex Baker f. = *G. caffra*
hermannioides Harv. = *G. flava*
hexamita Burret 🌿 ?
 (*G. messinica* Burtt Davy & Greenway)
 (*G. schweickerdtii* Burret)
inaequilatera Garcke PRE PSUB 🌿
kwebensis N.E.Br. = *G. bicolor* var. *bicolor*
messinica Burtt Davy & Greenway = *G. hexamita*
miniata Mast. ex Hiern = *G. bicolor* var. *bicolor*
monticola Sond. BM K PRE PSUB SRGH UCBG 🌿
 (*G. cordata* N.E.Br.)
 (*G. discolor* Harv.)
olukondae Schinz
 (*G. flavescens* Juss. var. *olukondae* (Schinz) Wild)
pachycalyx K.Schum. PRE PSUB 🌿
populifolia Vahl = *G. tenax* var. *tenax*
praecox K.Schum. PRE
 (*G. albiflora* K.Schum.)
 (*G. congesta* Weim.)
retinervis Burret BK GAB K LISC PRE PSUB SRGH UCBG 🌿
 (*G. deserticola* Ulbr.)
schinzii K.Schum. GAB PRE PSUB SRGH UCBG 🌿
 (*G. velutinissima* Dunkley)
schweickerdtii Burret = *G. hexamita*
subspathulata N.E.Br. GAB K PRE PSUB SRGH UCBG 🌿
tenax (Forssk.) Fiori var. **tenax** GAB PRE PSUB SRGH UCBG 🌿
 (*Chadara tenax* Forssk.)
 (*G. populifolia* Vahl)
velutinissima Dunkley = *G. schinzii*
villosa Willd. var. **villosa** GAB K PRE UCBG 🌿
woodiana K.Schum. 🌿
 (*G. micrantha* Bojer)

TRIUMFETTA L.

annua L. forma **annua** PRE PSUB SRGH
dekindtiana Engl. ?
pentandra A.Rich. var. **pentandra** GAB K PRE PSUB SRGH UCBG
rhomboidea Jacq. var. **rhomboidea** PRE SRGH
tomentosa Bojer SRGH

TRAPACEAE

TRAPA L.

bispinosa Roxb. = *T. natans* var. *bispinosa*

natans L. var. **bispinosa** (Roxb.) Makino GAB K PRE PSUB SRGH UCBG 🌿
 (*T. bispinosa* Roxb.)

TURNERACEAE

STREPTOPETALUM Hochst.

serratum Hochst. BR K LISC PRE SRGH

TRICLICERAS Thonn. ex DC.

glanduliferum (Klotzsch) R.Fern. GAB PRE PSUB SRGH UCBG
 (*Wormskioldia glandulifera* Klotzsch)

lobatum (Urb.) R.Fern. GAB PRE PSUB
 (*Wormskioldia lobata* Urb.)

longepedunculatum (Mast.) R.Fern. var. **longepedunculatum** BR GAB PRE PSUB SRGH UCBG
 (*Wormskioldia longepedunculata* Mast.)

schinzii (Urb.) R.Fern. subsp. **schinzii** var. **juttae** (Dinter & Urb.) R.Fern. GAB PRE SRGH UCBG
 (*Wormskioldia schinzii* Urb.)

WORMSKIOLDIA Schumach. & Thonn.

glandulifera Klotzsch = *Tricliceras glanduliferum*
lobata Urb. = *Tricliceras lobatum*
longepedunculata Mast. = *Tricliceras longepedunculatum* var. *longepedunculatum*
schinzii Urb. = *Tricliceras schinzii* subsp. *schinzii* var. *juttae*

ULMACEAE

(The local representatives are now placed in
 Celtidaceae or Cannabaceae)

CELTIS L.

africana Burm.f. BM GAB PRE SRGH UCBG 🌿
 (*C. kraussiana* Bernh.)
kraussiana Bernh. = *C. africana*

CHAETACME Planch.

aristata E.Mey. ex Planch. PRE SRGH UCBG 🌿

URTICACEAE

OBETIA Gaudich.

tenax (N.E.Br.) Friis BM C GAB K PRE SRGH UCBG 🌿🌿
 (*Urera tenax* N.E.Br.)

POUZOLZIA Gaudich.

mixta Solms C GAB K PRE PSUB SRGH UCBG UPS WAG 🌿🌿

URERA Gaudich.

tenax N.E.Br. = *Obetia tenax*

VAHLIACEAE

BISTELLA Adans.

digyna (Retz.) Bullock = *Vahlia digyna*

VAHLIA Thunb.

capensis (L.f.) Thunb. subsp. **vulgaris** Bridson var. **linearis**

E.Mey. ex Bridson PRE PSUB UCBG

(*V. cynodonteti* Dinter)

capensis (L.f.) Thunb. subsp. **vulgaris** Bridson var. **vulgaris**

GAB K LISC PRE SRGH UCBG

cynodonteti Dinter = *V. capensis* subsp. *vulgaris* var. *linearis* K PRE SRGH

digyna (Retz.) Kuntze K LISC PRE SRGH UCBG

(*Bistella digyna* (Retz.) Bullock)

(*Oldenlandia decumbens* Spreng.)

(*Oldenlandia digyna* Retz.)

(*V. menyharthii* Schinz)

(*V. ramosissima* DC.)

(*V. sessiliflora* DC.)

(*V. viscosa* Roxb.)

menyharthii Schinz = *V. digyna*

ramosissima DC. = *V. digyna*

sessiliflora DC. = *V. digyna*

viscosa Roxb. = *V. digyna*

VERBENACEAE

BOUCHEA Cham.

adenostachya Schauer = *Chascanum adenostachyum*

hederacea Sond. = *Chascanum hederaceum* var. *hederaceum*

incisa H.Pearson = *Chascanum incisum*

CHASCANUM E.Mey.

adenostachyum (Schauer) Moldenke PRE

(*Bouchea adenostachya* Schauer)

(*Plexipus adenostachyus* (Schauer) R.Fern.)

hederaceum (Sond.) Moldenke var. **hederaceum** PRE UCBG

(*Bouchea hederacea* Sond.)

(*Plexipus hederaceus* (Sond.) R.Fern. var. *hederaceus*)

incisum (H.Pearson) Moldenke PRE

(*Bouchea incisa* H.Pearson)

(*Plexipus incisus* (H.Pearson) R.Fern.)

incisum (H.Pearson) Moldenke var. *canescens* Moldenke =

C. pumilum

lignosum Dinter ex Moldenke = *C. pumilum*

pinnatifidum (L.f.) E.Mey. var. **pinnatifidum** GAB PRE

PSUB UCBG

(*Buchnera pinnatifida* L.f.)

(*Plexipus pinnatifidus* (L.f.) R.Fern. var. *pinnatifidus*)

pumilum E.Mey. GAB PRE UCBG

(*C. incisum* (H.Pearson) Moldenke var. *canescens* Moldenke)

(*C. lignosum* Dinter ex Moldenke)

(*Plexipus pumilus* (E.Mey.) R.Fern.)

CYCLONEMA Hochst.

myricoides Hochst. = *Rothea myricoides*

triphylla Harv. = *Rothea hirsuta*

DURANTA L.

✳ **erecta** L. PRE PSUB UCBG 🌳🍃

(*D. plumieri* Jacq.)

(*D. repens* L.)

plumieri Jacq. = *D. erecta*

repens L. = *D. erecta*

GLANDULARIA J.F.Gmel.

aristigera (S.Moore) Tronc. = *Verbena aristigera*

GMELINA L.

indica Burm.f. = *Flacourtia indica*

KALAHARIA Baill.

uncinata (Schinz) Moldenke = *Rothea uncinata*

LANTANA L.

angolensis Moldenke GAB PRE PSUB UCBG

✳ **camara** L. PRE UCBG 🍃

galpiniana H.Pearson = *Lippia javanica*

mearnsii Moldenke var. **latibracteolata** Moldenke PRE

rugosa Thunb. GAB PRE PSUB UCBG

(*L. salviifolia* Jacq.)

salviifolia Jacq. = *L. rugosa*

✳ **viburnoides** (Forssk.) Vahl GAB UCBG

LIPPIA L.

asperifolia Rich. = *L. javanica*

javanica (Burm.f.) Spreng. GAB PRE UCBG

(*Lantana galpiniana* H.Pearson)

(*L. asperifolia* Rich.)

(*Verbena javanica* Burm.f.)

nodiflora (L.) Michx. = *Phyla nodiflora* var. *nodiflora*

scaberrima Sond. GAB PRE UCBG

PHYLA Lour.

nodiflora (L.) Greene var. **nodiflora** GAB PRE PSUB UCBG

(*Lippia nodiflora* (L.) Michx.)

PLEXIPUS Raf.

adenostachyus (Schauer) R.Fern. = *Chascanum*

adenostachyum

hederaceus (Sond.) R.Fern. var. *hederaceus* = *Chascanum*

hederaceum var. *hederaceum*

incisus (H.Pearson) R.Fern. = *Chascanum incisum*

pinnatifidus (L.f.) R.Fern. var. *pinnatifidus* = *Chascanum*

pinnatifidum var. *pinnatifidum*

pumilus (E.Mey.) R.Fern. = *Chascanum pumilum*

PRIVA Adans.

abyssinica Jaub. & Spach = *P. cordifolia* var. *abyssinica*

africana Moldenke PRE PSUB

cordifolia (L.f.) Druce var. **abyssinica** (Jaub. & Spach)

Moldenke PRE PSUB

(*P. abyssinica* Jaub. & Spach)

cordifolia (L.f.) Druce var. *flabelliformis* Moldenke =

P. flabelliformis (Moldenke) R.Fern.

flabelliformis (Moldenke) R.Fern.

(*P. cordifolia* (L.f.) Druce var. *flabelliformis* Moldenke)

meyeri Jaub. & Spach var. **meyeri** PRE

VERBENA L.

- ***aristigera** S.Moore GAB PRE UCBG
(*Glandularia aristigera* (S.Moore) Tronc.)
(*Verbena tenuisecta* Briq.)
- ***bonariensis** L. GAB PRE UCBG
javanica Burm.f. = *Lippia javanica*
tenuisecta Briq. = *Verbena aristigera*

VIOLACEAE

HYBANTHUS Jacq.

- densifolius** Engl. GAB K PRE PSUB
- ***enneaspermus** (L.) F.Muell. var. **enneaspermus** PRE
- ***enneaspermus** (L.) F.Muell. var. **serratus** Engl. BM PSUB

VISCACEAE

VISCUM L.

- bosciae-foetidae* Dinter = *V. rotundifolium*
- combreticola** Engl. PRE UCBG ♀
- glaucum* Eckl. & Zeyh. = *V. rotundifolium*
- macowanii* Engl. = *V. rotundifolium*
- rotundifolium** L.f. GAB PRE SRGH UCBG ♀
(*V. bosciae-foetidae* Dinter)
(*V. glaucum* Eckl. & Zeyh.)
(*V. macowanii* Engl.)
(*V. thymifolium* C.Presl.)
(*V. tricotatum* E.Mey. ex Harv.)
(*V. ziziphi-mucronati* Dinter)
- thymifolium* C.Presl = *V. rotundifolium*
- tricotatum* E.Mey. ex Harv. = *V. rotundifolium*
- verrucosum** Harv. GAB PRE SRGH UCBG ♀
- ziziphi-mucronati* Dinter = *V. rotundifolium*

VITACEAE

AMPELOCISSUS Planch.

- africana** (Lour.) Merr. PRE PSUB UCBG
(*Vitis obtusata* Welw. ex Baker)
- kirkiana* Planch. = *A. obtusata* subsp. *kirkiana*
- obtusata** (Welw. ex Baker) Planch. subsp. **kirkiana** (Planch.)
Wild & R.B.Drumm. GAB PRE UCBG
(*A. kirkiana* Planch.)
(*Vitis obtusata* Welw. ex Baker)

CISSUS L.

- buchananii* Planch. = *Cyphostemma buchananii*
- cornifolia** (Baker) Planch. GAB PRE SRGH UCBG
(*Cissus lonicerifolia* C.A.Sm.)
(*Vitis cornifolia* Baker)
- cuneifolia* Eckl. & Zeyh. = *Rhoicissus tridentata* subsp. *cuneifolia*
- fleckii* Schinz = *Cyphostemma congestum*
- hereroensis* Schinz = *Cyphostemma hereroense*
- lonicerifolia* C.A.Sm. = *Cyphostemma cornifolia*
- puberula* C.A.Sm. = *Cyphostemma puberulum*
- quadrangularis** L. var. **quadrangularis** PRE UCBG ♀
- rotundifolius** (Forssk.) Vahl PRE ♀

- schlechteri* Gilg & M.Brandt = *Cyphostemma schlechteri*
- unguiformifolius* C.A.Sm. = *Cyphostemma schlechteri*

CYPHOSTEMMA (Planch.) Alston

- buchananii** (Planch.) Desc. ex Wild & R.B.Drumm. BM PRE
(*Cissus buchananii* Planch.)
- cirrhosum** (Thunb.) Desc. ex Wild & R.B.Drumm. subsp.
transvaalense (Szyszyl.) C.A.Sm. GAB K PRE PSUB UCBG ♀
- congestum** (Baker) Desc. ex Wild & R.B.Drumm. GAB PRE
PSUB SRGH ♀
(*Cissus fleckii* Schinz)
(*C. fleckii* (Schinz) Desc.)
(*Vitis congesta* Baker)
- fleckii* (Schinz) Desc. = *C. congestum*
- hereroense** (Schinz) Desc. ex Wild & R.B.Drumm. CAH K
PRE PSUB SRGH
(*Cissus hereroensis* Schinz)
- lanigerum** (Harv.) Desc. ex Wild & R.B.Drumm. UCBG
- omburense** (Gilg & M.Brandt) Desc. PRE
- puberulum** (C.A.Sm.) Wild & R.B.Drumm. GAB K PRE
(*Cissus puberula* C.A.Sm.)
- schlechteri** (Gilg & M.Brandt) Desc. ex Wild & R.B.Drumm.
GAB PRE UCBG ♀
(*Cissus schlechteri* Gilg & M.Brandt)
(*Cissus unguiformifolius* C.A.Sm.)
- sulcatum** (C.A.Sm.) J.J.van der Merwe UCBG

RHOICISSUS Planch.

- revoilii** Planch. UCBG
- tridentata** (L.f.) Wild & R.B.Drumm. subsp. *cuneifolia*
(Eckl. & Zeyh.) Urton GAB PRE PSUB UCBG ♀
(*Cissus cuneifolia* Eckl. & Zeyh.)
- tridentata** (L.f.) Wild & R.B.Drumm. subsp. **tridentata** PRE ♀

VITIS L.

- congesta* Baker = *Cyphostemma congestum*
- cornifolia* Baker = *Cissus cornifolia*
- obtusata* Welw. ex Baker = *Ampelocissus obtusata* subsp. *kirkiana*

ZYGOPHYLLACEAE

FAGONIA L.

- isotricha** Murb. var. **isotricha** PRE
- sinaica** Boiss. var. **minutistipula** (Engl.) Hadidi PRE UCBG
(*F. minutistipula* Engl.)
- minutistipula* Engl. = *F. sinaica* var. *minutistipula*

TRIBULUS L.

- excrucians** Wawra PRE
- terrestris** L. var. **terrestris** BM GAB K PRE PSUB SRGH UCBG
- zeyheri** Sond. subsp. **zeyheri** BM GAB PRE PSUB SRGH UCBG

ZYGOPHYLLUM L.

- leucocladum** Diels PRE ♀
- pubescens** Schinz BM GAB PRE SRGH UCBG ♀
- simplex** L. GAB PRE PSUB ♀
- tenuis** P.E.Glover PRE ♀

MONOCOTYLEDONS

AGAVACEAE

AGAVE L.

altissima Zumagl. = *A. americana* subsp. *americana* var. *americana*

**americana* L. subsp. *americana* var. *americana* ♀ ?

(*A. altissima* Zumagl.)

(*A. complicata* Trel. ex Ochot.)

(*A. felina* Trel.)

(*A. gracilispina* (Rol.-Goss.) Engelm. ex Trel.)

(*A. melliflua* Trel.)

(*A. rasconensis* Trel.)

(*A. salmiana* Otto ex Salm-Dyck var. *gracilispina* Rol.-Goss.)

(*A. subzonata* Trel.)

(*A. vera-cruz* J.R.Drumm. & Prain)

(*A. zonata* Trel.)

complicata Trel. ex Ochot. = *A. americana* subsp. *americana* var. *americana*

felina Trel. = *A. americana* subsp. *americana* var. *americana*

gracilispina (Rol.-Goss.) Engelm. ex Trel. = *A. americana* subsp. *americana* var. *americana*

melliflua Trel. = *A. americana* subsp. *americana* var. *americana*

rasconensis Trel. = *A. americana* subsp. *americana* var. *americana*

salmiana Otto ex Salm-Dyck var. *gracilispina* Rol.-Goss. = *A. americana* subsp. *americana* var. *americana*

**sisalina* Perrine ♀ ?

subzonata Trel. = *A. americana* subsp. *americana* var. *americana*

vera-cruz J.R.Drumm. & Prain = *A. americana* subsp. *americana* var. *americana*

zonata Trel. = *A. americana* subsp. *americana* var. *americana*

ALISMATACEAE

ALISMA L.

**plantago-aquatica* L. PSUB ♀

BURNATIA Micheli

enneandra Micheli PRE PSUB ♀

CALDESIA Parl.

**parnassifolia* (Bassi) Parl. GAB PSUB

reniformis (D.Don) Makino PRE PSUB ♀

LIMNOPHYTON Miq.

angolense Buchenau PRE PSUB ♀

obtusifolium (L.) Miq. PRE PSUB ♀

WIESNERIA Micheli

schweinfurthii Hook.f. GAB PRE UCBG ♀

ALLIACEAE

TULBAGHIA L.

acutiloba Harv. GAB PRE UCBG

campanulata N.E.Br. = *T. cernua*

cernua Avé-Lall. PRE UCBG

(*T. campanulata* N.E.Br.)

leucantha Baker GAB UCBG

AMARYLLIDACEAE

AMMOCHARIS Herb.

coranica (Ker Gawl.) Herb. GAB PRE UCBG

tinneana (Kotschy & Peyr.) Milne-Redh. & Schweick. PRE PSUB UCBG

BOOPHONE Herb.

disticha (L.f.) Herb. GAB PRE PSUB UCBG

(*B. longepedicellata* Pax)

longepedicellata Pax = *B. disticha*

BRUNSVIGIA Heist.

radulosa Herb. GAB PRE

CHAPMANOLIRION Dinter

juttae Dinter = *Pancratium tenuifolium*

CRINUM L.

buphanoides Welw. ex Baker PRE

carolo-schmidtii Dinter PRE PSUB UCBG

crassicaule Baker GAB PRE PSUB

(*C. foetidum* I.Verd.)

crispum E.Phillips = *C. lugardiae*

delagoense I.Verd. = *C. stuhlmannii*

euchrophyllum I.Verd. GAB PSUB

foetidum I.Verd. = *C. crassicaule*

harmsii Baker ?

lugardiae N.E.Br. PRE PSUB UCBG

(*C. crispum* E.Phillips)

(*C. polyphyllum* Baker)

macowanii Baker PRE

minimum Milne-Redh. PRE

paludosum I.Verd. PRE ♀

polyphyllum Baker = *C. lugardiae*

rautanenianum Schinz GAB PRE PSUB

stuhlmannii Baker PRE

(*C. delagoense* I.Verd.)

GETHYLLIS L.

transkarooica D.Müll.-Doblies PRE

HAEMANTHUS L.

humilis Jacq. subsp. *humilis* PRE

montanus Baker PRE

multiflorus Martyn = *Scadoxus m* ultiflorus subsp. *multiflorus*

sacculus E.Phillips = *Scadoxus multiflorus* subsp. *multiflorus*

NERINE Herb.

duparquetiana Baker = *N. laticoma*

falcata W.F.Barker = *N. laticoma*

gaberonensis Bremek. & Oberm. PRE

laticoma (Ker Gawl.) T.Durand & Schinz GAB PRE UCBG

(*N. duparquetiana* Baker)

(*N. falcata* W.F.Barker)

(*N. lucida* (Herb.) Herb.)

lucida (Herb.) Herb. = *N. laticoma*

PANCRATIUM L.

chapmannii Harv. = *P. tenuifolium*

tenuifolium Hochst. ex A.Rich. GAB PRE UCBG

(*Chapmanolirion juttæ* Dinter)

(*P. chapmannii* Harv.)

SCADOXUS Raf.

multiflorus (Martyn) Raf. subsp. **multiflorus** GAB PRE

PSUB UCBG

(*Haemanthus multiflorus* Martyn)

(*Haemanthus sacculus* E.Phillips)

puniceus (L.) Friis & Nordal UCBG

ANTHERICACEAE

ANTHERICUM L.

amboense Poelln. = *Trachyandra saltii* var. *saltii*

anceps Baker = *Chlorophytum anceps*

angulicaule Baker = *Chlorophytum angulicaule*

aristatum Poelln. = *Trachyandra saltii* var. *saltii*

arvense Schinz = *Trachyandra arvensis*

arvense Schinz var. *rigidum* Suess. = *Trachyandra laxa* var. *rigida*

bakerianum Poelln. = *Chlorophytum galpinii* var. *galpinii*

betschuanicum Poelln. = *Trachyandra saltii* var. *saltii*

brachyphyllum Suess. = *Chlorophytum krauseanum*

brevitepalum Poelln. = *Trachyandra saltii* var. *saltii*

brunneoviride Dinter ex Poelln. = *Trachyandra laxa* var. *laxa*

buchbergense Poelln. = *Trachyandra laxa* var. *laxa*

burkei Baker = *Trachyandra burkei*

cepaefolium Dinter = *Trachyandra saltii* var. *saltii*

conrathii Baker = *Chlorophytum fasciculatum*

crassiusculum Dinter = *Trachyandra saltii* var. *saltii*

delagoense Poelln. = *Chlorophytum galpinii* var. *galpinii*

dinteri Poelln. = *Trachyandra laxa* var. *laxa*

drimiopsis Baker = *Chlorophytum longifolium*

elongatum Willd. var. *holostachyum* Baker = *Trachyandra saltii*

var. *saltii*

erraticum Oberm. = *Trachyandra laxa* var. *rigida*

fasciculatum Baker = *Chlorophytum fasciculatum*

flavoviride Baker = *Trachyandra arvensis*

friesii Weim. = *Chlorophytum sphacelatum* var. *milanjanum*

galpinii Baker = *Chlorophytum galpinii* var. *galpinii*

gilvum K.Krause = *Trachyandra arvensis*

gilvum K.Krause var. *brunneolum* Poelln. = *Trachyandra arvensis*

glutinosum Dinter = *Trachyandra laxa* var. *laxa*

gracilitepalum Poelln. = *Trachyandra saltii* var. *saltii*

hereroense Schinz = *Chlorophytum fasciculatum*

hereroense Schinz var. *longibracteatum* Poelln. =

Chlorophytum fasciculatum

junodii Baker = *Chlorophytum galpinii* var. *galpinii*

kässneri Poelln. = *Trachyandra saltii* var. *saltii*

krauseanum Dinter = *Chlorophytum krauseanum*

kyllingioides K.Krause = *Chlorophytum krauseanum*

lanzae Cufod. = *Trachyandra saltii* var. *saltii*

laxum N.E.Br. = *Trachyandra laxa* var. *laxa*

longistylum Baker = *Chlorophytum recurvifolium*

lunatum Poelln. = *Chlorophytum longifolium*

lydenburgense Poelln. = *Chlorophytum fasciculatum*

micranthum Baker = *Trachyandra saltii* var. *saltii*

milanjanum Rendle = *Chlorophytum sphacelatum* var.

milanjanum

multisetosum Baker = *Chlorophytum angulicaule*

nigrobacteatum Dinter = *Trachyandra laxa* var. *laxa*

oatesii Baker = *Trachyandra saltii* var. *saltii*

otavense Engl. & K.Krause = *Chlorophytum anceps*

pachyrrhizum Dinter = *Trachyandra laxa* var. *laxa*

pallidiflavum Engl. & Gilg = *Trachyandra arvensis*

patulum Baker = *Chlorophytum galpinii* var. *galpinii*

polyphyllum Baker = *Chlorophytum recurvifolium*

princeae Engl. & K.Krause var. *latifolium* Poelln. =

Chlorophytum sphacelatum var. *milanjanum*

pungens Poelln. = *Chlorophytum krauseanum*

rautanenii Schinz = *Chlorophytum anceps*

recurvifolium Baker = *Chlorophytum recurvifolium*

reflexipilosa (Kuntze) Oberm. = *Trachyandra saltii* var. *saltii*

rehmannii Baker = *Chlorophytum galpinii* var. *galpinii*

rigens Poelln. = *Chlorophytum krauseanum*

robustum Baker = *Chlorophytum angulicaule*

rubrovittatum Poelln. = *Chlorophytum angulicaule*

saltii Baker = *Trachyandra saltii* var. *saltii*

saltii Baker var. *oatesii* (Baker) Oberm. = *Trachyandra saltii*

var. *saltii*

saltii Baker var. *secunda* (K.Krause & Dinter) Oberm. =

Trachyandra saltii var. *saltii*

subulatum Baker = *Chlorophytum fasciculatum*

suessenguthii Sölch = *Chlorophytum krauseanum*

whytei Baker = *Chlorophytum sphacelatum* var. *milanjanum*

wilmsii Diels ex Poelln. = *Chlorophytum fasciculatum*

CHLOROPHYTUM Ker Gawl. emend. Nordal

anceps (Baker) Kativu GAB PRE

(*Anthericum anceps* Baker)

(*Anthericum otavense* Engl. & K.Krause)

(*Anthericum rautanenii* Schinz)

angulicaule (Baker) Kativu ?

(*Anthericum angulicaule* Baker)

(*Anthericum multisetosum* Baker)

(*Anthericum robustum* Baker)

(*Anthericum rubrovittatum* Poelln.)

bowkeri Baker ?

- (*C. nigricans* Baker)
(*C. perlongibracteatum* Poelln.)
(*C. stamineum* Zahlbr.)
(*C. strictum* Baker)
(*C. wilmsii* Engl. & K.Krause)
brachystachyum Baker PRE
(*C. trachycarpum* Oberm.)
dolomiticum Dinter = *C. longifolium*
drimiopsis (Baker) Poelln. = *C. longifolium*
fasciculatum (Baker) Kativu GAB PRE UCBG
(*Anthericum conrathii* Baker)
(*Anthericum fasciculatum* Baker)
(*Anthericum hereroense* Schinz var. *longibracteatum* Poelln.)
(*Anthericum hereroense* Schinz)
(*Anthericum lydenburgense* Poelln.)
(*Anthericum subulatum* Baker)
(*Anthericum wilmsii* Diels ex Poelln.)
galpinii (Baker) Kativu var. **galpinii** GAB
(*Anthericum bakerianum* Poelln.)
(*Anthericum delagoense* Poelln.)
(*Anthericum galpinii* Baker)
(*Anthericum junodii* Baker)
(*Anthericum patulum* Baker)
(*Anthericum rehmannii* Baker)
galpinii (Baker) Kativu var. **matabelense** (Baker) Kativu PRE
krauseanum (Dinter) Kativu PRE
(*Anthericum brachyphyllum* Suess.)
(*Anthericum krauseanum* Dinter)
(*Anthericum kyllingioides* K.Krause)
(*Anthericum pungens* Poelln.)
(*Anthericum rigens* Poelln.)
(*Anthericum suessenguthii* Sölch)
longifolium Baker GAB PRE
(*Anthericum drimiopsis* Baker)
(*Anthericum lunatum* Poelln.)
(*C. dolomiticum* Dinter)
(*C. drimiopsis* (Baker) Poelln.)
(*C. papillosum* Rendle)
(*C. pleiophyllum* Poelln.)
(*C. poricolum* Poelln.)
(*C. tsumebensis* Dinter)
(*C. welwitschii* Poelln.)
(*Dasystachys drimiopsis* (Baker) Benth.)
(*Dasystachys falcata* Baker)
(*Dasystachys papillosa* (Rendle) Baker)
nigricans Baker = *C. bowkeri*
papillosum Rendle = *C. longifolium*
pauper Poelln. PRE
perlongibracteatum Poelln. = *C. bowkeri*
pleiophyllum Poelln. = *C. longifolium*
polyphyllum (Baker) Kativu = *C. recurvifolium*
poricolum Poelln. = *C. longifolium*
recurvifolium (Baker) C.Archer & Kativu GAB PRE
(*Anthericum longistylum* Baker)
(*Anthericum polyphyllum* Baker)
(*C. polyphyllum* (Baker) Kativu)

- sphacelatum* (Baker) Kativu subsp. *milanjianum* (Rendle) Kativu
= *C. sphacelatum* var. *milanjianum*
sphacelatum (Baker) Kativu var. **milanjianum** (Rendle) Nordal
GAB PRE
(*Anthericum friesii* Weim.)
(*Anthericum milanjianum* Rendle)
(*Anthericum princeae* Engl. & K.Krause var. *latifolium* Poelln.)
(*Anthericum whytei* Baker)
(*C. sphacelatum* (Baker) Kativu subsp. *milanjianum*
(Rendle) Kativu)
stamineum Zahlbr. = *C. bowkeri*
strictum Baker = *C. bowkeri*
trachycarpum Oberm. = *C. brachystachyum*
tsumebensis Dinter = *C. longifolium*
welwitschii Poelln. = *C. longifolium*
wilmsii Engl. & K.Krause = *C. bowkeri*

- DASYSTACHYS** Baker
drimiopsis (Baker) Benth. = *Chlorophytum longifolium*
falcata Baker = *Chlorophytum longifolium*
papillosa (Rendle) Baker = *Chlorophytum longifolium*

.....
APONOGETONACEAE
.....

- APONOGETON** L.f.
afroviolaceus Lye GAB ♦
desertorum Zeyh. ex A.Spreng. PRE ♦
junceus Lehm. ex Schltdl. subsp. *rehmannii* (Oliv.) Oberm. =
A. rehmannii
rehmannii Oliv. GAB PRE PSUB UCBG ♦
(*A. junceus* Lehm. ex Schltdl. subsp. *rehmannii* (Oliv.) Oberm.)
stuhlmannii Engl. GAB PRE UCBG ♦
violaceus Lye = A. afroviolaceus Lye

.....
ARACEAE
.....

- PISTIA** L.
***stratiotes** L. GAB PRE PSUB ♦♣
ZANTEDESCHIA Spreng.
***aethiopica** (L.) Spreng. GAB PRE UCBG

.....
ARECACEAE (PALMAE)
.....

- HYPHAENE** Gaertn.
coriacea Gaertn. ?
petersiana Klotzsch ex Mart. GAB PRE PSUB UCBG †
PHOENIX L.
reclinata Jacq. GAB PRE PSUB UCBG †♣

.....
ASPARAGACEAE
.....

- ASPARAGUS** L.
africanus Lam. GAB UCBG
aspergillus Jessop GAB PRE UCBG
bechuanicus Baker K PRE

(Protasparagus bechuanicus (Baker) Oberm.)
buchananii Baker PRE
(Protasparagus buchananii (Baker) Oberm.)
burkei Baker = *A. cooperi*
cooperi Baker PRE UCBG
(A. burkei Baker)
(A. rivalis Burch. ex Kies)
(Protasparagus cooperi (Baker) Oberm.)
denudatus (Kunth) Oberm. ?
exuvialis Burch. forma *exuvialis* GAB PRE UCBG
flavicaulis (Oberm.) Fellingham & N.L.Mey. subsp. **flavicaulis**
 PRE UCBG
(Protasparagus flavicaulis Oberm. subsp. *flavicaulis*)
laricinus Burch. GAB PRE UCBG
(Protasparagus laricinus (Burch.) Oberm.)
longicladus N.E.Br.
(Protasparagus longicladus (N.E.Br.) B.Mathew)
nelsii Schinz GAB PRE UCBG
(Protasparagus nelsii (Schinz) Oberm.)
nodulosus (Oberm.) J.-P.Lebrun & Stork PRE
(Protasparagus nodulosus Oberm.)
obermeyeriae Jessop = *A. schroederi*
pearsonii Kies ?
pendulus (Oberm.) J.-P.Lebrun & Stork PRE
(Protasparagus pendulus Oberm.)
puberulus Baker GAB
racemosus Willd. PRE
(A. saundersiae Baker)
(Protasparagus racemosus (Willd.) Oberm.)
rivalis Burch. ex Kies = *A. cooperi*
saundersiae Baker = *A. racemosus*
schroederi Engl. GAB PRE UCBG
(A. obermeyeriae Jessop)
(Protasparagus schroederi (Engl.) Oberm.)
setaceus (Kunth) Oberm. GAB UCBG
striatus (L.f.) Thunb. ?
(Protasparagus striatus (L.f.) Oberm.)
suaveolens Burch. GAB PRE UCBG
(Protasparagus suaveolens (Burch.) Oberm.)
virgatus (Bak.) Oberm. UCBG
wildemanii Weim. UCBG

PROTASPARAGUS Oberm.

bechuanicus (Baker) Oberm. = *Asparagus bechuanicus*
buchananii (Baker) Oberm. = *Asparagus buchananii*
cooperi (Baker) Oberm. = *Asparagus cooperi*
denudatus (Kunth) Oberm. = *Asparagus denudatus*
exuvialis (Burch.) Oberm. forma *exuvialis* = *Asparagus exuvialis*
 forma *exuvialis*
flavicaulis Oberm. subsp. *flavicaulis* = *Asparagus flavicaulis*
 subsp. *flavicaulis*
laricinus (Burch.) Oberm. = *Asparagus laricinus*
longicladus (N.E.Br.) B.Mathew = *Asparagus longicladus*
nelsii (Schinz) Oberm. = *Asparagus nelsii*
nodulosus Oberm. = *Asparagus nodulosus*
pendulus Oberm. = *Asparagus pendulus*
racemosus (Willd.) Oberm. = *Asparagus racemosus*

schroederi (Engl.) Oberm. = *Asparagus schroederi*
striatus (L.f.) Oberm. = *Asparagus striatus*
suaveolens (Burch.) Oberm. = *Asparagus suaveolens*

ASPHODELACEAE

ALOE L.

aculeata Pole Evans K PRE SRGH ♦
ammophila Reynolds = *A. zebrina*
angolensis Baker PRE ♦
(A. esculenta L.C.Leach)
(A. littoralis Baker x *A. zebrina* Baker)
angustifolia Groenew. = *A. zebrina*
arbores Medik. = *A. arborescens*
arborescens Mill. PRE ♦ ?
(A. arbores Medik.)
(A. arborescens Mill. var. *frutescens* (Salm-Dyck) Link)
(A. arborescens Mill. var. *milleri* A.Berger)
(A. arborescens Mill. var. *natalensis* (J.M.Wood & M.S.Evans)
 A.Berger)
(A. arborescens Mill. var. *pachythyrsa* A.Berger)
(A. frutescens Salm-Dyck)
(A. fruticosa Lam.)
(A. mutabilis Pillans)
(A. natalensis J.M.Wood & M.S.Evans)
arborescens Mill. var. *frutescens* (Salm-Dyck) Link =
 A. *arborescens*
arborescens Mill. var. *milleri* A.Berger = *A. arborescens*
arborescens Mill. var. *natalensis* (J.M.Wood & M.S.Evans) A.Berger
 = *A. arborescens*
arborescens Mill. var. *pachythyrsa* A.Berger = *A. arborescens*
bamangwatensis Schönland = *A. zebrina*
baumii Engl. & Gilg = *A. zebrina*
chabaudii Schönland ♦ ?
constricta Baker = *A. zebrina*
cryptopoda Baker GAB PRE UCBG ♦
(A. pienaarii Pole Evans)
(A. wickensii Pole Evans var. *lutea* Reynolds)
(A. wickensii Pole Evans var. *wickensii*)
esculenta L.C.Leach = *A. angolensis*
excelsa A.Berger var. **excelsa** GAB K SRGH ♦ ♦
ferox Mill. var. *xanthostachys* A.Berger = *A. marlothii* subsp.
marlothii
frutescens Salm-Dyck = *A. arborescens*
fruticosa Lam. = *A. arborescens*
globuligemma Pole Evans K PRE SRGH ♦
greatheadii Schönland var. **greatheadii** GRA PRE ♦
(A. pallidiflora A.Berger)
hereroensis Engl. SRGH UCBG ♦
komatiensis Reynolds = *A. zebrina*
laxissima Reynolds = *A. zebrina*
lettyae Reynolds = *A. zebrina*
littoralis Baker GAB K PRE PSUB SRGH UCBG ♦ ♦
(A. angolensis Baker)
(A. rubrolutea Schinz)
(A. schinzii Baker)
littoralis Baker x *A. zebrina* Baker = *A. angolensis*

lugardiana Baker = *A. zebrina*
lutescens Groenew GAB K SRGH ♣
marlothii A.Berger subsp. **marlothii** PRE SRGH UCBG 🌳
 (A. *ferox* Mill. var. *xanthostachys* A.Berger)
 (A. *marlothii* A.Berger var. *bicolor* Reynolds)
 (A. *marlothii* A.Berger var. *marlothii*)
 (A. *spectabilis* Reynolds)
 (A. *supralaevis* Haw. var. *hanburyi* Baker)
marlothii A.Berger var. *bicolor* Reynolds = *A. marlothii* subsp.
marlothii
marlothii A.Berger var. *marlothii* = *A. marlothii* subsp. *marlothii*
mutabilis Pillans = *A. arborescens*
natalensis J.M.Wood & M.S.Evans = *A. arborescens*
pallidiflora A.Berger = *A. greatheadii* var. *greatheadii*
pianaarii Pole Evans = *A. cryptopoda*
platyphylla Baker = *A. zebrina*
rubrolutea Schinz = *A. littoralis*
schinzii Baker = *A. littoralis*
spectabilis Reynolds = *A. marlothii* subsp. *marlothii*
supralaevis Haw. var. *hanburyi* Baker = *A. marlothii* subsp.
marlothii
transvaalensis Kuntze = *A. zebrina*
vandermerwei Reynolds = *A. zebrina*
zebrina Baker BR GAB K LISC PRE PSUB SRGH UCBG ♣
 (A. *ammophila* Reynolds)
 (A. *angustifolia* Groenew.)
 (A. *bamangwatensis* Schönland)
 (A. *baumii* Engl. & Gilg)
 (A. *constricta* Baker)
 (A. *komatiensis* Reynolds)
 (A. *laxissima* Reynolds)
 (A. *lettyae* Reynolds)
 (A. *lugardiana* Baker)
 (A. *platyphylla* Baker)
 (A. *transvaalensis* Kuntze)
 (A. *vandermerwei* Reynolds)
wickensii Pole Evans var. *lutea* Reynolds = *A. cryptopoda*
wickensii Pole Evans var. *wickensii* = *A. cryptopoda*

BULBINE Wolf

abyssinica A.Rich. BM C GAB K PRE PSUB SRGH UCBG UPS WAG ♣
 (B. *asphodeloides* (L.) Spreng. var. *filifolioides* De Wild.)
 (B. *asphodeloides* (L.) Spreng. var. *monticola* Poelln.)
 (B. *decurvata* Peter ex Poelln.)
 (B. *hamata* Peter ex Poelln.)
 (B. *huilensis* Poelln.)
 (B. *latitepala* Poelln.)
 (B. *xanthobotrys* Engl. & Gilg)
angustifolia Poelln. PRE SRGH ♣
 (B. *tortifolia* I.Verd.)
asphodeloides (L.) Spreng. var. *filifolioides* De Wild. =
B. abyssinica
asphodeloides (L.) Spreng. var. *monticola* Poelln. = *B. abyssinica*
asphodeloides (L.) Spreng. var. *otaviensis* Poelln. = *B. capitata*
capitata Poelln. GAB K PRE ♣
 (B. *asphodeloides* (L.) Spreng. var. *otaviensis* Poelln.)
 (B. *lydenburgenis* Poelln.)

(B. *otaviensis* (Poelln.) Sölch)
 (B. *stenophylla* I.Verd.)
caulescens L. = *B. frutescens*
decurvata Peter ex Poelln. = *B. abyssinica*
densiflora Baker = *B. narcissifolia*
frutescens (L.) Willd. UCBG ♣
 (B. *caulescens* L.)
hamata Peter ex Poelln. = *B. abyssinica*
huilensis Poelln. = *B. abyssinica*
latibracteata Poelln. = *B. narcissifolia*
latitepala Poelln. = *B. abyssinica*
lydenburgenis Poelln. = *B. capitata*
narcissifolia Salm-Dyck GAB K PRE SRGH ♣
 (B. *densiflora* Baker)
 (B. *latibracteata* Poelln.)
otaviensis (Poelln.) Sölch = *B. capitata*
stenophylla I.Verd. = *B. capitata*
tortifolia I.Verd. = *B. angustifolia*
xanthobotrys Engl. & Gilg = *B. abyssinica*

BULBINELLA Kunth

burkei (Baker) Benth. & Hook.f. = *Trachyandra burkei*

CHORTOLIRION A.Berger

angolense (Baker) A.Berger K PRE SRGH
 (C. *bergerianum* Dinter)
 (C. *stenophyllum* (Baker) A.Berger)
 (C. *subspicatum* A.Berger)
 (C. *tenuifolium* (Engl.) A.Berger)
 (*Haworthia angolensis* Baker)
 (*Haworthia saundersiae* Baker)
 (*Haworthia stenophylla* Baker)
 (*Haworthia subspicata* Baker)
 (*Haworthia tenuifolia* Engl.)
bergerianum Dinter = *C. angolense*
stenophyllum (Baker) A.Berger = *C. angolense*
subspicatum A.Berger = *C. angolense*
tenuifolium (Engl.) A.Berger = *C. angolense*

HAWORTHIA Duval

angolensis Baker = *Chortolirion angolense*
saundersiae Baker = *Chortolirion angolense*
stenophylla Baker = *Chortolirion angolense*
subspicata Baker = *Chortolirion angolense*
tenuifolia Engl. = *Chortolirion angolense*

TRACHYANDRA Kunth

arvensis (Schinz) Oberm. GAB K PRE PSUB SRGH UCBG
 (*Anthericum arvense* Schinz)
 (*Anthericum flavoviride* Baker)
 (*Anthericum gilvum* K.Krause)
 (*Anthericum gilvum* K.Krause var. *brunneolum* Poelln.)
 (*Anthericum pallidiflavum* Engl. & Gilg)
burkei (Baker) Oberm. GAB PRE UCBG
 (*Anthericum burkei* Baker)
 (*Bulbinella burkei* (Baker) Benth. & Hook.f.)
laxa (N.E.Br.) Oberm. var. *erratica* (Oberm.) Oberm. = *T. laxa* var. *rigida*

- laxa** (N.E.Br.) Oberm. var. **laxa** GAB K PRE UCBG
(Anthericum brunneoviride Dinter ex Poelln.)
(Anthericum buchubergense Poelln.)
(Anthericum dinteri Poelln.)
(Anthericum glutinosum Dinter)
(Anthericum laxum N.E.Br.)
(Anthericum nigrobracteatum Dinter)
(Anthericum pachyrrhizum Dinter)
laxa (N.E.Br.) Oberm. var. **rigida** (Suess.) Roessler GAB K SRGH UCBG
(Anthericum arvense Schinz var. *rigidum* Suess.)
(Anthericum erraticum Oberm.)
(T. laxa (N.E.Br.) Oberm. var. *erratica* (Oberm.) Oberm.)
saltii (Baker) Oberm. var. **saltii** C GAB K PRE UCBG
(Anthericum amboense Poelln.)
(Anthericum aristatum Poelln.)
(Anthericum betschuanicum Poelln.)
(Anthericum brevitepalum Poelln.)
(Anthericum cepaefolium Dinter)
(Anthericum crassiusculum Dinter)
(Anthericum elongatum Willd. var. *holostachyum* Baker)
(Anthericum gracilitepalum Poelln.)
(Anthericum kässneri Poelln.)
(Anthericum lanzae Cufod.)
(Anthericum micranthum Baker)
(Anthericum oatesii Baker)
(Anthericum reflexipilosa (Kuntze) Oberm.)
(Anthericum saltii Baker)
(Anthericum saltii Baker var. *oatesii* (Baker) Oberm.)
(Anthericum saltii Baker var. *secunda* (K.Krause& Dinter) Oberm.)

COLCHICACEAE

- ANDROCYMBIUM** Willd.
gramineum in sense of author not of (Cav.) J.F.Macbr. =
A. roseum
melanthioides Willd. subsp. **melanthioides** PRE UCBG
roseum Engl. PRE

- CAMPTORRHIZA** Hutch.
schlechteri (Engl.) E.Phillips = *C. strumosa*
strumosa (Baker) Oberm. GAB PRE
(C. schlechteri (Engl.) E.Phillips)

- GLORIOSA** L.
superba L. GAB PRE UCBG
(G. virescens Lindl.)
virescens Lindl. = *G. superba*

- IPHIGENIA** Kunth
bechuanica Baker GAB PRE

- ORNITHOGLOSSUM** Salisb.
vulgare B.Nord. PRE UCBG

COMMELINACEAE

- ANEILEMA** R.Br.

- hockii** De Wild. GAB PRE UCBG ♣
johnstonii K.Schum. GAB PRE ♣

COMMELINA L.

- africana** L. var. **africana** UCBG ♣
(C. africana L. var. *boehmiana* (K.Schum.) Brenan)
(C. africana L. var. *brevipila* Brenan)
(C. africana L. var. *milleri* Brenan)
(C. africana L. var. *villosior* (C.B.Clarke) Brenan)
(C. karooica C.B.Clarke)
africana L. var. **barberae** (C.B.Clarke) C.B.Clarke PRE UCBG ♣
africana L. var. *boehmiana* (K.Schum.) Brenan = *C. africana* var. *krebsiana*
africana L. var. *brevipila* Brenan = *C. africana* var. *krebsiana*
africana L. var. **krebsiana** (Kunth) C.B.Clarke PRE UCBG ♣
africana L. var. **lancispatha** C.B.Clarke PRE UCBG ♣
africana L. var. *milleri* Brenan = *C. africana* var. *krebsiana*
africana L. var. *villosior* (C.B.Clarke) Brenan = *C. africana* var. *krebsiana*
albescens in sense of authors not of Hassk. = *C. livingstonii*
aspera Benth. PRE UCBG ♣
benghalensis L. PRE PSUB UCBG ♣
bracteosa Hassk. = *C. erecta*
diffusa Burm.f. subsp. **diffusa** GAB PRE PSUB UCBG ♣♣
diffusa Burm.f. subsp. **scandens** (C.B.Clarke) Oberm. GAB PRE PSUB UCBG ♣♣
(C. scandens Welw. ex C.B.Clarke)
eckloniana Kunth GAB PSUB ♣
erecta L. PRE ♣
(C. bracteosa Hassk.)
(C. gerrardii C.B.Clarke)
(C. sphaerosperma C.B.Clarke)
(C. undulata R.Br.)

- fluviatilis** Brenan K PSUB ♣♣
forskaolii Vahl GAB PRE PSUB UCBG ♣
gerrardii C.B.Clarke = *C. erecta*
imberbis Hassk. PRE ♣
(C. kotschyi Hassk.)
karooica C.B.Clarke = *C. africana* var. *barberae*
kotschyi Hassk. = *C. imberbis*
livingstonii C.B.Clarke GAB PRE UCBG ♣
macrospatha Gilg & Lederm. GAB ♣
petersii Hassk. PRE PSUB ♣
scandens Welw. ex C.B.Clarke = *C. diffusa* subsp. *scandens*
sphaerosperma C.B.Clarke = *C. erecta*
subulata Roth GAB PRE PSUB UCBG ♣
undulata R.Br. = *C. erecta*
zambesica C.B.Clarke GAB PRE PSUB ♣

- CYANOTIS** D.Don
foecunda Hassk. GAB PRE PSUB
lanata Benth. GAB PRE
nodiflora Kunth = *C. speciosa*
speciosa (L.f.) Hassk. GAB PRE UCBG ♣
(C. nodiflora Kunth)

- FLOSCOPA** Lour.
glomerata (Willd. ex Schult. & Schult.f.) Hassk. GAB PRE ♣♣

(*F. rivularis* (A.Rich.) C.B.Clarke)

leiothyrsa Brenan PRE PSUB ♦

rivularis (A.Rich.) C.B.Clarke = *F. glomerata*

CYPERACEAE

ABILDGAARDIA Vahl

hispidula (Vahl) K.Lye var. *pyriformis* Lye = *Bulbostylis hispidula*
subsp. *pyriformis*

triflora (L.) Abeyw. GAB PRE PSUB

ANOSPORUM Nees

pectinatus (Vahl) Lye = *Cyperus pectinatus*

BOLBOSCHOENUS (Asch.) Palla

glaucus (Lam.) S.G.Sm. PRE ♦

maritimus (L.) Palla GAB PSUB ♦

(*Scirpus maritimus* L.)

BULBOSTYLIS Kunth

barbata (Rottb.) Kunth GAB

breviculmis Kunth = *B. humilis*

burchellii (Ficalho & Hiern) C.B.Clarke GAB PRE UCBG

collina (Kunth) C.B.Clarke = *B. contexta*

contexta (Nees) M.Bodard PRE

(*B. collina* (Kunth) C.B.Clarke)

(*B. kirkii* C.B.Clarke)

(*B. zeyheri* C.B.Clarke)

hispidula (Vahl) R.W.Haines subsp. **pyriformis** (Lye)

R.W.Haines GAB PRE PSUB UCBG

(*Abildgaardia hispidula* (Vahl) R.W.Haines var. *pyriformis* Lye)

(*Fimbristylis exilis* in sense of authors not of (Kunth) Roem. &
Schult.)

(*Fimbristylis hispidula* (Vahl) Kunth)

humilis (Kunth) C.B.Clarke GAB PRE PSUB

(*B. breviculmis* Kunth)

(*B. striatella* C.B.Clarke)

kirkii C.B.Clarke = *B. contexta*

scabricaulis Cherm. PRE

striatella C.B.Clarke = *B. humilis*

trabeculata C.B.Clarke GAB PRE PSUB

zeyheri C.B.Clarke = *B. contexta*

CAREX L.

cognata Kunth var. **cognata** GAB PRE PSUB ♦

CLADIUM P.Browne

✱ **mariscus** (L.) Pohl subsp. **jamaicense** (Crantz) Kük. PRE PSUB ♦

COURTOISINA Soják

assimilis (Steud.) C.B.Clarke = *C. assimilis*

assimilis (Steud.) Maquet PRE PSUB

(*C. assimilis* (Steud.) C.B.Clarke)

cyperoides (Roxb.) Soják PRE

(*Cyperus cyperoides* (Roxb.) A.Dietr. subsp. *africanus*

(C.B.Clarke ex Kük.) Podlech)

(*Cyperus pseudokyllingioides* Kük. var. *africanus* (C.B.Clarke) Kük.)

CYPERUS L.

albostratus Schrad. PRE UCBG

alopecuroides Rottb. GAB PRE PSUB UCBG ♦

(*Juncellus alopecuroides* (Rottb.) C.B.Clarke)

amabilis Vahl GAB PRE PSUB

aristatus Rottb. var. *atriceps* Kük. = *Mariscus aristatus* var. *atriceps*

aromaticus (Ridley) Mattf. & Kük. GAB

articulatus L. GAB PRE PSUB UCBG ♦

austro-africanus (ined.) PRE

(*Mariscus dregeanus* Kunth)

bellus Kunth PRE PSUB

(*C. remotiflorus* Kük.)

brevifolius (Rottb.) Hask. subsp. **intricatus** (Cherm.) K.Lye
GAB PSUB

capensis (Steud.) Endl. ?

chersinus (N.E.Br.) Kük. PRE

(*Mariscus bullatus* (Kük.) Podlech)

(*Mariscus chersinus* N.E.Br.)

clavinus C.B.Clarke GAB PRE PSUB

compactus Lam. = *C. obtusiflorus* var. *obtusiflorus*

compressus L. GAB PRE UCBG

cuspidatus Kunth PRE

(*C. uncinatus* in sense of C.B.Clarke not of Poir.)

cyperoides (L.) Kuntze subsp. **cyperoides** PRE

(?*Mariscus alternifolius* in sense of S.S.Hooper not of Vahl)

(*Mariscus nossibeensis* Steud.)

(*Mariscus sieberianus* Nees)

(*Mariscus sumatrensis* (Retz.) J.Raynal)

cyperoides (L.) Kuntze subsp. **flavus** K.Lye GAB UCBG

deciduus Boeck. PRE

(*Mariscus deciduus* C.B.Clarke)

denudatus L.f. var. **denudatus** GAB PRE UCBG ♦

denudatus L.f. var. *sphaerospermus* (Schrad.) Kük. =
C. sphaerospermus

difformis L. GAB PRE UCBG

digitatus Roxb. subsp. **auricomus** (Sieber ex Spreng.) Kük. GAB
PRE UCBG ♦

distans L.f. PRE PSUB

dives Delile GAB PRE PSUB ♦

(*C. immensus* C.B.Clarke)

dubius Rottb. PRE

(*Mariscus dubius* (Rottb.) Kük. ex C.E.C.Fisch.)

erectus (Schumach.) Mattf. & Kük. subsp. **erectus** GAB UCBG

esculentus L. var. *cyclolepis* Boeck. ex Kük. = *C. esculentus* var.
esculentus

esculentus L. var. **esculentus** GAB PRE PSUB UCBG

(*C. esculentus* L. var. *cyclolepis* Boeck. ex Kük.)

(*C. esculentus* L. var. *nervoso-striatus* (Turrill) Kük.)

(*C. nervoso-striatus* Turrill)

esculentus L. var. *nervoso-striatus* (Turrill) Kük. = *C. esculentus*
var. *esculentus*

fastigiatus Rottb. ?

flabelliformis Rottb. = *C. involucratus*

fulgens C.B.Clarke var. **contractus** Kük. GAB PRE PSUB UCBG

hamulosus M.Bieb. PRE

(*Mariscus hamulosus* (M.Bieb.) S.S.Hooper)

(*Scirpus lugardii* C.B.Clarke)

haspan L. GAB
holostigma Schweinf. = *C. schinzii*
imbricatus Retz. GAB PRE PSUB ♠
 (*C. radiatus* Vahl)
immensus C.B.Clarke = *C. dives*
indecorus Kunth var. **decurvatus** (C.B.Clarke) Kük. PRE
 (*Mariscus indecorus* (Kunth) Podlech var. *decurvatus*
 (C.B.Clarke) Kük.)
 (*Mariscus rehmannianus* C.B.Clarke)
involucratus Rottb. GAB PRE PSUB UCBG
 (*C. flabelliformis* Rottb.)
iria L. GAB PRE
kirkii C.B.Clarke K PSUB UCBG
laevigatus L. GAB PRE
 (*Juncellus laevigatus* (L.) C.B.Clarke)
latifolius Poir. PRE PSUB ♠
leptocladus Kunth GAB PSUB
longus L. var. **longus** GAB UCBG
longus L. var. **tenuiflorus** (Rottb.) Boeck. GAB PRE PSUB UCBG
maculatus Boeck. GAB PRE PSUB
margaritaceus Vahl var. **margaritaceus** GAB PRE PSUB UCBG
marlothii Boeck. PRE
 (*Mariscus marlothii* (Boeck.) C.B.Clarke)
mwinilungensis Podlech GAB PRE PSUB ♠
nervoso-striatus Turrill = *C. esculentus* var. *esculentus*
niveus Retz. var. *leucocephalus* (Kunth) Fosberg = *C. obtusiflorus*
 var. *obtusiflorus*
nudicaulis Poir. = *Cyperus pectinatus*
obtusiflorus Vahl var. **obtusiflorus** GAB PRE UCBG
 (*C. compactus* Lam.)
 (*C. niveus* Retz. var. *leucocephalus* (Kunth) Fosberg)
palmaris Vorster ined. GAB
papyrus L. GAB PRE PSUB UCBG ♠
pectinatus Vahl GAB PRE PSUB ♠
 (*Anosporum pectinatus* (Vahl) Lye)
 (*Cyperus nudicaulis* Poir.)
pseudokyllingoides Kük. var. *africanus* (C.B.Clarke) Kük. =
Courtoisina cyperoides
pseudovestitus (C.B.Clarke) Kük. PRE
radiatus Vahl = *C. imbricatus*
remotiflorus Kük. = *C. bellus*
rotundus L. subsp. **rotundus** PRE PSUB
rubicundus Vahl PRE
rupestris Kunth var. **rupestris** GAB PRE UCBG
schinzii Boeck. GAB PRE PSUB UCBG
 (*C. holostigma* Schweinf.)
sexangularis Nees PRE
sphacelatus Rottb. var. *tenuior* C.B.Clarke = *C. zollingeri*
sphaerospermus Schrad. PRE PSUB UCBG
 (*C. denudatus* L.f. var. *sphaerospermus* (Schrad.) Kük.)
squarrossus L. PRE
 (*Mariscus squarrosus* (L.) C.B.Clarke)
 (*Monandrus squarrossus* (L.) Vorster)
tenuispica Steud. GAB PRE PSUB
turrillii Kük. PRE
 (*Mariscus laxiflorus* Turrill)
uncinatus in sense of C.B.Clarke not of Poir. = *C. cuspidatus*

usitatus Burch.
 (*C. usitatus* Burch. var. *macrobulbus* Kük.)
usitatus Burch. var. *macrobulbus* Kük. = *C. usitatus*
zollingeri Steud. GAB PRE
 (*C. sphacelatus* Rottb. var. *tenuior* C.B.Clarke)

ELEOCHARIS R.Br.

acutangula (Roxb.) Schult. GAB PRE PSUB ♠
 (*E. fistulosa* Link)
atropurpurea (Retz.) J.Presl & C.Presl GAB PRE
caduca (Delile) Schult. GAB PRE PSUB
 (*E. intricata* Kük.)
capitata R.Br. = *E. geniculata*
caribaea (Rottb.) S.F.Blake = *E. geniculata*
cubangensis H.E.Hess ?
decorigumis Bérhaut PRE
dulcis (Burm.f.) Hensch. GAB PRE PSUB UCBG ♠
 (*E. plantaginea* R.Br.)
fistulosa Link = *E. acutangula*
geniculata (L.) Roem. & Schult. PSUB
 (*E. capitata* R.Br.)
 (*E. caribaea* (Rottb.) S.F.Blake)
intricata Kük. = *E. caduca*
marginulata Steud. GAB PSUB ♠
naumanniana Boeck. GAB PRE PSUB ♠
plantaginea R.Br. = *E. dulcis*
retroflexa (Poir.) Urb. subsp. *subtilissima* (Nelmes) Lye PRE ♠
variegata (Poir.) C.Presl GAB PRE ♠

FIMBRISTYLIS Vahl

bisumbellata (Forssk.) Bubani GAB PRE PSUB UCBG
complanata (Retz.) Link GAB PRE PSUB
cymosa R.Br. = *F. obtusifolia*
dichotoma (L.) Vahl GAB PRE
 (*F. diphylla* (Retz.) Vahl)
diphylla (Retz.) Vahl = *F. dichotoma*
exilis in sense of authors not of (Kunth) Roem. & Schult. =
Bulbostylis hispidula
ferruginea (L.) Vahl GAB PRE PSUB
 (*F. sieberiana* Kunth)
hispidula (Vahl) Kunth = *Bulbostylis hispidula* subsp. *pyriformis*
obtusifolia (Lam.) Kunth PRE
sieberiana Kunth = *F. ferruginea*
squarrosa Vahl GAB PRE PSUB

FUIRENA Rottb.

bullifera J.Raynal & Roessler PRE
chlorocarpa Ridl. = *F. stricta*
ciliaris (L.) Roxb. GAB PRE PSUB
coerulescens Steud. GAB PSUB
leptostachya Oliv. forma **leptostachya** PRE PSUB
leptostachya Oliv. forma **nudiflora** Lye PRE
 (*F. leptostachya* Oliv. var. *nudiflora* C.B.Clarke)
leptostachya Oliv. var. *nudiflora* C.B.Clarke = *F. leptostachya*
 forma *nudiflora*
pachyrrhiza Ridl. PRE
pubescens (Poir.) Kunth GAB PRE PSUB UCBG ♠

- stricta** Steud. PRE PSUB ♣
(F. chlorocarpa Ridl.)
(Rhynchospora senegalensis Steud.)
umbellata Rottb. GAB PRE ♣

HEMICARPHA Nees & Arn.

- isolepis* Nees = *Lipocarpha hemisphaerica*

ISOLEPIS R.Br.

- costata** A.Rich. PRE UCBG
(l. costata A.Rich. var. macra (Boeck.) B.L.Burtt)
(Scirpus macer Boeck.)
sepulcralis Steud. GAB PRE PSUB
(Scirpus griquensium C.B.Clarke)

JUNCELLUS C.B.Clarke

- alopecuroides* (Rottb.) C.B.Clarke = *Cyperus alopecuroides*
laevigatus (L.) C.B.Clarke = *Cyperus laevigatus*

KYLLINGA Rottb.

- alata** Nees ex Kunth GAB PSUB UCBG
alba Nees GAB PRE PSUB UCBG
albiceps (Ridl.) Rendle GAB PRE PSUB
(K. merxmueelleri Podlech)
brevifolia Rottb. GAB PSUB
cylindrica Nees = *K. odorata*
erecta Schumach. var. **erecta** PRE
(K. erecta Schumach. var. intricata C.B.Clarke)
(K. intricata Cherm.)
erecta Schumach. var. *intricata* C.B.Clarke = *K. erecta*
intricata Cherm. = *K. erecta* var. *erecta*
melanosperma Nees PRE UCBG
merxmueelleri Podlech = *K. albiceps*
odorata Vahl GAB PRE PSUB
(K. cylindrica Nees)

KYLLINGIELLA R.W.Haines & Lye

- microcephala** (Steud.) R.W.Haines & Lye GAB PRE PSUB
(Scirpus microcephalus (Steud.) Dandy)

LIPOCARPHA R.Br.

- abietina** Goetgh. PRE PSUB ♣
argentea (Vahl) R.Br. = *L. chinensis*
atra Ridley GAB PSUB ♣
chinensis (Osbeck) Kern GAB PRE PSUB ♣
(L. argentea (Vahl) R.Br.)
(L. senegalensis (Lam.) T.Durand & H.Durand)
hemisphaerica (Roth) Goetgh. GAB PRE PSUB
(Hemicarpha isolepis Nees)
(L. isolepis (Nees) R.W.Haines)
isolepis (Nees) R.W.Haines = *L. hemisphaerica*
rehmannii (Ridl.) Goetgh. GAB PRE PSUB
(Rikliella rehmannii (Ridl.) J.Raynal)
(Scirpus hystricoides B.Nord.)
senegalensis (Lam.) T.Durand & H.Durand = *L. chinensis*

MARISCUS Vahl

- alternifolius* in sense of S.S.Hooper not of Vahl = ?*Cyperus*
cyperoides subsp. *cyperoides*

- aristatus** (Rottb.) Cherm. var. **atriceps** (Kük.) Podlech GAB
 PRE PSUB
(Cyperus aristatus Rottb. var. atriceps Kük.)
(Monandrus atriceps (Kük.) Vorster)

breviradius Vorster GAB

- chersinus* N.E.Br. = *Cyperus chersinus*
cyperoides (Roxb.) A.Dietr. subsp. *africanus* (C.B.Clarke ex Kük.)
 Podlech = *Courtoisina cyperoides*
deciduus C.B.Clarke = *Cyperus deciduus*
dregeanus Kunth = *Cyperus austro-africanus*
dubius (Rottb.) Kük. ex C.E.C.Fisch. = *Cyperus dubius*
hamulosus (M.Bieb.) S.S.Hooper = *Cyperus hamulosus*
indecorus (Kunth) Podlech var. *decurvatus* (C.B.Clarke) Kük. =
Cyperus indecorus var. *decurvatus*
laxiflorus Turrill = *Cyperus turrillii*
marlothii (Boeck.) C.B.Clarke = *Cyperus marlothii*
nossibeensis Steud. = *Cyperus cyperoides* subsp. *cyperoides*
rehmannianus C.B.Clarke = *Cyperus indecorus*
 var. *decurvatus*
sieberianus Nees = *Cyperus cyperoides* subsp. *cyperoides*
squarrosus (L.) C.B.Clarke = *Cyperus squarrosus*
sumatrensis (Retz.) J.Raynal = *Cyperus cyperoides* subsp.
cyperoides

MONANDRUS Vorster

- atriceps** (Kük.) Vorster = *Mariscus aristatus*
 var. *atriceps*
squarrosus (L.) Vorster = *Cyperus squarrosus*

OXYCARYUM Nees

- cubense** (Poepp. & Kunth) Lye PRE UCBG ♣
(Scirpus cubensis Poepp. & Kunth ex Kunth)

PYCREUS P.Beauv.

- aethiops** C.B.Clarke GAB PRE PSUB ♣
albomarginatus Nees = *P. macrostachyos*
angulatus Nees = *P. unioides*
chorisanthus C.B.Clarke = *P. pelophilus*
chrysanthus (Boeck.) C.B.Clarke PRE PSUB
flavescens (L.) Rchb. GAB PRE
lanceus Turrill = *P. nitidus*
macranthus (Boeck.) C.B.Clarke GAB PRE PSUB
macrostachyos (Lam.) J.Raynal GAB PRE PSUB
(P. albomarginatus Nees)
(P. tremulus (Poir.) C.B.Clarke)
mundii Nees GAB PRE PSUB UCBG ♣
nitidus (Lam.) J.Raynal PRE ♣
(P. lanceus Turrill)
(P. umbrosus Nees)
okavangensis Podlech GAB PRE PSUB ♣
pelophilus (Ridl.) C.B.Clarke GAB PRE UCBG
(P. chorisanthus C.B.Clarke)
polystachyos (Rottb.) P.Beauv. var. **polystachyos** GAB PRE
pumilus (L.) Nees PRE PSUB UCBG
tremulus (Poir.) C.B.Clarke = *P. macrostachyos*
umbrosus Nees = *P. nitidus*
unioides (R.Br.) Urb. GAB PRE PSUB

(*P. angulatus* Nees)

waillyi Cherm. PRE

RHYNCHOSPORA Vahl

arechavaetae Boeck. = *R. holoschoenoides*

aurea Vahl = *R. corymbosa*

brevirostris Griseb. GAB

brownii Roem. & Schult. GAB PRE PSUB ♣

(*R. glauca* in sense of authors not of Vahl)

(*R. rugosa* (Vahl) Gale)

candida (Nees) Boeck. GAB PRE ♣

corymbosa (L.) Britton var. **corymbosa** GAB PRE PSUB ♣

(*R. aurea* Vahl)

cyperoides (Sw.) Mart. = *R. holoschoenoides*

glauca in sense of authors not of Vahl = *R. brownii*

holoschoenoides (Rich.) Herter GAB PRE PSUB ♣

(*R. arechavaetae* Boeck.)

(*R. cyperoides* (Sw.) Mart.)

(*R. mauritii* Steud.)

mauritii Steud. = *R. holoschoenoides*

perrieri Cherm. PRE PSUB

rubra (Lour.) Makino subsp. **africana** J.Raynal

rugosa (Vahl) Gale = *R. brownii*

senegalensis Steud. = *Fuirena stricta*

RIKIELLEA J.Raynal

rehmannii (Ridl.) J.Raynal = *Lipocarpha rehmannii*

SCHOENOPECTUS (Rchb.) Palla

articulatus (L.) Palla var. **articulatus** GAB PRE PSUB UCBG ♣

(*Scirpus articulatus* L.)

brachyceras (A.Rich.) Lye PRE

corymbosus (Roth ex Roem. & Schult.) J.Raynal GAB PRE PSUB

UCBG ♣

(*Scirpus inclinatus* (Barbey) Boiss.)

decipiens (Nees) J.Raynal PRE

(*Scirpus paludicola* Kunth forma *decipiens* (Nees) C.B.Clarke)

erectus (Poir.) Palla ex J.Raynal GAB PRE PSUB ♣

(*Scirpus erectus* Poir.)

lateriflorus (Gmel.) Lye GAB PRE PSUB

leucanthus (Boeck.) J.Raynal

muricinix (C.B.Clarke) J.Raynal GAB PRE PSUB UCBG ♣

(*Scirpus muricinix* C.B.Clarke)

muriculatus (Kük.) Browning PRE

praelongatus (Poir.) J.Raynal = *S. senegalensis*

roylei (Nees) Ovcz. & Czukav. PRE ♣

(*Scirpus roylei* (Nees) R.Parker)

scirpoideus (Schrud.) Browning PRE PSUB ♣

senegalensis (Hochst. ex Steud.) Palla ex J.Raynal GAB PRE

PSUB UCBG ♣

(*S. praelongatus* (Poir.) J.Raynal)

(*Scirpus jacobi* C.E.C.Fisch.)

(*Scirpus praelongatus* Poir.)

SCIRPOIDES Ség.

dioecus (Kunth) Browning GAB PRE PSUB

(*Scirpus dioecus* (Kunth) Boeck.)

SCIRPUS L.

articulatus L. = *Schoenoplectus articulatus* var. *articulatus*

cubensis Poepp. & Kunth ex Kunth = *Oxycaryum cubense*

dioecus (Kunth) Boeck. = *Scirpoides dioecus*

erectus Poir. = *Schoenoplectus erectus*

griquensium C.B.Clarke = *Isolepis sepulcralis*

hystricoides B.Nord. = *Lipocarpha rehmannii*

inclinatus (Barbey) Boiss. = *Schoenoplectus corymbosus*

jacobi C.E.C.Fisch. = *Schoenoplectus senegalensis*

lugardii C.B.Clarke = *Cyperus hamulosus*

macer Boeck. = *Isolepis costata* var. *macra*

maritimus L. = *Bolboschoenus maritimus*

microcephalus (Steud.) Dandy = *Kyllingiella microcephala*

muricinix C.B.Clarke = *Schoenoplectus muricinix*

paludicola Kunth forma *decipiens* (Nees) C.B.Clarke =

Schoenoplectus decipiens

praelongatus Poir. = *Schoenoplectus senegalensis*

roylei (Nees) R.Parker = *Schoenoplectus roylei*

SCLERIA P.J.Bergius

distans Poir. GAB PRE PSUB ♣

(*S. nutans* Willd. ex Kunth)

dregeana Kunth GAB PRE PSUB ♣

(*S. holcoides* Kunth)

foliosa Hochst. ex A.Rich. GAB PRE PSUB

holcoides Kunth = *S. dregeana*

lacustris C.H.Wright GAB PRE PSUB UCBG ♣

melanomphala Kunth GAB PRE PSUB UCBG ♣

nutans Willd. ex Kunth = *S. distans*

rehmannii C.B.Clarke GAB

schimperiana Boeck. GAB PSUB

unguiculata E.A.Rob. GAB PRE PSUB ♣

veseyfitzgeraldii E.A.Rob. GAB PRE PSUB ♣

woodii C.B.Clarke GAB PRE PSUB

WEBSTERIA S.H.Wright

confervoides (Poir.) S.S.Hooper GAB PRE ♣

DIOSCOREACEAE

DIOSCOREA L.

asteriscus Burkill GAB PRE PSUB ♣

DRACAENACEAE

SANSEVIERIA Thunb.

aethiopica Thunb. GAB PRE PSUB UCBG ♣

(*S. scabrifolia* Dinter)

pearsonii N.E.Br. PRE ♣

scabrifolia Dinter = *S. aethiopica*

ERIOCAULACEAE

ERIOCAULON L.

amboense Schinz = *E. cinereum*

aristatum H.E.Hess = *E. welwitschii*

cinereum R.Br. PRE PSUB ♣

- (*E. amboense* Schinz)
- setaceum L. GAB PRE PSUB ♣
- welwitschii Rendle GAB PRE PSUB ♣
- (*E. aristatum* H.E.Hess)

ERIOSPERMACEAE

ERIOSPERMUM Jacq. ex Willd.

- abyssinicum Baker = *E. flagelliforme*
- bakerianum Schinz subsp. bakerianum GAB PRE UCBG ♣
 - (*E. bakerianum* Schinz var. *multiscapum* Poelln.)
 - (*E. bakerianum* Schinz var. *pauper* Poelln.)
 - (*E. bakerianum* Schinz var. *seineri* (Engl. & K.Krause) Poelln.)
 - (*E. bechuanicum* Baker)
 - (*E. lanceaefolium* Schinz)
 - (*E. lineare* Poelln.)
- bakerianum Schinz var. *multiscapum* Poelln. = *E. bakerianum* subsp. bakerianum
- bakerianum Schinz var. *pauper* Poelln. = *E. bakerianum* subsp. bakerianum
- bakerianum Schinz var. *seineri* (Engl. & K.Krause) Poelln. = *E. bakerianum* subsp. bakerianum
- bechuanicum Baker = *E. bakerianum* subsp. bakerianum
- brevipedunculatum Poelln. = *E. rautanenii*
- brevipetiolatum Poelln. = *E. porphyrovalve*
- burchellii Baker = *E. flagelliforme*
- confusum Poelln. = *E. corymbosum*
- convallariaefolium Dinter = *E. mackenii* subsp. galpinii
- corymbosum Baker PRE ♣
 - (*E. confusum* Poelln.)
 - (*E. ophioglossoides* Schltr.)
- currori Baker = *E. rautanenii*
- dissitiflorum Baker = *E. porphyrovalve*
- flagelliforme (Baker) J.C.Manning PRE
 - (*E. burchellii* Baker)
- galpinii Schinz = *E. mackenii* subsp. galpinii
- lanceaefolium Schinz = *E. bakerianum* subsp. bakerianum
- lineare Poelln. = *E. bakerianum* subsp. bakerianum
- linearifolium Baker GAB UCBG ♦♣
- mackenii (Hook.f.) Baker subsp. galpinii (Schinz) P.L.Perry PRE ♣
 - (*E. convallariaefolium* Dinter)
 - (*E. galpinii* Schinz)
 - (*E. omahekense* Engl. & K.Krause)
 - (*E. pilosopetiolatum* Dinter)
 - (*E. reflexum* Schinz)
- omahekense Engl. & K.Krause = *E. mackenii* subsp. galpinii
- ophioglossoides Schltr. = *E. corymbosum*
- pilosopetiolatum Dinter = *E. mackenii* subsp. galpinii
- pilosum Poelln. ♣
- pophyrium Archibald PRE
- porphyrovalve Baker GAB PRE ♣
 - (*E. brevipetiolatum* Poelln.)
 - (*E. dissitiflorum* Baker)
 - (*E. tenellum* Baker)
- rautanenii Schinz GAB PRE UCBG ♣
 - (*E. brevipedunculatum* Poelln.)
 - (*E. currori* Baker)

- (*E. rubromarginatum* Poelln.)
- (*E. sphaerophyllum* Baker)
- reflexum Schinz = *E. mackenii* subsp. galpinii
- rubromarginatum Poelln. = *E. rautanenii*
- seineri Engl. & K.Krause ♦♣
- sphaerophyllum Baker = *E. rautanenii*
- tenellum Baker = *E. porphyrovalve*

HYACINTHACEAE

ALBUCA L.

- abyssinica Jacq.
 - (*A. angolensis* Welw.)
 - (*A. bainesii* Baker)
 - (*A. fleckii* Schinz)
 - (*A. melleri* (Baker) Baker)
- amboensis (Schinz) Oberm. GAB UCBG
 - (*Ornithogalum amboense* Schinz)
- angolensis Welw. = *A. abyssinica*
- bainesii Baker = *A. angolensis*
- baurii Baker = *A. setosa*
- fleckii Schinz = *A. angolensis*
- melleri Baker = *A. abyssinica*
- pachychlamys Baker = *A. setosa*
- patersoniae Schönland = *A. setosa*
- setosa Jacq. GAB PRE UCBG
 - (*A. baurii* Baker)
 - (*A. pachychlamys* Baker)
 - (*A. patersoniae* Schönland)

DIPCADI Medik.

- bakerianum Bolus GAB PRE PSUB
- firmifolium Baker = *D. longifolium*
- glaucum (Ker Gawl.) Baker GAB PRE PSUB
- gracillimum Baker GAB PRE UCBG
 - (*D. polyphyllum* Baker)
- longifolium (Lindl.) Baker GAB PRE PSUB UCBG
 - (*D. firmifolium* Baker)
- marlothii Engl. GAB PRE PSUB UCBG
 - (*D. oligotrichum* Baker)
- oligotrichum Baker = *D. marlothii*
- papillatum Oberm. PRE
- platyphyllum Baker GAB PRE
- polyphyllum Baker = *D. gracillimum*
- rigidifolium Baker PRE UCBG
- umbonatum (Baker) Baker = *D. viride*
- vaginatum Baker PRE
- viride (L.) Moench GAB PRE UCBG
 - (*D. umbonatum* (Baker) Baker)

DRIMIA Jacq.

- altissima (L.f.) Ker Gawl. PRE
 - (*Urginea altissima* (L.f.) Baker)
 - (*Urginea epigea* R.A.Dyer)
- ciliaris Jacq. = *D. elata*
- cuscutoides (Burch. ex Baker) J.C.Manning & Goldblatt PRE
- elata Jacq. PRE

(*D. ciliaris* Jacq.)

intricata (Baker) J.C.Manning & Goldblatt PRE

physodes (Jacq.) Jessop ?

sanguinea (Schinz) Jessop PRE

(*Urginea burkei* Baker)

(*Urginea sanguinea* Schinz)

DRIMIOPSIS Lindl. & Paxton

burkei Baker GAB PRE

(*D. crenata* Van der Merwe)

crenata Van der Merwe = *D. burkei*

EUCOMIS L'Hér.

autumnalis (Mill.) Chitt. subsp. **clavata** (Baker) Reyneke

PRE UCBG

(*E. robusta* Baker)

robusta Baker = *E. autumnalis* subsp. *clavata*

LEDEBOURIA Roth

apertiflora (Baker) Jessop GAB PRE

cooperi (Hook.f.) Jessop PRE UCBG

(*Scilla cinerascens* Van der Merwe)

(*Scilla cooperi* Hook.f.)

(*Scilla galpinii* Baker)

(*Scilla glaucescens* Van der Merwe)

(*Scilla inandensis* Baker)

(*Scilla petiolata* Van der Merwe)

(*Scilla pusilla* Baker)

(*Scilla rogersii* Baker)

(*Scilla rupestris* Van der Merwe)

(*Scilla saturata* Baker)

graminifolia (Baker) Jessop GAB PRE UCBG

(*Scilla graminifolia* Baker)

(*Scilla stenophylla* Van der Merwe)

hyacinthina Roth GAB UCBG

inquinata (C.A.Sm.) Jessop PRE

(*Scilla inquinata* C.A.Sm.)

luteola Jessop PRE UCBG

marginata (Baker) Jessop GAB PRE

(*Scilla marginata* Baker)

(*Scilla neglecta* Van der Merwe)

revoluta (L.f.) Jessop GAB PRE PSUB UCBG

(*Scilla albomarginata* Van der Merwe)

(*Scilla asperifolia* Van der Merwe)

(*Scilla carnosula* Van der Merwe)

(*Scilla lanceifolia* (Jacq.) Baker)

undulata (Jacq.) Jessop PRE UCBG

(*Scilla prasina* Baker)

(*Scilla rautanenii* Schinz)

ORNITHOGALUM L.

amboense Schinz = *Albuca amboensis*

chloranthum Baker = *O. tenuifolium* subsp. *tenuifolium*

ecklonii Schldt. = *O. tenuifolium* subsp. *tenuifolium*

inconspicuum Baker = *O. tenuifolium* subsp. *tenuifolium*

nervosum Burch. = *Schizocarpus nervosus*

ornithogaloides (Kunth.) Oberm. GAB

prasinum Lindl. ?

pretoriense Baker = *O. tenuifolium* subsp. *tenuifolium*

pulchrum Schinz PRE

seineri (Engl. & K.Krause) Oberm. GAB PRE PSUB UCBG

tenuifolium F.Delaroche subsp. **tenuifolium** GAB PRE

PSUB UCBG

(*O. chloranthum* Baker)

(*O. ecklonii* Schldt.)

(*O. inconspicuum* Baker)

(*O. pretoriense* Baker)

(*O. virens* Lindl.)

virens Lindl. = *O. tenuifolium* subsp. *tenuifolium*

vulgare B.Nord. PRE

PSEUDOGALTONIA (Kuntze) Engl.

clavata (Mast.) E.Phillips PRE UCBG

SCHIZOBASIS Baker

cuscutoides (Burch. ex Baker) Benth. & Hook. = *S. intricata*

flagelliformis (Baker) Baker

intricata (Baker) Baker PRE

(*S. cuscutoides* (Burch. ex Baker) Benth. & Hook.)

(*S. macowanii* Baker)

macowanii Baker = *S. intricata*

SCHIZOCARPUS Van der Merwe

acerosus Van der Merwe = *S. nervosus*

gerrardii (Baker) Van der Merwe = *S. nervosus*

nervosus (Burch.) Van der Merwe

(*Ornithogalum nervosum* Burch.)

(*S. acerosus* Van der Merwe)

(*S. gerrardii* (Baker) Van der Merwe)

(*S. rigidifolius* (Kunth) Van der Merwe)

(*Scilla gerrardii* Baker)

(*Scilla hispidula* Baker)

(*Scilla nervosa* (Burch.) Jessop)

(*Scilla rigidifolia* Baker)

(*Scilla rigidifolia* var. *acerosa* Van der Merwe)

rigidifolius (Kunth) Van der Merwe = *S. nervosus*

SCILLA L.

albomarginata Van der Merwe = *Ledebouria revoluta*

asperifolia Van der Merwe = *Ledebouria revoluta*

carnosula Van der Merwe = *Ledebouria revoluta*

cinerascens Van der Merwe = *Ledebouria cooperi*

cooperi Hook.f. = *Ledebouria cooperi*

galpinii Baker = *Ledebouria cooperi*

gerrardii Baker = *Schizocarpus nervosus*

glaucescens Van der Merwe = *Ledebouria cooperi*

graminifolia Baker = *Ledebouria graminifolia*

hispidula Baker = *Schizocarpus nervosus*

inandensis Baker = *Ledebouria cooperi*

inquinata C.A.Sm. = *Ledebouria inquinata*

lanceifolia (Jacq.) Baker = *Ledebouria revoluta*

marginata Baker = *Ledebouria marginata*

neglecta Van der Merwe = *Ledebouria marginata*

nervosa (Burch.) Jessop = *Schizocarpus nervosus*

petiolata Van der Merwe = *Ledebouria cooperi*
prasina Baker = *Ledebouria undulata*
pusilla Baker = *Ledebouria cooperi*
rautanenii Schinz = *Ledebouria undulata*
rigidifolia Baker = *Schizocarphus nervosus*
rigidifolia Baker var. *acerosa* Van der Merwe = *Schizocarphus nervosus*
rogersii Baker = *Ledebouria cooperi*
rupestris Van der Merwe = *Ledebouria cooperi*
saturata Baker = *Ledebouria cooperi*
stenophylla Van der Merwe = *Ledebouria graminifolia*

URGINEA Steinh.

altissima (L.f.) Baker = *Drimia altissima*
burkei Baker = *Drimia sanguinea*
epigea R.A.Dyer = *Drimia altissima*
sanguinea Schinz = *Drimia sanguinea*

HYDROCHARITACEAE

LAGAROSIPHON Harv.

cordofanus Casp. GAB PRE PSUB ♠
(*L. crispus* Rendle)
(*L. tsotsorogensis* Bremek. & Oberm.)
crispus Rendle = *L. cordofanus*
tsotsorogensis Bremek. & Oberm. = *L. cordofanus*
ilicifolius Oberm. GAB PRE PSUB UCBG ♠
muscooides Harv. GAB PRE PSUB UCBG ♠

OTTELIA Pers.

kunenensis (Gürke) Dandy GAB PRE PSUB ♠
muricata (C.H.Wright) Dandy GAB PRE PSUB ♠
ulvifolia (Planch.) Walp. GAB PRE UCBG ♠

VALLISNERIA L.

aethiopica Fenzl = *V. spiralis* L.
spiralis L.
(*V. aethiopica* Fenzl)

HYPOXIDACEAE

HYPOXIS L.

angolensis Baker = *H. obtusa*
hemerocallidea Fisch. Mey. & Avé-Lall. C GAB K PRE SRGH
(*H. rooperi* S.Moore)
iridifolia Baker
(*H. nitida* I.Verd.)
nitida I.Verd. = *H. obtusa*
obtusa Burch. ex Ker Gawl. GAB K PRE SRGH UCBG
(*H. angolensis* Baker)
(*H. nitida* I.Verd.)
rooperi S.Moore = *H. hemerocallidea*

IRIDACEAE

ANTHOLYZA L.

magnifica Harms = *Gladiolus magnificus*

spectabilis Schinz = *Gladiolus magnificus*
zambesiaca Baker = *Gladiolus magnificus*

BABIANA Ker Gawl.

hypogea Burch. var. **hypogea** GAB K PRE UCBG

CHASMANTHE N.E.Br.

spectabilis (Schinz) N.E.Br. = *Gladiolus magnificus*

FERRARIA Burm. ex Mill.

bechuanica Baker = *F. glutinosa*
glutinosa (Baker) Rendle GAB K MO PRE SRGH
(*F. bechuanica* Baker)
(*F. welwitschii* Baker)
(*Moraea glutinosa* Baker)
welwitschii Baker = *F. glutinosa*

GLADIOLUS L.

adlamii Baker = *G. dalenii* subsp. *dalenii*
affinis De Wild. = *G. dalenii* subsp. *dalenii*
angolensis Welw. ex Baker = *G. dalenii* subsp. *dalenii*
barnardii G.J.Lewis = *G. dalenii* subsp. *dalenii*
boehmii Vaupel = *G. dalenii* subsp. *dalenii*
buettneri Pax = *G. dalenii* subsp. *dalenii*
caffensis Cufod. = *G. dalenii* subsp. *dalenii*
calothyrsus Vaupel = *G. dalenii* subsp. *dalenii*
coccineus L.Bolus = *G. dalenii* subsp. *dalenii*
cooperi Baker = *G. dalenii* subsp. *dalenii*
corneus Oliv. = *G. dalenii* subsp. *dalenii*
cymbarius Baker = *G. rehmannii*
dalenii Van Geel subsp. **dalenii** GAB PRE PSUB SRGH

(*G. adlamii* Baker)
(*G. affinis* De Wild.)
(*G. angolensis* Welw. ex Baker)
(*G. barnardii* G.J.Lewis)
(*G. boehmii* Vaupel)
(*G. buettneri* Pax)
(*G. caffensis* Cufod.)
(*G. calothyrsus* Vaupel)
(*G. coccineus* L.Bolus)
(*G. cooperi* Baker)
(*G. corneus* Oliv.)
(*G. dracocephalus* Hook.f.)
(*G. fuscoviridis* Baker)
(*G. gallaensis* Vaupel)
(*G. garnieri* Klatt)
(*G. garuanus* Vaupel)
(*G. hockii* De Wild.)
(*G. ignescens* Bojer ex Baker)
(*G. kilimandscharicus* Pax)
(*G. leichtlinii* Baker)
(*G. leptophyllus* L.Bolus)
(*G. louwii* L.Bolus)
(*G. luembensis* De Wild.)
(*G. luteolus* Klatt)
(*G. natalensis* Reinw. ex Hook.)
(*G. newii* Baker)

(G. pageae L.Bolus)
(G. platyphyllus Baker)
(G. primulinus Baker)
(G. psittacinus Hook.f.)
(G. psittacinus Hook.f. var. *cooperi* Baker)
(G. quartinianus A.Rich.)
(G. retrocurvus G.J.Lewis)
(G. saltatorum Baker)
(G. splendidus Rendle)
(G. sulphureus Baker)
(G. taylorianus Rendle)
(G. tysonii Baker)
(Watsonia natalensis Eckl.)
dracocephalus Hook.f. = *G. dalenii* subsp. *dalenii*
ecklonii Lehm. subsp. *rehmannii* (Baker) Oberm. = *G. rehmannii*
edulis Burch. ex Ker Gawl. = *G. permeabilis* subsp. *edulis*
elliottii Baker PRE
fuscoviridis Baker = *G. dalenii* subsp. *dalenii*
gallaensis Vaupel = *G. dalenii* subsp. *dalenii*
garnieri Klatt = *G. dalenii* subsp. *dalenii*
garuanus Vaupel = *G. dalenii* subsp. *dalenii*
hockii De Wild. = *G. dalenii* subsp. *dalenii*
ignescens Bojer ex Baker = *G. dalenii* subsp. *dalenii*
kilimandscharicus Pax = *G. dalenii* subsp. *dalenii*
leichtlinii Baker = *G. dalenii* subsp. *dalenii*
leptophyllus L.Bolus = *G. dalenii* subsp. *dalenii*
louwii L.Bolus = *G. dalenii* subsp. *dalenii*
luembensis De Wild. = *G. dalenii* subsp. *dalenii*
luteolus Klatt = *G. dalenii* subsp. *dalenii*
magnificus (Harms) Goldblatt GAB K PRE PSUB SRGH
(Antholyza magnifica Harms)
(Antholyza spectabilis Schinz)
(Antholyza zambesiaca Baker)
(Chasmanthe spectabilis (Schinz) N.E.Br.)
(Oenostachys zambesiacus (Baker) Goldblatt)
(Petamenes magnificus (Harms) R.C.Foster)
(Petamenes spectabilis (Schinz) E.Phillips)
(Petamenes zambesiacus (Baker) N.E.Br.)
natalensis Reinw. ex Hook. = *G. dalenii* subsp. *dalenii*
newii Baker = *G. dalenii* subsp. *dalenii*
oatesii Rolfe PRE GAB PRE SRGH UCBG
pageae L.Bolus = *G. dalenii* subsp. *dalenii*
permeabilis D.Delaroche subsp. *edulis* (Burch. ex Ker Gawl.)
 Oberm.
(G. edulis Burch. ex Ker Gawl.)
(G. remotiflorus Baker)
platyphyllus Baker = *G. dalenii* subsp. *dalenii*
primulinus Baker = *G. dalenii* subsp. *dalenii*
psittacinus Hook.f. = *G. dalenii* subsp. *dalenii*
psittacinus Hook.f. var. *cooperi* Baker = *G. dalenii* subsp. *dalenii*
quartinianus A.Rich. = *G. dalenii* subsp. *dalenii*
rehmannii Baker
(G. cymbarinus Baker)
(G. ecklonii Lehm. subsp. *rehmannii* (Baker) Oberm.)
remotiflorus Baker = *G. permeabilis* subsp. *edulis*
retrocurvus G.J.Lewis = *G. dalenii* subsp. *dalenii*
rubellus Goldblatt K PRE

saltatorum Baker = *G. dalenii* subsp. *dalenii*
splendidus Rendle = *G. dalenii* subsp. *dalenii*
sulphureus Baker = *G. dalenii* subsp. *dalenii*
taylorianus Rendle = *G. dalenii* subsp. *dalenii*
tysonii Baker = *G. dalenii* subsp. *dalenii*
unguiculatus of authors not of Baker = *G. oatesii*

GYNANDRIRIS Parl.

simulans (Baker) R.C.Foster = *Moraea simulans*

HESPERANTHA Ker Gawl.

longicollis Baker C K PRE SRGH

(H. sabiensis N.E.Br. ex R.C.Foster)

(H. widmeri P.Beauv.)

sabiensis N.E.Br. ex R.C.Foster = *H. longicollis*

widmeri P.Beauv. = *H. longicollis*

HOMERIA Vent.

pallida Baker = *Moraea pallida*

IRIS L.

polystachya Thunb. = *Moraea polystachya*

LAPEIROUSIA Pourr.

bainesii Baker GAB PRE

caespitosa Licht. ex Roem. & Schult. = *L. plicata* subsp. *plicata*

caudata Schinz subsp. *burchellii* (Baker) Marais & Goldblatt =

L. littoralis subsp. *littoralis*

caudata Schinz subsp. *caudata* = *L. littoralis* subsp. *caudata*

coerulea Schinz C GAB MO PRE SRGH UCBG

cyanescens Baker = *L. schimperii*

erythrantha (Klotzsch ex Klatt) Baker BR GAB K LISC PRE UCBG

heterophylla (Willd.) R.C.Foster = *L. plicata* subsp. *plicata*

littoralis Baker subsp. *caudata* (Schinz) Goldblatt GAB K PRE

SRGH UCBG

(L. caudata Schinz subsp. *caudata*)

littoralis Baker subsp. *littoralis* C K PRE

(L. caudata Schinz subsp. *burchellii* (Baker)

Marais & Goldblatt)

(L. ramosissima Dinter)

plicata (Jacq.) Diels subsp. *plicata* PRE

(L. caespitosa Licht. ex Roem. & Schult.)

(L. heterophylla (Willd.) R.C.Foster)

ramosissima Dinter = *L. littoralis* subsp. *littoralis*

sandersonii Baker PRE SRGH UCBG

schimperii (Asch. & Klatt) Milne-Redh. BR K PRE PSUB SRGH

(L. cyanescens Baker)

(Tritonia schimperii Asch. & Klatt)

MORAEA Mill.

carsonii Baker K PRE UPS

(M. homblei De Wild.)

elliottii Baker UCBG

glutinosa Baker = *Ferraria glutinosa*

homblei De Wild. = *M. carsonii*

pallida (Baker) Goldblatt PRE

(Homeria pallida Baker)

- polystachya** (Thunb.) Ker Gawl.
(*Iris polystachya* Thunb.)
simulans Baker PRE
(*Gynandriris simulans* (Baker) R.C.Forster)

OENOSTACHYS Bullock
zambesiacus (Baker) Goldblatt = *Gladiolus magnificus*

PETAMENES Salisb.
magnificus (Harms) R.C.Foster = *Gladiolus magnificus*
spectabilis (Schinz) E.Phillips = *Gladiolus magnificus*
zambesiacus (Baker) N.E.Br. = *Gladiolus magnificus*

TRITONIA Ker Gawl.
nelsonii Baker PRE
schimperii Asch. & Klatt = *Lapeirousia schimperii*

WATSONIA Mill.
confusa Goldblatt PRE
natalensis Eckl. = *Gladiolus dalenii* subsp. *dalenii*

.....
JUNCACEAE
.....

JUNCUS L.
arabicus (Asch. & Buchenau) Adamson = *J. rigidus*
brevistilus Buchenau = *J. oxycarpus*
exsertus Buchenau GAB ♦
gentilis N.E.Br. = *J. oxycarpus*
oxycarpus E.Mey. ex Kunth GAB PRE UCBG ♦
(*J. brevistilus* Buchenau)
(*J. gentilis* N.E.Br.)
(*J. suboxycarpus* Adamson)
rigidus Desf. GAB PRE PSUB ♦
(*J. arabicus* (Asch. & Buchenau) Adamson)
suboxycarpus Adamson = *J. oxycarpus*

.....
LEMNACEAE
.....

LEMNA L.
aequinotialis Welw. GAB PRE PSUB ♦
gibba L. PRE
minor L. ?

PSEUDOWOLFFIA Den Hartog & Van der Plas
hyalina (Hegelm.) Den Hartog & Ven der Plas = *Wolffiella hyalina*

SPIRODELA Schleid.
polyrhiza (L.) Schleid. PRE PSUB ♦

WOLFFIA Horkel ex Schleid.
arrhiza (L.) Horkel ex Wimm. PRE PSUB ♦

WOLFFIELLA (Hegelm.) Hegelm.
hyalina (Delile) Monod PRE PSUB ♦
(*Pseudowolffia hyalina* (Hegelm.) Den Hartog & Van der Plas)
repanda (Hegelm.) Monod GAB PSUB ♦
welwitschii (Hegelm.) Monod PRE PSUB ♦

(*Wolfflopsis welwitschii* (Hegelm.) Den Hartog & Van der Plas)

WOLFFIOPSIS Den Hartog & Van der Plas
welwitschii (Hegelm.) Den Hartog & Van der Plas = *Wolffiella welwitschii*

.....
LIMNOCHARITACEAE
.....

BUTOMOPSIS Kunth
latifolia (D.Don) Kunth PRE ♦
(*Tenagocharis latifolia* (D.Don) Buchenau)

TENAGOCHARIS Hochst.
latifolia (D.Don) Buchenau = *Butomopsis latifolia*

.....
NAJADACEAE
.....

NAJAS L.
horrida A.Braun GAB PRE PSUB UCBG ♦
(*N. pectinata* of author not of (Parl.) Magnus)
marina L. subsp. *armata* (H.Lindb.) Horn PRE ♦
(*N. marina* L. subsp. *delilei* (Rouy) Oberm.)
marina L. subsp. *delilei* (Rouy) Oberm. = *N. marina* subsp. *armata*
pectinata of author not of (Parl.) Magnus = *N. horrida*

.....
ORCHIDACEAE
.....

ANSELLIA Lindl.
africana Lindl. K PRE PSUB SRGH ♦♦
(*A. africana* Lindl. var. *australis* Summerh.)
(*A. africana* Lindl. var. *nilotica* Baker)
(*A. confusa* N.E.Br.)
(*A. congoensis* Rodigas)
(*A. gigantea* Rchb.f.)
(*A. gigantea* Rchb.f. var. *gigantea*)
(*A. gigantea* Rchb.f. var. *nilotica* (Baker) Summerh.)
(*A. humilis* W.Bull)
(*A. nilotica* (Baker) N.E.Br.)
africana Lindl. var. *australis* Summerh. = *A. africana*
africana Lindl. var. *nilotica* Baker = *A. africana*
confusa N.E.Br. = *A. africana*
congoensis Rodigas = *A. africana*
gigantea Rchb.f. var. *gigantea* = *A. africana*
gigantea Rchb.f. var. *nilotica* (Baker) Summerh. = *A. africana*
humilis W.Bull = *A. africana*
nilotica (Baker) N.E.Br. = *A. africana*

BONATEA Willd.
antennifera Rolfe = *B. speciosa* (L.f.) Willd. var. *antennifera* (Rolfe) Sommerv.
foliosa (Sw.) Lindl. = *Habenaria epipactidea*
foliosa (Sw.) Lindl. var. *pauciflora* Sond. = *Habenaria epipactidea*
porrecta (Bolos) Summerh. GAB PRE SRGH
(*Habenaria porrecta* Bolos)
speciosa (L.f.) Willd. var. *antennifera* (Rolfe) Sommerv.
(*B. antennifera* Rolfe)

(*Habenaria macrocorchis* Schltr.)

CYMBIDIUM Sw.

angolense Rchb.f. = *Eulophia angolensis*

CYRTOPERA Lindl.

stolziana Kraenzl. = *Eulophia angolensis*

walleri Rchb.f. = *Eulophia walleri*

EULOPHIA R.Br. ex Lindl.

aemula Schltr. = *E. hians* var. *nutans*

amajubae Schltr. = *E. hians* var. *nutans*

angolensis (Rchb.f.) Summerh. GAB K PRE SRGH ♦

(*Cymbidium angolense* Rchb.f.)

(*Cyrtopera stolziana* Kraenzl.)

(*E. buchananii* (Rchb.f.) Bolus)

(*E. lindleyanus* Rchb.f.)

(*E. stolziana* (Kraenzl.) Engl.)

(*Lissochilus angolensis* (Rchb.f.) Rchb.f.)

(*Lissochilus antunesii* Rchb.f.)

(*Lissochilus buchananii* Rchb.f.)

(*Lissochilus eylesii* Rendle)

(*Lissochilus katentaniensis* De Wild.)

(*Lissochilus latus* Rolfe)

(*Lissochilus lindleyanus* Rchb.f.)

(*Lissochilus mildbraedii* Kraenzl.)

(*Lissochilus paludicola* Rchb.f.)

(*Lissochilus platypterus* Rchb.f.)

(*Lissochilus stolzianus* (Kraenzl.) Schltr.)

(*Lissochilus ugandae* Rolfe)

(*Lissochilus validus* Rendle)

(*Lissochilus validus* Rendle var. *minor* Rendle)

angustiflora Kraenzl. = *E. walleri*

arenicola Schltr. K SRGH

austrooccidentalis Sölch = *E. speciosa*

brevisepala (Rendle) Summerh. = *E. speciosa*

buchananii (Rchb.f.) Bolus = *E. angolensis*

carunculifera Rchb.f. = *E. hians* var. *nutans*

chrysops Summerh. = *E. schweinfurthii*

clavicornis Lindl. var. *nutans* (Sond.) A.V.Hall = *E. hians* var. *nutans*

compta Summerh. = *E. schweinfurthii*

coutreziana Geerinck = *E. speciosa*

crinata Rolfe = *E. hians* var. *nutans*

decurva Schltr. = *E. hians* var. *nutans*

dispersa N.E.Br. = *E. speciosa*

ernestii Schltr. = *E. hians* var. *nutans*

flanagani Bolus = *E. hians* var. *nutans*

fridericii (Rchb.f.) A.V.Hall PRE

galpinii Schltr. = *E. hians* var. *nutans*

gladioloides Rolfe = *E. hians* var. *nutans*

guineensis Lindl. PRE

hereroensis Schltr. C GAB K PRE SRGH UCBG

(*E. junodiana* Kraenzl.)

(*E. undulata* Rolfe)

hians Spreng. var. **nutans** (Sond.) S.Thomas K

(*E. aemula* Schltr.)

(*E. amajubae* Schltr.)

(*E. carunculifera* Rchb.f.)

(*E. clavicornis* Lindl. var. *nutans* (Sond.) A.V.Hall)

(*E. crinata* Rolfe)

(*E. decurva* Schltr.)

(*E. ernestii* Schltr.)

(*E. flanagani* Bolus)

(*E. galpinii* Schltr.)

(*E. gladioloides* Rolfe)

(*E. laxiflora* Schltr.)

(*E. nutans* Sond.)

(*E. purpurascens* Rolfe)

(*E. triloba* Rolfe)

(*E. ukingensis* Schltr.)

(*E. vaginata* Ridl.)

(*E. vlemincxiana* Geerinck & Schaijes)

holubii Rolfe GAB K PSUB SRGH

horsfallii (Bateman) Summerh. PRE

(*Lissochilus horsfallii* Bateman)

(*Lissochilus sandersonii* Rchb.f.)

(*Lissochilus transvaalensis* Rolfe)

involuta Summerh. = *E. schweinfurthii*

jumelleana Schltr. = *E. livingstoneana*

junodiana Kraenzl. = *E. hereroensis*

kyimbilae Schltr. K PRE SRGH

latilabris Summerh. GAB K PRE PSUB SRGH ♦♦

(*Lissochilus leopoldi* Kraenzl.)

(*Lissochilus nyassae* Rolfe)

(*Lissochilus schweinfurthii* Rchb.f.)

laxiflora Schltr. = *E. hians* var. *nutans*

leucantha (Kraenzl.) Sölch = *E. speciosa*

lindleyanus Rchb.f. = *E. angolensis*

livingstoneana (Rchb.f.) Schltr. K PRE SRGH

(*E. jumelleana* Schltr.)

(*E. robusta* Schltr.)

(*Lissochilus affinis* Rendle)

(*Lissochilus cornigerus* Rendle)

(*Lissochilus fallax* Rchb.f.)

(*Lissochilus faradiensis* De Wild.)

(*Lissochilus gracilior* Rendle)

(*Lissochilus gricilior* Rendle var. *angusta* Rendle)

(*Lissochilus jumelleanus* (Schltr.) Schltr.)

(*Lissochilus laggia* Schltr.)

(*Lissochilus livingstoneanus* Rchb.f.)

(*Lissochilus malangensis* Rchb.f.)

(*Lissochilus mediocris* Rendle)

(*Lissochilus rutenbergianus* Kraenzl.)

nutans Sond. = *E. hians* var. *nutans*

orthoplectra (Rchb.f.) Summerh. var. *schweinfurthii* =

E. schweinfurthii

pentheri Schltr. = *E. schweinfurthii*

piscucelliana Buscal. & Schltr. = *E. walleri*

purpurascens Rolfe = *E. hians* var. *nutans*

robusta Schltr. = *E. livingstoneana*

schweinfurthii Kraenzl. GAB K PRE SRGH

(*E. chrysops* Summerh.)

(*E. compta* Summerh.)

(*E. involuta* Summerh.)

(*E. orthoplectra* (Rchb.f.) Summerh. var. *schweinfurthii*)
 (*E. pentheri* Schltr.)
 (*Lissochilus aurantiacus* Rchb.f.)
 (*Lissochilus descampsii* De Wild.)
 (*Lissochilus elegantulus* Schltr.)
 (*Lissochilus holubii* Rolfe)
 (*Lissochilus johnstonii* Rolfe)
 (*Lissochilus pentheri* Schltr.)
 (*Lissochilus smithii* Rolfe)
 (*Lissochilus vermiculatus* De Wild.)

speciosa (R.Br. ex Lindl.) Bolus K PRE PSUB SRGH

(*E. austrooccidentalis* Sölch)
 (*E. brevisepala* (Rendle) Summerh.)
 (*E. coutreziana* Geerinck)
 (*E. dispersa* N.E.Br.)
 (*E. leucantha* (Kraenzl.) Sölch)
 (*E. speciosa* (R.Br. ex Lindl.) Bolus var. *culveri* Schltr.)
 (*E. wakefieldii* (Rchb.f. & S.Moore) Summerh.)
 (*Lissochilus brevisepalus* Rendle)
 (*Lissochilus calopecterus* Rchb.f.)
 (*Lissochilus homblei* De Wild.)
 (*Lissochilus leucanthus* Kraenzl.)
 (*Lissochilus rendlei* Rolfe)
 (*Lissochilus sapinii* De Wild.)
 (*Lissochilus speciosus* R.Br. ex Lindl.)
 (*Lissochilus volkensii* Rolfe)
 (*Lissochilus wakefieldii* Rchb.f. & S.Moore)

speciosa (R.Br. ex Lindl.) Bolus var. *culveri* Schltr. = *E. speciosa*
stolziana (Kraenzl.) Engl. = *E. angolensis*

tanganyikensis Rolfe ?

triloba Rolfe = *E. hians* var. *nutans*

tuberculata Bolus ?

(*Lissochilus leendertziae* Schltr.)
 (*Lissochilus platypetalus* Lindl.)

ukingensis Schltr. = *E. hians* var. *nutans*

undulata Rolfe = *E. hereroensis*

vaginata Ridl. = *E. hians* var. *nutans*

vleminkxiana Geerinck & Schaijjes = *E. hians* var. *nutans*

wakefieldii (Rchb.f. & S.Moore) Summerh. = *E. speciosa*

walleri Kraenzl. GAB K PRE

(*Cyrtopera walleri* Rchb.f.)
 (*E. angustiflora* Kraenzl.)
 (*E. piscucelliana* Buscal. & Schltr.)

HABENARIA Willd.

chlorotica Rchb.f. = *H. filicornis*

epipactidea Rchb.f. C GAB K PRE SRGH UCBG

(*Bonatea foliosa* (Sw.) Lindl.)
 (*Bonatea foliosa* (Sw.) Lindl. var. *pauciflora* Sond.)
 (*H. epipactidea* Rchb.f. var. *schinzii* (Rolfe) Kraenzl.)
 (*H. foliosa* (Sw.) Rchb.f.)
 (*H. hircina* Rchb.f.)
 (*H. perfoliata* Kraenzl.)
 (*H. polyphylla* Kraenzl.)
 (*H. rautanenii* Kraenzl.)
 (*H. schinzii* Rolfe)
 (*Orchis foliosa* Sw.)

epipactidea Rchb.f. var. *schinzii* (Rolfe) Kraenzl. = *H. epipactidea*
filicornis Lindl. GAB K PRE PSUB SRGH ♠

(*H. chlorotica* Rchb.f.)
 (*H. filicornis* Lindl. var. *chlorotica* (Rchb.f.) Geerinck)
 (*H. natalensis* Rchb.f.)
 (*H. pertenuis* Kraenzl.)
 (*H. wilmsiana* Kraenzl.)

filicornis Lindl. var. *chlorotica* (Rchb.f.) Geerinck = *H. filicornis*
foliosa (Sw.) Rchb.f. = *H. epipactidea*

hircina Rchb.f. = *H. epipactidea*

ichneumonea (Sw.) Lindl. GAB K PRE PSUB SRGH ♠

(*Orchis ichneumonea* Sw.)

macrocorchis Schltr. = *Bonatea antennifera*

natalensis Rchb.f. = *H. filicornis*

pasmithii G.Will. GAB K PRE PSUB SRGH ♦♦

perfoliata Kraenzl. = *H. epipactidea*

pertenuis Kraenzl. = *H. filicornis*

polyphylla Kraenzl. = *H. epipactidea*

porrecta Bolus = *Bonatea porrecta*

quadrifida Schltr. = *H. trilobulata*

rautanenii Kraenzl. = *H. epipactidea*

schinzii Rolfe = *H. epipactidea*

schimperiana Hochst. ex A.Rich. ?

subarmata Rchb.f. PRE

trilobulata Schltr. ?

(*H. quadrifida* Schltr.)
wilmsiana Kraenzl. = *H. filicornis*

LISSOCHILUS R.Br.

affinis Rendle = *Eulophia livingstoneana*

angolensis (Rchb.f.) Rchb.f. = *Eulophia angolensis*

antunesii Rchb.f. = *Eulophia angolensis*

aurantiacus Rchb.f. = *Eulophia schweinfurthii*

breviseptalus Rendle = *Eulophia speciosa*

buchananii Rchb.f. = *Eulophia angolensis*

calopecterus Rchb.f. = *Eulophia speciosa*

cornigerus Rendle = *Eulophia livingstoneana*

descampsii De Wild. = *Eulophia schweinfurthii*

elegantulus Schltr. = *Eulophia schweinfurthii*

eylesii Rendle = *Eulophia angolensis*

fallax Rchb.f. = *Eulophia livingstoneana*

faradiensis De Wild. = *Eulophia livingstoneana*

gracilior Rendle = *Eulophia livingstoneana*

gracilior Rendle var. *angusta* Rendle = *Eulophia livingstoneana*

holubii Rolfe = *Eulophia schweinfurthii*

homblei De Wild. = *Eulophia speciosa*

horsfallii Bateman = *Eulophia horsfallii*

johnstonii Rolfe = *Eulophia schweinfurthii*

jumelleanus (Schltr.) Schltr. = *Eulophia livingstoneana*

katentaniensis De Wild. = *Eulophia angolensis*

laggiarae Schltr. = *Eulophia livingstoneana*

latus Rolfe = *Eulophia angolensis*

leendertziae Schltr. = *Eulophia tuberculata*

leopoldi Kraenzl. = *Eulophia latilabris*

leucanthus Kraenzl. = *Eulophia speciosa*

lindleyanus Rchb.f. = *Eulophia angolensis*

livingstoneana Rchb.f. = *Eulophia livingstoneana*
malangensis Rchb.f. = *Eulophia livingstoneana*
mediocris Rendle = *Eulophia livingstoneana*
mildbraedii Kraenzl. = *Eulophia angolensis*
nyassae Rolfe = *Eulophia latilabris*
paludicola Rchb.f. = *Eulophia angolensis*
pentheri Schltr. = *Eulophia schweinfurthii*
platypetalus Lindl. = *Eulophia tuberculata*
platypterus Rchb.f. = *Eulophia angolensis*
rendlei Rolfe = *Eulophia speciosa*
rutenbergianus Kraenzl. = *Eulophia livingstoneana*
sandersonii Rchb.f. = *Eulophia horsfallii*
sapinii De Wild. = *Eulophia speciosa*
schweinfurthii Rchb.f. = *Eulophia latilabris*
smithii Rolfe = *Eulophia schweinfurthii*
speciosus R.Br. ex Lindl. = *Eulophia speciosa*
stolzianus (Kraenzl.) Schltr. = *Eulophia angolensis*
transvaalensis Rolfe = *Eulophia horsfallii*
ugandae Rolfe = *Eulophia angolensis*
validus Rendle = *Eulophia angolensis*
validus Rendle var. *minor* Rendle = *Eulophia angolensis*
vermiculatus De Wild. = *Eulophia schweinfurthii*
volkensii Rolfe = *Eulophia speciosa*
wakefieldii Rchb.f. & S. Moore = *Eulophia speciosa*

ORCHIS L.

foliosa Sw. = *Habenaria epipactidea*
ichneumonea Sw. = *Habenaria ichneumonea*

ZEUXINE Lindl.

africana Rchb.f. K PSUB SRGH ♦♦
 (Z. *cochlearis* Schltr.)

POACEAE (GRAMINEAE)

ACRACHNE Wight & Arn. ex Chiov.

racemosa (Roem. & Schult.) Ohwi K PRE PSUB SRGH
 (A. *verticillata* (Roxb.) Chiov.)
 (*Eleusine racemosa* B. Heyne ex Roem. & Schult.)
 (*Eleusine verticillata* Roxb.)
verticillata (Roxb.) Chiov. = A. *racemosa*

ACROCERAS Stapf

macrum Stapf GAB K PRE PSUB SRGH
pilgerianum Schweick. = *Panicum pilgerianum*

ACROCHAETE Peter

pseudoaristata Peter = *Setaria pseudoaristata*

AGROSTIS L.

africana Poir. = *Sporobolus africanus*
capensis Willd. = *Sporobolus africanus*
coromandeliana Retz. = *Sporobolus coromandelianus*
kentrophylla K. Schum. = *Sporobolus ioclados*
lachnantha Nees var. *lachnantha* PRE SRGH
spicata Thunb. = *Sporobolus africanus*
spicata Vahl = *Sporobolus spicatus*

ALLOTROPSIS J. Presl

cimicina (L.) Stapf GAB K PRE PSUB SRGH
 (*Milium ciminum* L.)

ALOPECURUS L.

monspeliensis L. = *Polypogon monspeliensis*

AMPHILOPHIS Nash

glabra (Roxb.) Stapf = *Bothriochloa bladhii*
glabra (Roxb.) Stapf var. *haenkei* (J. Presl) E.G. Camus &
 A. Camus = *Bothriochloa bladhii*
haenkei (J. Presl) Haines = *Bothriochloa bladhii*
insculpta (Hochst. ex A. Rich.) Stapf = *Bothriochloa insculpta*
intermedia (R. Br.) Stapf = *Bothriochloa bladhii*
radicans (Lehm.) Stapf = *Bothriochloa radicans*

ANDROPOGON L.

afer J.F. Gmel. = *Ischaemum afrum*
altissimus Hochst. ex A. Braun = *Hyparrhenia rufa* var. *rufa*
amplectens Nees var. *catangensis* Chiov. = *Diheteropogon*
amplectens var. *catangensis*
appendiculatus Nees var. *polycladus* Hack. = A. *gayanus*
arcuatus (Nees) Steud. = *Ischaemum fasciculatum*
arthropogon Pilg. = *Schizachyrium jeffreysii*
ascinodis C.B. Clarke = A. *chinensis*
aureus Bory = *Eulalia aurea*
bicolor Nees = *Hyparrhenia dichroa*
bladhii Retz. = *Bothriochloa bladhii*
bouangensis Franch. = *Hyparrhenia rufa* var. *rufa*
brachytherus Hochst. = *Ischaemum afrum*
brazzae Franch. K PRE PSUB ♦
caeruleus Nees ex Steud. = *Chrysopogon serrulatus*
caespitosus A. Rich. = *Elionurus muticus*
caucasicus Trin. = *Bothriochloa bladhii*
ceresiiformis Nees = *Monocymbium ceresiiforme*
ceresiiformis Nees var. *breviaristatus* Hack. = *Monocymbium*
ceresiiforme
ceresiiformis Nees var. *hirtellus* Franch. = *Monocymbium*
ceresiiforme
ceresiiformis Nees var. *submuticus* Hack. = *Monocymbium*
ceresiiforme
chinensis (Nees) Merr. GAB K LISC PRE PSUB SRGH UCBG
 (A. *ascinodis* C.B. Clarke)
 (A. *lindiensis* Pilg.)
 (A. *patris* Robyns)
 (A. *pseudoschinzii* Stapf)
 (A. *schinzii* Hack.)
 (A. *spanianthus* Pilg.)
 (A. *sylvaticus* C.E. Hubb.)
 (*Homoeatherum chinense* Nees)
chrysargyreus (Stapf) Stapf = *Hyparrhenia nyassae*
ciliolatus Nees ex Steud. = *Chrysopogon serrulatus*
contortus L. = *Heteropogon contortus*
dichroa Steud. = *Hyparrhenia dichroa*
dummeri Stapf = A. *schirensis*
eucomus Nees subsp. *eucomus* GAB K PRE PSUB SRGH UCBG
eucomus Nees subsp. *huillensis* (Rendle) Sales = A. *huillensis*

exilis Hochst. = *Schizachyrium exile*
fasciculatus (Brongn.) Steud. = *Ischaemum fasciculatum*
fastigiatus Sw. BM PRE SRGH
 (*Diectomis fastigiata* (Sw.) Kunth)
filipendulus Hochst. = *Hyparrhenia filipendula*
filipendulus (Hochst.) var. *pilosus* Hochst. = *Hyparrhenia filipendula*
friesii Pilg. = *Sorghastrum nudipes*
fulvicomus Hochst. = *Hyparrhenia rufa* var. *rufa*
fulvicomus (Hochst.) var. *approximatus* Hochst. = *Hyparrhenia rufa* var. *rufa*
gayanus Kunth var. **polycladus** (Hack.) Clayton E GAB K PRE PSUB
 (*A. appendiculatus* Nees var. *polycladus* Hack.)
 (*A. gayanus* Kunth var. *squamulatus* (Hochst.) Stapf)
 (*A. squamulatus* Hochst.)
gayanus Kunth var. *squamulatus* (Hochst.) Stapf = *A. gayanus*
giganteus Hochst. = *Cymbopogon caesius* subsp. *giganteus*
glaber Roxb. = *Bothriochloa bladhii*
haenkei J.Presl = *Bothriochloa bladhii*
hirtus L. = *Hyparrhenia hirta*
hirtus L. var. *podotrichus* (Hochst.) Hack. = *Hyparrhenia hirta*
hispidissimus Hochst. ex Steud. = *Heteropogon contortus*
huillensis Rendle BM GAB K PRE PSUB SRGH UDBG
 (*A. eucomus* Nees subsp. *huillensis* (Rendle) Sales)
insculptus Hochst. ex A.Rich. = *Bothriochloa insculpta*
intermedius R.Br. = *Bothriochloa bladhii*
inundatus F.Muell. = *Bothriochloa bladhii*
ischaemum L. var. *radicans* (Lehm.) Hack. = *Bothriochloa radicans*
jeffreysii Hack. = *Schizachyrium jeffreysii*
lasiobasis Pilg. = *Hyparrhenia nyassae*
laxatus Stapf PRE
leptanthus Steud. = *Bothriochloa bladhii*
lindiensis Pilg. = *A. chinensis*
melanocarpus Elliott = *Heteropogon melanocarpus*
monticola Schult. var. *trinii* (Steud.) Hook.f. = *Chrysopogon serrulatus*
nigritanus Benth. = *Vetiveria nigritana*
nyassae Rendle = *Hyparrhenia nyassae*
papillosus Hochst. = *Dichanthium annulatum* var. *papillosum*
patris Robyns = *A. chinensis*
perfossus Nees & Meyen ex Steud. = *Bothriochloa bladhii*
pertusus (L.) Willd. subvar. *trifoveolatus* Hack. = *Bothriochloa insculpta*
pertusus (L.) Willd. var. *capensis* Hack. = *Bothriochloa insculpta*
pertusus (L.) Willd. var. *insculptus* (Hochst. ex A.Rich.) Hack. = *Bothriochloa insculpta*
plumosus Willd. = *Trachypogon spicatus*
plurinodis Stapf = *Cymbopogon pospischilii*
podotrichus Hochst. = *Hyparrhenia hirta*
polystictus Hochst. ex Steud. = *Heteropogon melanocarpus*
pospischilii K.Schum. = *Cymbopogon pospischilii*
pseudoschinzii Stapf = *A. chinensis*
punctatus Roxb. = *Bothriochloa bladhii*
radicans Lehm. = *Bothriochloa radicans*
ravus J.G.Andersson = *A. schirensis*

rufus (Nees) Kunth = *Hyparrhenia rufa* var. *rufa*
rufus (Nees) Kunth var. *fulvicomus* (Hochst.) Hack. = *Hyparrhenia rufa* var. *rufa*
ruprechtii Hack. = *Hyperthelia dissoluta*
schinzii Hack. = *A. chinensis*
schirensis A.Rich. GAB K PRE PSUB SRGH
 (*A. dummeri* Stapf)
 (*A. ravus* J.G.Andersson)
 (*A. schirensis* A.Rich. var. *angustifolius* Stapf)
 (*A. schirensis* A.Rich. var. *natalensis* Hack.)
schirensis A.Rich. var. *angustifolius* Stapf = *A. schirensis*
schirensis A.Rich. var. *natalensis* Hack. = *A. schirensis*
sehima Steud. = *Sehima ischaemoides*
semiberbis (Nees) Kunth = *Schizachyrium sanguineum*
serratus Thunb. var. *versicolor* (Andersson) Hack. = *Sorghum versicolor*
spanianthus Pilg. = *A. chinensis*
spicatus (L.f.) Steud. = *Trachypogon spicatus*
squamulatus Hochst. = *A. gayanus*
squarrosus L.f. var. *nigritanus* (Benth.) Hack. = *Vetiveria nigritana*
sylvaticus C.E.Hubb. = *A. chinensis*
thimiodorus (Nees) Steud. = *Elionurus muticus*
transvaalensis Stapf = *Hyparrhenia hirta*
tremulus Hack. = *Chrysopogon serrulatus*
trinii Steud. = *Chrysopogon serrulatus*
trinii Steud. var. *increscens* Hack. = *Chrysopogon serrulatus*
truncatus (Nees) Steud. = *Trachypogon spicatus*
xanthoblepharis Trin. = *Hyparrhenia rufa* var. *rufa*

ANTHEPHORA Schreb.

angustifolia Gooss. = *A. argentea*
argentea Gooss. C GAB K PRE SRGH UCBG UPS WAG
 (*A. angustifolia* Gooss.)
pubescens Nees C GAB K PRE PSUB SRGH UCBG
 (*A. ramosa* Goos.)
ramosa Goos. = *A. pubescens*
schinzii Hack. K PRE PSUB SRGH

ANTHISTIRIA L.f.

australis R.Br. = *Themeda triandra*
dissoluta Nees ex Steud. = *Hyperthelia dissoluta*
forsskalii Kunth = *Themeda triandra*
imberbis Retz. = *Themeda triandra*
punctata Hochst. ex A.Rich. = *Themeda triandra*

ARISTIDA L.

adscensionis L. BM GAB K LISC PRE PSUB SRGH UCBG
 (*A. adscensionis* L. subsp. *guineensis* (Trin. & Rupr.) Henrard)
 (*A. curvata* (Nees) T.Durand & Schinz)
 (*A. submucronata* Schumach.)
adscensionis L. subsp. *guineensis* (Trin. & Rupr.) Henrard =
 A. *adscensionis*
aequiglumis Hack. ?
alopecuroides Hack. = *A. congesta* subsp. *congesta*
andoniensis Henrard = *A. rhiniochloa*
bipartita (Nees) Trin. & Rupr. ?
borumensis Henrard = *A. scabrivalvis* subsp. *borumensis*

burkei Stapf = *A. diffusa* subsp. *burkei*
canescens Henrard subsp. **canescens** GAB PRE PSUB SRGH
ciliata Desf. var. *capensis* Trin. & Rupr. = *Stipagrostis ciliata* var. *capensis*
ciliata Desf. var. *pectinata* Henrard = *Stipagrostis ciliata* var. *capensis*
ciliata Desf. var. *tricholaena* Hack. = *Stipagrostis ciliata* var. *capensis*
ciliata Desf. var. *villosa* Hack. = *Stipagrostis ciliata* var. *capensis*
congesta Roem. & Schult. subsp. *barbicollis* (Trin. & Rupr.) De Winter PRE PSUB SRGH UCBG
congesta Roem. & Schult. subsp. **congesta** BM GAB K PRE PSUB SRGH UCBG
 (*A. alopecuroides* Hack.)
 (*A. longicauda* Hack. & Henriq.)
curvata (Nees) T.Durand & Schinz = *A. adscensionis*
diffusa Trin. subsp. **burkei** (Stapf) Melderis PRE PSUB SRGH
 (*A. burkei* Stapf)
 (*A. diffusa* Trin. var. *burkei* (Stapf) Schweick.)
diffusa Trin. var. *burkei* (Stapf) Schweick. = *A. diffusa* subsp. *burkei*
effusa Henrard PRE
fontismagni Schweick. = *A. stipoides*
graciliflora Pilg. = *A. stipitata* subsp. *graciliflora*
gracilior Pilg. var. *gracilior* = *Stipagrostis hirtigluma* subsp. *patula*
hirtigluma Trin. & Rupr. = *Stipagrostis hirtigluma* subsp. *hirtigluma*
hirtigluma Trin. & Rupr. var. *patula* Hack. = *Stipagrostis hirtigluma* subsp. *patula*
hordeacea Kunth GAB K LISC PRE PSUB SRGH
 (*A. pseudohordeacea* Stent & Rattray)
 (*A. steudeliana* Trin. & Rupr.)
hubbardiana Schweick. PRE PSUB SRGH
junciformis Trin. & Rupr. subsp. **junciformis** GAB PRE PSUB SRGH UCBG
junciformis Trin. & Rupr. subsp. **welwitschii** (Rendle) Melderis GAB SRGH
longicauda Hack. & Henriq. = *A. congesta* subsp. *congesta*
meridionalis Henrard BM GAB K PRE PSUB SRGH UCBG
mollissima Pilg. subsp. **argentea** (Schweick.) Melderis ?
mollissima Pilg. subsp. **mollissima** BM GAB K PRE PSUB SRGH UCBG
namaquensis (Nees) Trin. & Rupr. = *Stipagrostis namaquensis*
obtusata Delile = *Stipagrostis obtusa*
pilgeri Henrard BM GAB PRE PSUB SRGH
pseudohordeacea Stent & Rattray = *A. hordeacea*
rhiniochloa Hochst. GAB PRE PSUB SRGH
 (*A. andoniensis* Henrard)
scabrivalvis Hack. subsp. **borumensis** (Henrard) Melderis BM GAB SRGH
 (*A. borumensis* Henrard)
scabrivalvis Hack. subsp. **contracta** (De Winter) Melderis BM GAB PRE PSUB SRGH
 (*A. scabrivalvis* Hack. var. *contracta* De Winter)
scabrivalvis Hack. subsp. **scabrivalvis** GAB PRE PSUB SRGH
scabrivalvis Hack. var. *contracta* De Winter = *A. scabrivalvis* subsp. *contracta*

spectabilis Hack. PRE
steudeliana Trin. & Rupr. = *A. hordeacea*
stipitata Hack. subsp. **graciliflora** (Pilg.) Melderis GAB K PRE PSUB SRGH
 (*A. graciliflora* Pilg.)
 (*A. stipitata* Hack. var. *graciliflora* (Pilg.) De Winter)
 (*A. vinosa* Henr.)
stipitata Hack. subsp. **robusta** (Stent & J.M.Rattray) Melderis BM GAB LISC PRE PSUB SRGH
stipitata Hack. subsp. **spicata** (De Winter) Melderis BM LISC PRE PSUB SRGH
stipitata Hack. subsp. **stipitata** GAB K PRE PSUB SRGH
stipitata Hack. var. *graciliflora* (Pilg.) De Winter = *A. stipitata* subsp. *graciliflora*
stipoides Lam. BM PRE PSUB SRGH
 (*A. fontismagni* Schweick.)
submucronata Schumach. = *A. adscensionis*
uniplumis Licht. var. *neesii* Trin. & Rupr. = *Stipagrostis uniplumis* var. *neesii*
uniplumis Licht. var. *pearsonii* Henrard = *Stipagrostis uniplumis* var. *uniplumis*
uniplumis Licht. var. *uniplumis* = *Stipagrostis uniplumis* var. *uniplumis*
vestita Thunb. SRGH
vinosa Henr. = *A. stipitata* subsp. *graciliflora*
wildii Melderis BM K PRE PSUB SRGH UCBG

ARUNDO L.

australis Cav. = *Phragmites australis*

***donax** L. PRE 🌱

ASTHENATHERUM Nevski

glaucum (Nees) Nevski = *Centropodia glauca*

glaucum (Nees) Nevski var. *lasiophyllum* (Pilg.) Conert = *Centropodia glauca*

AVENA L.

andropogonoides Steud. = *Triraphis andropogonoides*

BEWSIA Gooss.

biflora (Hack.) Gooss. K

(*Diplachne biflora* Hack. ex Schinz)

BOTHRIOCHLOA Kuntze

animitica Kuntze = *B. bladhii*

bladhii (Retz.) S.T.Blake BM GAB PRE PSUB SRGH UCBG

(*Amphilophis glabra* (Roxb.) Stapf)

(*Amphilophis glabra* (Roxb.) Stapf var. *haenkei* (J.Presl) E.G.Camus & A.Camus)

(*Amphilophis haenkei* (J.Presl) Haines)

(*Amphilophis intermedia* (R.Br.) Stapf)

(*Andropogon bladhii* Retz.)

(*Andropogon caucasicus* Trin.)

(*Andropogon glaber* Roxb.)

(*Andropogon haenkei* J.Presl)

(*Andropogon intermedius* R.Br.)

(*Andropogon inundatus* F.Muell.)

(*Andropogon leptanthus* Steud.)

(*Andropogon perfossus* Nees & Meyen ex Steud.)
 (*Andropogon punctatus* Roxb.)
 (*B. animitica* Kuntze)
 (*B. caucasica* (Trin.) C.E.Hubb.)
 (*B. glabra* (Roxb.) A.Camus)
 (*B. glabra* (Roxb.) A.Camus subsp. *haenkei* (J.Presl) Henrard)
 (*B. glabra* (Roxb.) A.Camus var. *epunctata* Jackson)
 (*B. haenkei* (J.Presl) Ohwi)
 (*B. insculpta* (A.Rich.) A.Camus var. *vegetior* (Hack.) C.E.Hubb.)
 (*B. intermedia* (R.Br.) A.Camus)
 (*B. inundata* (F.Muell.) J.M.Black)
 (*Dichanthium bladhii* (Retz.) Clayton)
 (*Rhaphis stricta* Nees)
 (*Sorghum intermedium* (R.Br.) Kuntze)
 (*Sorghum intermedium* (R.Br.) Kuntze var. *haenkei* (J.Presl) Kuntze)
caucasica (Trin.) C.E.Hubb. = *B. bladhii*
glabra (Roxb.) A.Camus = *B. bladhii*
glabra (Roxb.) A.Camus subsp. *haenkei* (J.Presl) Henrard =
B. bladhii
glabra (Roxb.) A.Camus var. *epunctata* Jackson = *B. bladhii*
haenkei (J.Presl) Ohwi = *B. bladhii*
insculpta (A.Rich.) A.Camus E GAB K PRE PSUB SRGH UCBG
 (*Amphilophis insculpta* (Hochst. ex A.Rich.) Stapf)
 (*Andropogon insculptus* Hochst. ex A.Rich.)
 (*Andropogon pertusus* (L.) Willd. subvar. *trifoveolatus* Hack.)
 (*Andropogon pertusus* (L.) Willd. var. *capensis* Hack.)
 (*Andropogon pertusus* (L.) Willd. var. *insculptus* (Hochst. ex A.Rich.) Hack.)
 (*B. pertusa* (L.) A.Camus)
insculpta (A.Rich.) A.Camus var. *vegetior* (Hack.) C.E.Hubb. =
B. bladhii
intermedia (R.Br.) A.Camus = *B. bladhii*
inundata (F.Muell.) J.M.Black = *B. bladhii*
pertusa (L.) A.Camus = *B. insculpta*
radicans (Lehm.) A.Camus GAB K PRE SRGH
 (*Amphilophis radicans* (Lehm.) Stapf)
 (*Andropogon radicans* Lehm.)
 (*Andropogon ischaemum* L. var. *radicans* (Lehm.) Hack.)

BRACHIARIA (Trin.) Griseb.

arrecta (T.Durand & Schinz) Stent K PRE PSUB SRGH ♣
 (*B. latifolia* Stapf)
 (*Panicum arrectum* T.Durand & Schinz)
brizantha (A.Rich.) Stapf PRE PSUB SRGH
 (*Panicum brizanthum* A.Rich.)
deflexa (Schumach.) C.E.Hubb. ex Robyns GAB K PRE PSUB SRGH UCBG
 (*Panicum deflexum* Schumach.)
 (*Pseudobrachiaria deflexa* (Schumach.) Launert)
dictyoneura (Fig. & De Not.) Stapf PRE
 (*Panicum dictyoneurum* Fig. & De Not.)
dura Stapf var. *dura* C GAB K PRE PSUB SRGH WAG
dura Stapf var. *pilosa* J.G.Anderson PRE
eruciformis (Sm.) Griseb. GAB K PRE PSUB SRGH
 (*Panicum eruciforme* Sm.)
glomerata (Hack.) A.Camus K PRE SRGH

grossa Stapf GAB K PRE PSUB SRGH
humidicola (Rendle) Schweick. GAB K PRE PSUB SRGH UCBG
 (*Panicum humidicola* Rendle)
latifolia Stapf = *B. arrecta*
marlothii (Hack.) Stent GAB K PRE PSUB SRGH UCBG
nigropedata (Ficalho & Hiern) Stapf GAB K PRE PSUB SRGH UCBG
 (*Panicum nigropedatum* Ficalho & Hiern)
serrata (Thunb.) Stapf PRE SRGH
 (*B. serrata* (Thunb.) Stapf var. *gossypina* (A.Rich.) Stapf)
 (*Holcus serratus* Thunb.)
serrata (Thunb.) Stapf var. *gossypina* (A.Rich.) Stapf = *B. serrata*
xantholeuca (Schinz) Stapf K PRE PSUB SRGH UCBG
 (*Panicum xantholeucum* Schinz)

BRACHYACHNE (Benth.) Stapf

chrysolepis C.E.Hubb. = *B. patentiflora*
patentiflora (Stent & J.M.Ratray) C.E.Hubb. K PRE PSUB SRGH
 (*B. chrysolepis* C.E.Hubb.)
 (*B. upambaensis* Van der Veken)
 (*Microchloa patentiflora* Stent & J.M.Ratray)
upambaensis Van der Veken = *B. patentiflora*

BRIZA L.

capensis Thunb. = *Eragrostis capensis*
eragrostis L. = *Eragrostis cilianensis*

CENCHRUS L.

♣ **biflorus** Roxb. GAB K PRE PSUB SRGH UCBG ♣
 ♣ **brownii** Roem. & Schult. PRE
ciliaris L. GAB K PRE PSUB SRGH UCBG
granularis L. = *Hackelochloa granularis*
racemosus L. = *Tragus racemosus*

CENTROPODIA Rchb.

glauca (Nees) Cope GAB K PRE SRGH UCBG
 (*Asthenatherum glaucum* (Nees) Nevski)
 (*Asthenatherum glaucum* (Nees) Nevski var. *lasiophyllum* (Pilg.) Conert)
 (*Danthonia glauca* Nees)
 (*Danthonia glauca* Nees var. *lasiophylla* Pilg.)
 (*Danthonia suffrutescens* Stapf)

CHLORIDION Stapf

cameronii Stapf = *Sterochlaena cameronii*

CHLORIS Sw.

abyssinica Hochst. = *C. gayana*
brachystachys Andersson = *C. virgata*
elegans Kunth = *C. virgata*
gayana Kunth GAB PRE PSUB SRGH
 (*C. abyssinica* Hochst.)
glabrata Andersson = *C. gayana*
intermedia A.Rich. = *C. pycnothrix*
leptostachya Hochst. ex A.Rich. = *C. pycnothrix*
macrostachya Hochst. ex A.Rich. = *Enteropogon macrostachyus*
myriostachya Hochst. = *C. roxburghiana*

paspaloides (Vahl) Hochst. = *Eustachys paspaloides*

petraea Thunb. = *Eustachys paspaloides*

polystachya Roxb. = *C. roxburghiana*

pycnothrix Trin. SRGH

roxburghiana Schult. GAB K PRE PSUB SRGH

(*C. myriostachya* Hochst.)

simplex Schumach. = *Enteropogon macrostachyus*

virgata Sw. GAB K PRE PSUB SRGH UCBG

(*C. brachystachys* Andersson)

(*C. virgata* Sw. var. *elegans* (Kunth) Stapf)

virgata Sw. var. *elegans* (Kunth) Stapf = *C. virgata*

CHRYSOPOGON Trin.

ciliolatus (Nees ex Steud.) Boiss. = *C. serrulatus*

fulvus (Spreng.) Chiov. *serrulatus* (Trin.) R.B.Stewart = *C. serrulatus*

fulvus (Spreng.) Chiov. var. *tremulus* (Hack.) Chiov. = *C. serrulatus*

montanus Trin. var. *serrulatus* (Trin.) Stapf = *C. serrulatus*

montanus Trin. var. *tremulus* (Hack.) Stapf = *C. serrulatus*

nigritanus (Benth.) Vedk. = *Vetiveria nigritana*

serrulatus Trin. GAB K PRE SRGH UCBG

(*Andropogon caeruleus* Nees ex Steud.)

(*Andropogon ciliolatus* Nees ex Steud.)

(*Andropogon monticola* Schult. var. *trinii* (Steud.) Hook.f.)

(*Andropogon tremulus* Hack.)

(*Andropogon trinii* Steud.)

(*Andropogon trinii* Steud. var. *increscens* Hack.)

(*C. ciliolatus* (Nees ex Steud.) Boiss.)

(*C. fulvus* (Spreng.) Chiov. var. *serrulatus* (Trin.) R.B.Stewart)

(*C. fulvus* (Spreng.) Chiov. var. *tremulus* (Hack.) Chiov.)

(*C. montanus* Trin. var. *serrulatus* (Trin.) Stapf)

(*C. montanus* Trin. var. *tremulus* (Hack.) Stapf)

CLEISTACHNE Benth.

teretifolia Hack. = *Miscanthus junceus*

COELACHYRUM Hochst. & Nees

yemenicum (Schweinf.) S.M.Phillips BM GAB K PRE

(*Cypholepis yemenica* (Schweinf.) Chiov.)

(*Eragrostis yemenica* Schweinf.)

CRASPEDORHACHIS Benth.

africana Benth. SRGH

menyharthii Hack. = *Leptochloa uniflora*

uniflora (Hochst. ex A.Rich.) Chippind. = *Leptochloa uniflora*

rhodesiana Rendle BM K PRE

(*C. rhodesiana* Rendle var. *gracilior* C.E.Hubb.)

rhodesiana Rendle var. *gracilior* C.E.Hubb. = *C. rhodesiana*

sarmentosa (Hack.) Pilg. = *Willkommia sarmentosa*

CROSSOTROPIS Stapf

grandiglumis (Nees) Rendle = *Trichoneura grandiglumis* var. *grandiglumis*

grandiglumis (Nees) Rendle var. *minor* Rendle = *Trichoneura grandiglumis* var. *grandiglumis*

CTENIUM Panz

rupestre J.A.Schmidt = *Enteropogon rupestris*

CYMBOPOGON Spreng.

caesius (Hook. & Arn.) Stapf subsp. **caesius** GAB K PRE UCBG

(*C. excavatus* (Hochst.) Stapf ex Burtt Davy)

caesius (Hook. & Arn.) Stapf subsp. **giganteus** (Chiov.) Sales

K PRE PSUB

(*Andropogon giganteus* Hochst.)

(*C. giganteus* Chiov.)

chrysargyreus Stapf = *Hyparrhenia nyassae*

★**citratus** (DC.) Stapf PRE ?

dichroa (Steud.) Pilg. = *Hyparrhenia dichroa*

dieterleniae Stapf ex E.Phillips PRE

excavatus (Hochst.) Stapf ex Burtt Davy = *C. caesius* subsp.

caesius

filipendulus (Hochst.) Rendle = *Hyparrhenia filipendula*

filipendulus (Hochst.) Rendle var. *angolensis* Rendle =

Hyparrhenia filipendula

giganteus Chiov. = *C. caesius* subsp. *giganteus*

hirtus (L.) Thomson = *Hyparrhenia hirta*

luembensis De Wild. = *Hyparrhenia dichroa*

modicus De Wild. = *Hyparrhenia hirta*

nardus (L.) Rendle GAB

(*C. validus* (Stapf) Stapf ex Burtt Davy)

nyassae (Rendle) Pilg. = *Hyparrhenia nyassae*

plurinodis (Stapf) Stapf ex Burtt Davy = *C. pospischilii*

pospischilii (K.Schum.) C.E.Hubb. BM GAB K PRE PSUB

SRGH UCBG

(*Andropogon plurinodis* Stapf)

(*Andropogon pospischilii* K.Schum.)

(*C. plurinodis* (Stapf) Stapf ex Burtt Davy)

rufus (Nees) Rendle = *Hyparrhenia rufa* var. *rufa*

rufus (Nees) Rendle var. *fulvicornis* (Hochst.) Rendle =

Hyparrhenia rufa var. *rufa*

rufus (Nees) Rendle var. *glabrescens* Chiov. = *Hyparrhenia rufa*

var. *rufa*

rufus (Nees) Rendle var. *major* Rendle = *Hyparrhenia rufa*

var. *rufa*

ruprechtii (Hack.) Rendle = *Hyperthelia dissoluta*

transvaalensis (Stapf) Burtt Davy = *Hyparrhenia hirta*

validus (Stapf) Stapf ex Burtt Davy = *C. nardus*

vanderystii De Wild. = *Hyparrhenia nyassae*

CYMBOSSETARIA Schweick.

sagittifolia (A.Rich.) Schweick. = *Setaria sagittifolia*

CYNODON Rich.

★**aethiopicus** Clayton & Harlan BM K

dactylon (L.) Pers. GAB K PRE PSUB SRGH UCBG

(*C. dactylon* (L.) Pers. var. *elegans* Rendle)

(*Panicum dactylon* L.)

dactylon (L.) Pers. var. *elegans* Rendle = *C. dactylon*

incompletus Nees ?

★**nlemfuensis** Vanderyst ?

transvaalensis Burtt Davy ?

CYNOSURUS L.

aegyptius L. = *Dactyloctenium aegyptium*

indicus L. = *Eleusine indica*

paspaloides Vahl = *Eustachys paspaloides*

CYPHOLEPIS Chiov.

yemenica (Schweinf.) Chiov. = *Coelachyrum yemenicum*

DACTYLIS L.

paucinervis Nees = *Odyssea paucinervis*

spicata Willd. = *Elytrophorus spicatus*

DACTYLOCTENIUM Willd.

aegyptium (L.) Willd. GAB K PRE PSUB SRGH UCBG

(*Cynosurus aegyptius* L.)

(*D. mpuetensis* De Wild.)

***geminatum** Hack. PRE ?

giganteum Fisher & Schweick. GAB K PRE PSUB SRGH UCBG

mpuetensis De Wild. = *D. aegyptium*

DANTHONIA DC.

glauca Nees = *Centropodia glauca*

glauca Nees var. *lasiophylla* Pilg. = *Centropodia glauca*

suffrutescens Stapf = *Centropodia glauca*

DANTHONIOPSIS Stapf

dinteri (Pilg.) C.E.Hubb. K PRE SRGH

(*Trichopteryx dinteri* Pilg.)

DIANDROCHLOA De Winter

diarrhena (Schult.) Henry = *Eragrostis japonica*

diplachnoides (Steud.) Henry = *Eragrostis japonica*

japonica (Thunb.) Henry = *Eragrostis japonica*

namaquensis (Nees ex Schrad.) De Winter = *Eragrostis japonica*

pusilla (Hack.) De Winter = *Eragrostis pusilla*

DICHANTHIUM Willemet

annulatum (Forssk.) Stapf var. **annulatum** ?

annulatum (Forssk.) Stapf var. **papillosum** (A.Rich.) de Wet &

Harlan GAB K PRE PSUB SRGH UCBG

(*Andropogon papillosus* Hochst.)

(*D. papillosum* (Hochst.) Stapf)

bladhi (Retz.) Clayton = *Bothriochloa bladhi*

papillosum (Hochst.) Stapf = *D. annulatum* var. *papillosum*

***sericeum** Stapf ?

DIECTOMIS Kunth

fastigiata (Sw.) Kunth = *Andropogon fastigiatus*

DIGITARIA Haller

acuminatissima Stapf SRGH

bechuanica (Stent) Henrard = *D. eriantha*

brazzae (Franch.) Stapf GAB GENT PRE PSUB SRGH

(*Panicum brazzae* Franch.)

ciliaris (Retz.) Koeler GAB PRE PSUB SRGH

(*Panicum ciliare* Retz.)

debilis (Desf.) Willd. BM GAB PRE PSUB SRGH

(*Panicum debile* Desf.)

decumbens Stent = *D. eriantha*

dinteri Henrard = *D. eriantha*

eriantha Steud. GAB GENT K PRE PSUB SRGH UCBG

(*D. bechuanica* (Stent) Henrard)

(*D. decumbens* Stent)

(*D. dinteri* Henrard)

(*D. eriantha* Steud. subsp. *pentzii* (Stent) Kok)

(*D. eriantha* Steud. subsp. *stolonifera* (Stapf) Kok)

(*D. eriantha* Steud. subsp. *transvaalensis* Kok)

(*D. eriantha* Steud. var. *stolonifera* Stapf)

(*D. geniculata* Stent)

(*D. pentzii* Stent)

(*D. pentzii* Stent var. *stolonifera* (Stapf) Henrard)

(*D. setivalva* Stent)

(*D. smutsii* Stent)

(*D. stentiana* Henrard)

(*D. valida* Stent)

(*D. valida* Stent var. *glauca* Stent)

eriantha Steud. subsp. *pentzii* (Stent) Kok = *D. eriantha*

eriantha Steud. subsp. *stolonifera* (Stapf) Kok = *D. eriantha*

eriantha Steud. subsp. *transvaalensis* Kok = *D. eriantha*

eriantha Steud. var. *stolonifera* Stapf = *D. eriantha*

eylesii C.E.Hubb. GAB PRE PSUB SRGH

gayana (Kunth) Stapf GENT PRE PSUB SRGH

(*Panicum gayanum* Kunth)

geniculata Stent = *D. eriantha*

longiflora (Retz.) Pers. PRE PSUB SRGH

(*Panicum longiflorum* Retz.)

macroGLOSSA Henrard = *D. natalensis*

macroGLOSSA Henrard var. *prostrata* (Stent) Henrard =

D. natalensis

maitlandii Stapf & C.E.Hubb. ?

maniculata Stapf GAB GENT PRE PSUB SRGH

milanjiana (Rendle) Stapf BM GAB K P PRE PSUB SRGH

(*Panicum milanjianum* Rendle)

natalensis Stent PRE

(*D. macroGLOSSA* Henrard)

(*D. macroGLOSSA* Henrard var. *prostrata* (Stent) Henrard)

(*D. natalensis* Stent subsp. *stentiana* Henrard)

(*D. rigida* Stent)

natalensis Stent subsp. *stentiana* Henrard = *D. natalensis*

***nuda** Schumach. GAB

pentzii Stent = *D. eriantha*

pentzii Stent var. *stolonifera* (Stapf) Henrard = *D. eriantha*

perrottetii (Kunth) Stapf BM GAB P PRE PSUB SRGH

(*Panicum perrottetii* Kunth)

polevansii Stent = *D. seriata*

remotigluma (De Winter) Clayton PRE PSUB SRGH UCBG

(*Digitariella remotigluma* De Winter)

rigida Stent = *D. natalensis*

***sanguinalis** (L.) Scop. GENT PRE PSUB SRGH UCBG

(*Panicum sanguinale* L.)

scalarum (Schweinf.) Chiov. PSUB SRGH

(*D. vestita* Fig. & De Not. var. *scalarum* (Schweinf.) Henrard)

(*Panicum scalarum* Schweinf.)

seriata Stapf PRE PSUB

(*D. polevansii* Stent)

setivalva Stent = *D. eriantha*

smutsii Stent = *D. eriantha*

stentiana Henrard = *D. eriantha*

valida Stent = *D. eriantha*

valida Stent var. *glauca* Stent = *D. eriantha*

velutina (Forssk.) P.Beauv. GAB GENT LISC PRE PSUB SRGH UCBG

(*D. zeyheri* (Nees) Henrard)

(*Phalaris velutina* Forssk.)

vestita Fig. & De Not. var. *scalarum* (Schweinf.) Henrard =
D. scalarum

zeyheri (Nees) Henrard = *D. velutina*

DIGITARIELLA De Winter

remotigluma De Winter = *Digitaria remotigluma*

DIHETEROPOGON (Hack.) Stapf

amplectens (Nees) Clayton var. **amplectens** PRE

amplectens (Nees) Clayton var. **catangensis** (Chiov.) Clayton
GAB K PRE PSUB SRGH

(*Andropogon amplectens* Nees var. *catangensis* Chiov.)

filifolius (Nees) Clayton ?

DINEBRA Jacq.

retroflexa (Vahl) Panz. var. **condensata** S.M.Phillips GAB K
PRE PSUB SRGH

DIPLACHNE P.Beauv.

andropogonoides (Steud.) Nees = *Triraphis andropogonoides*

biflora Hack. ex Schinz = *Bewsia biflora*

cinerea Hack. = *Odysea paucinervis*

eleusine Nees = *Leptochloa eleusine*

fleckii Hack. = *Pogonarthria fleckii*

fusca (L.) P.Beauv. ex Roem. & Schult. = *Leptochloa fusca*

gigantea Launert = *Leptochloa gigantea*

grandiglumis (Nees) Hack. = *Trichoneura grandiglumis* var.
grandiglumis

menyharthii Hack. = *Pogonarthria squarrosa*

paucinervis (Nees) Hack. = *Odysea paucinervis*

DOLICHOCHAETE (C.E.Hubb.) J.B.Phipps

rehmannii (Hack.) J.B.Phipps = *Tristachya rehmannii*

ECHINOCHLOA P.Beauv.

colona (L.) Link GAB K PRE PSUB SRGH UCBG

(*Panicum colonum* L.)

crus-galli (L.) P.Beauv. GAB PRE PSUB SRGH

(*E. subverticillata* Pilg.)

(*Oplismenus crus-pavonis* Kunth)

(*Panicum crus-galli* L.)

crus-pavonis (Kunth) Schult. K PSUB SRGH

haploclada (Stapf) Stapf GAB PRE PSUB SRGH

(*Panicum haplocladum* Stapf)

holubii (Stapf) Stapf PRE

jubata Stapf K PRE PSUB SRGH

(*Panicum pyramidale* Lam.)

stagnina (Retz.) P.Beauv. C GAB K PRE PSUB SRGH UCBG ♦

(*Panicum stagninum* Retz.)

subverticillata Pilg. = *E. crus-galli*

ugandensis Snowden & C.E.Hubb. K PRE PSUB SRGH

ELEUSINE Gaertn.

africana Kenn.-O'Byrne = *E. coracana* subsp. *africana*

coracana (L.) Gaertn. subsp. *africana* (Kenn.-O'Byrne) Hilu &
de Wet GAB K PRE PSUB SRGH UCBG

(*E. africana* Kenn.-O'Byrne)

(*E. indica* (L.) Gaertn. subsp. *africana* (Kenn.-O'Byrne)
S.M.Phillips)

indica (L.) Gaertn. K SRGH

(*Cynosurus indicus* L.)

indica (L.) Gaertn. subsp. *africana* (Kenn.-O'Byrne) S.M.Phillips =
E. coracana subsp. *africana*

racemosa B.Heyne ex Roem. & Schult. = *Acrachne racemosa*

verticillata Roxb. = *Acrachne racemosa*

ELIONURUS Kunth ex Willd.

argenteus Nees = *E. muticus*

argenteus Nees var. *caespitosus* (A.Rich.) Hack. = *E. muticus*

argenteus Nees var. *thimiodorus* (Nees) Stapf = *E. muticus*

chevalieri Stapf = *E. muticus*

glaber E.Phillips = *E. muticus*

glaber E.Phillips var. *villosus* E.Phillips = *E. muticus*

gobariensis Vanderyst = *E. muticus*

muticus (Spreng.) Kunth GAB K PRE PSUB SRGH UCBG

(*Andropogon caespitosus* A.Rich.)

(*Andropogon thimiodorus* (Nees) Steud.)

(*E. argenteus* Nees)

(*E. argenteus* Nees var. *caespitosus* (A.Rich.) Hack.)

(*E. argenteus* Nees var. *thimiodorus* (Nees) Stapf)

(*E. chevalieri* Stapf)

(*E. glaber* E.Phillips)

(*E. glaber* E.Phillips var. *villosus* E.Phillips)

(*E. gobariensis* Vanderyst)

(*E. pretoriensis* E.Phillips)

(*E. thimiodorus* Nees)

(*Lycurus muticus* Spreng.)

pretoriensis E.Phillips = *E. muticus*

thimiodorus Nees = *E. muticus*

tripsacoides Willd. K PRE SRGH

(*E. trapnellii* C.E.Hubb.)

(*E. welwitschii* Rendle)

trapnellii C.E.Hubb. = *E. tripsacoides*

welwitschii Rendle = *E. tripsacoides*

ELYMANDRA Stapf

grallata (Stapf) Clayton GAB K PRE PSUB SRGH

(*Hyparrhenia eylesii* C.E.Hubb.)

(*Hyparrhenia grallata* Stapf)

ELYTROPHORUS P.Beauv.

africanus Schweick. = *E. globularis*

articulatus P.Beauv. = *E. spicatus*

globularis Hack. K PRE PSUB SRGH

(*E. africanus* Schweick.)

(*E. interruptus* Pilg.)

interruptus Pilg. = *E. globularis*

spicatus (Willd.) A.Camus K PRE PSUB SRGH
(*Dactylis spicata* Willd.)
(*E. articulatus* P.Beauv.)

ENNEAPOGON Desv. ex P.Beauv.

brachystachyum (Jaub. & Spach) Stapf = *E. desvauxii*
cenchroides (Roem. & Schult.) C.E.Hubb. BM COI GAB K
PRE PSUB SRGH UCBG
(*Pappophorum cenchroides* Roem. & Schult.)
desvauxii P.Beauv. BM GAB K PRE PSUB SRGH UCBG
(*E. brachystachyum* (Jaub. & Spach) Stapf)
filifolius (Pilg.) Stapf ex Garab. = *E. scoparius*
pretoriensis Stent GAB PRE SRGH
scaber Lehm. PRE SRGH UCBG
scoparius Stapf BM GAB K LISC PRE PSUB SRGH
(*E. filifolius* (Pilg.) Stapf ex Garab.)

ENTEROPOGON Nees

macrostachyus (A.Rich.) Benth. GAB K PRE SRGH UCBG
(*E. simplex* (Schumach. & Thonn.) A.Chev.)
rupestris (J.A.Schmidt) A.Chev. K PRE PSUB
(*Ctenium rupestre* J.A.Schmidt)
(*E. ruspolianus* Chiov.)
(*E. somalense* Chiov.)
ruspolianus Chiov. = *E. rupestris*
simplex (Schumach. & Thonn.) A.Chev. = *E. macrostachyus*
somalense Chiov. = *E. rupestris*

ENTOLASIA Stapf

imbricata Stapf K PRE PSUB SRGH

ERAGROSTIS Wolf

abyssinica (Jacq.) Link = *E. tef*
acutissima Jedwabn. = *E. nindensis*
adenocoleos Pilg. = *E. cylindriflora*
aethiopica Chiov. K PRE SRGH
(*E. gracillima* Hack.)
agrostoides Rendle = *E. cylindriflora*
agrostoides Rendle var. *speciosa* Rendle = *E. cylindriflora*
agrostoides Rendle var. *viscosa* Rendle = *E. cylindriflora*
airiformis Rendle = *E. rotifer*
alata Ficalho & Hiern = *E. superba*
amabilis (L.) Hook. & Arn. GAB K PRE PSUB SRGH UCBG
(*E. tenella* (L.) Roem. & Schult.)
(*Poa amabilis* L.)
(*Poa tenella* L.)
angusta Hack. = *E. rotifer*
annulata Rendle ex Scott-Elliot K PRE SRGH UCBG
aspera (Jacq.) Nees GAB K PRE PSUB SRGH UCBG
(*E. buchananii* Gand.)
(*E. quintasii* Gand.)
atherstonei Stapf = *E. trichophora*
auriculata Hack. = *E. echinochloidea*
barbinodis Hack. K PRE SRGH
***barrelieri** Daveau K PRE SRGH
bergiana (Kunth) Trin. GAB PRE UCBG
beroensis Rendle = *E. rotifer*

bicolor Nees GAB K PRE PSUB SRGH UCBG
biflora Hack. ex Schinz GAB K PRE PSUB SRGH UCBG
brizantha Nees K PRE UCBG
buchananii Gand. = *E. aspera*
buchananii K.Schum. = *E. nindensis*
capensis (Thunb.) Trin. SRGH
(*Briza capensis* Thunb.)
chapelieri (Kunth) Nees GAB SRGH
chloromelas Steud. = *E. curvula*
cilianensis (All.) Vignolo ex Janch. BM GAB K PRE PSUB SRGH
UCBG
(*Briza eragrostis* L.)
(*E. major* Host)
(*E. megastachya* (Koeler) Link)
(*E. polysperma* Peter)
(*Poa cilianensis* All.)
(*Poa megastachya* Koeler)
ciliaris (L.) R.Br. K PRE
(*E. ciliaris* (L.) R.Br. var. *brachystachya* Boiss.)
(*E. ciliaris* (L.) R.Br. var. *latifolia* Hack.)
(*Poa ciliaris* L.)
ciliaris (L.) R.Br. var. *brachystachya* Boiss. = *E. ciliaris*
ciliaris (L.) R.Br. var. *latifolia* Hack. = *E. ciliaris*
cimicina Launert BM GAB K PRE PSUB SRGH
comata Peter = *E. lappula*
curvula (Schr.) Nees GAB K PRE SRGH UCBG
(*E. chloromelas* Steud.)
(*E. robusta* Stent)
(*Poa curvula* Schrad.)
cylindriflora Hochst. GAB K PRE PSUB SRGH UCBG
(*E. adenocoleos* Pilg.)
(*E. agrostoides* Rendle)
(*E. agrostoides* Rendle var. *speciosa* Rendle)
(*E. agrostoides* Rendle var. *viscosa* Rendle)
(*E. horizontalis* Peter)
(*E. quadriflora* Rendle)
(*E. seineri* Jedwabn.)
densiflora Rendle = *E. rotifer*
denudata Hack. = *E. nindensis*
depauperata Andersson = *E. japonica*
diarrhena (Schult.) Steud. = *E. japonica*
dinteri Stapf GAB K PRE PSUB SRGH UCBG
diplachnoides Steud. = *E. japonica*
dura Stapf = *E. pallens*
echinochloidea Stapf BM GAB K PRE PSUB SRGH UCBG
(*E. auriculata* Hack.)
frederici Rendle = *E. lappula*
friesii Pilg. SRGH
galpinii Stent = *E. inamoena*
gangetica (Roxb.) Steud. K
(*Poa gangetica* Roxb.)
glandulosipedata De Winter GAB K PRE PSUB SRGH
gracillima Hack. = *E. aethiopica*
gummiflua Nees GAB K PRE PSUB SRGH UCBG
habrantha Rendle K PRE PSUB SRGH
henrardii Jansen = *E. trichophora*
heteromera Stapf GAB K PRE PSUB SRGH

- (*E. wilmsii* Stapf)
hierniana Rendle GAB K PRE SRGH
 (*E. uniglumis* Hack.)
homomalla Nees K PRE SRGH
 (*E. hygrophila* C.E.Hubb. & Schweick.)
hochstetteri Steud. = *E. japonica*
horizontalis Peter = *E. cylindriflora*
hygrophila C.E.Hubb. & Schweick. = *E. homomalla*
inamoena K.Schum. GAB K PRE PSUB SRGH UCBG
 (*E. galpinii* Stent)
japonica (Thunb.) Trin. GAB K PRE PSUB SRGH UCBG
 (*Diandrophloea diarrhena* (Schult.) Henry)
 (*Diandrophloea diplachnoides* (Steud.) Henry)
 (*Diandrophloea japonica* (Thunb.) Henry)
 (*Diandrophloea namaquensis* (Nees ex Schrad.) De Winter)
 (*E. depauperata* Andersson)
 (*E. diarrhena* (Schult.) Steud.)
 (*E. diplachnoides* Steud.)
 (*E. hochstetteri* Steud.)
 (*E. lepreurii* Steud.)
 (*E. namaquensis* Nees ex Schrad.)
 (*E. namaquensis* Nees ex Schrad. var. *robusta* Stapf)
 (*E. tenuissima* Schrad. ex Nees)
 (*Poa diandra* Roxb.)
 (*Poa diarrhena* Schult.)
 (*Poa japonica* Thunb.)
 (*Poa tenella* R.Br.)
 (*Poa tenellula* Kunth)
 (*Roshevitzia diplachnoides* (Steud.) Tzevelev)
 (*Vilfa confertiflora* (A.Rich.) Steud.)
jeffreysii Hack. PRE
laevissima Hack. K PRE SRGH UCBG
 (*E. stentiae* Bremek. & Oberm.)
lappula Nees GAB K PRE PSUB SRGH
 (*E. comata* Peter)
 (*E. frederici* Rendle)
 (*E. lappula* Nees var. *divaricata* Stapf)
lappula Nees var. *divaricata* Stapf = *E. lappula*
lehmanniana Nees var. *chaunantha* (Pilg.) De Winter
lehmanniana Nees var. *lehmanniana* GAB K PRE PSUB
 SRGH UCBG
 (*E. vansonii* Bremek. & Oberm.)
lepreurii Steud. = *E. japonica*
leptotricha Cope K PRE SRGH
macrochlamys Pilg. var. *wilmaniae* (C.E.Hubb. & Schweick.)
 De Winter K SRGH
 (*E. wilmaniae* C.E.Hubb. & Schweick.)
major Host = *E. cilianensis*
margaritacea Stapf = *E. rotifer*
marlothii Hack. = *Pogonarthria squarrosa*
megastachya (Koeler) Link = *E. cilianensis*
membranacea Hack. ex Schinz K PRE PSUB SRGH UCBG
micrantha Hack. PRE
mildbraedii Pilg. K PRE SRGH
namaquensis Nees ex Schrad. = *E. japonica*
namaquensis Nees ex Schrad. var. *robusta* Stapf = *E. japonica*
nindensis Ficalho & Hiern GAB K PRE SRGH UCBG
 (*E. acutissima* Jedwabn.)
 (*E. buchananii* K.Schum.)
 (*E. denudata* Hack.)
omahekensis De Winter UCBG
pal lens Hack. GAB K PRE PSUB SRGH UCBG
 (*E. dura* Stapf)
patentipilosa Hack. PRE
 (*Poa pilosa* L.)
phyllacantha Cope K PRE SRGH
pilgeriana Dinter ex Pilg. K PRE PSUB SRGH
pilosa (L.) P.Beauv. BM GAB K PRE PSUB SRGH
pilosa (L.) P.Beauv. var. *abyssinica* (Jacq.) Asch. & P.Graebn. =
E. tef
pilosa (L.) P.Beauv. var. *tef* (Zucc.) Fiori = *E. tef*
plana Nees PRE PSUB SRGH
platyphylla Rendle = *E. rotifer*
podotricha Chiov. = *E. porosa*
polysperma Peter = *E. cilianensis*
porosa Nees GAB K PRE PSUB SRGH UCBG
 (*E. podotricha* Chiov.)
procumbens Nees ?
pseudosclerantha Chiov. = *E. patentipilosa*
pusilla Hack.
 (*Diandrophloea pusilla* (Hack.) De Winter)
quadriflora Rendle = *E. cylindriflora*
quintasii Gand. = *E. aspera*
racemosa (Thunb.) Steud. SRGH
rigidior Pilg. PRE
robusta Stent = *E. curvula*
rogersii C.E.Hubb. GAB K PRE PSUB SRGH
rotifer Rendle GAB K PRE SRGH UCBG
 (*E. airiformis* Rendle)
 (*E. angusta* Hack.)
 (*E. beroensis* Rendle)
 (*E. densiflora* Rendle)
 (*E. margaritacea* Stapf)
 (*E. platyphylla* Rendle)
sarmentosa (Thunb.) Trin. GAB K PRE PSUB SRGH UCBG
 (*Poa sarmentosa* Thunb.)
seineri Jedwabn. = *E. cylindriflora*
sporoboloides Stapf = *E. stapfii*
stapfii De Winter BM GAB K PRE PSUB SRGH UCBG
 (*E. sporoboloides* Stapf)
stentiae Bremek. & Oberm. = *E. laevissima*
strigosa Andersson = *E. viscosa*
subglandulosa Cope BM K PRE SRGH
superba Peyr. GAB K PRE PSUB SRGH UCBG
 (*E. alata* Ficalho & Hiern)
 (*E. superba* Peyr. var. *contracta* Peter)
superba Peyr. var. *contracta* Peter = *E. superba*
 * **tef** (Zucc.) Trotter K PRE SRGH
 (*E. abyssinica* (Jacq.) Link)
 (*E. pilosa* (L.) P.Beauv. var. *abyssinica* (Jacq.) Asch. & P.Graebn.)
 (*E. pilosa* (L.) P.Beauv. var. *tef* (Zucc.) Fiori)
 (*Poa abyssinica* Jacq.)
 (*Poa tef* Zucc.)
tenella (L.) Roem. & Schult. = *E. amabilis*

tenuissima Schrad. ex Nees = *E. japonica*

transvaalensis Gand. = *E. viscosa*

trichophora Coss. & Durieu PRE

(*E. atherstonei* Stapf)

(*E. henrardii* Jansen)

truncata Hack. GAB K PRE SRGH UCBG

uniglumis Hack. = *E. hierniana*

vansonii Bremek. & Oberm. = *E. lehmanniana*

viscosa (Retz.) Trin. GAB K PRE PSUB SRGH UCBG

(*E. strigosa* Andersson)

(*E. transvaalensis* Gand.)

(*Poa strigosa* Retz.)

wilmaniae C.E.Hubb. & Schweick. = *E. macrochlamys* var.

wilmaniae

wilmsii Stapf = *E. heteromera*

yemenica Schweinf. = *Coelachyum yemenicum*

ERIANTHUS Michx.

junceus Stapf = *Miscanthus junceus*

teretifolius Stapf = *Miscanthus junceus*

ERIOCHLOA Kunth

fatmensis (Hochst. & Steud.) Clayton C GAB K PRE SRGH WAG

(*E. nubica* (Steud.) Hack. & Stapf ex Thell.)

(*Panicum fatmense* Hochst. & Steud.)

macclounii Stapf K PRE PSUB SRGH

meyeriana (Nees) Pilg. subsp. *meyeriana* GAB K PRE PSUB

SRGH

(*Panicum meyerianum* Nees var. *meyerianum*)

nubica (Steud.) Hack. & Stapf ex Thell. = *E. fatmensis*

procera (Retz.) C.E.Hubb. PRE

ERIOCHRYSIS P.Beauv.

brachypogon (Stapf) Stapf ?

munroana (Hack.) Pilg. = *E. pallida*

pallida Munro GAB K PRE PSUB SRGH ♦

(*E. munroana* (Hack.) Pilg.)

(*Saccharum munroanum* Hack.)

(*Saccharum pallidum* (Munro) Benth.)

EULALIA Kunth

aurea (Bory) Kunth GAB K PRE PSUB SRGH

(*Andropogon aureus* Bory)

(*E. elata* Peter)

(*E. elata* Peter var. *hirsuta* Peter)

(*E. ferruginea* Stapf)

(*E. geniculata* Stapf)

(*Pogonatherum aureum* (Bory) Roberty)

(*Pollinia homblei* De Wild.)

elata Peter = *E. aurea*

elata Peter var. *hirsuta* Peter = *E. aurea*

ferruginea Stapf = *E. aurea*

geniculata Stapf = *E. aurea*

EUSTACHYS Desv.

paspaloides (Vahl) Lanza & Mattei GAB K PRE PSUB SRGH

(*Cynosurus paspaloides* Vahl)

(*E. petraea* (Thunb.) Desv.)

petraea (Thunb.) Desv. = *E. paspaloides*

FESTUCA L.

fusca L. = *Leptochloa fusca*

minima A.Rich. = *Tripogon minimus*

FINGERHUTHIA Nees

afghanica Boiss. = *F. africana*

africana Lehm. GAB K PRE PSUB SRGH UCBG

(*F. afghanica* Boiss.)

HACKELOCHLOA Kuntze

granularis (L.) Kuntze E SRGH

(*Cenchrus granularis* L.)

(*Manisuris granularis* (L.) L.f.)

(*Rottboellia granularis* (L.) Roberty)

HEMARTHRIA R.Br.

altissima (Poir.) Stapf & C.E.Hubb. GAB K PRE PSUB SRGH UCBG

(*H. compressa* (L.f.) R.Br. subsp. *altissima* (Poir.) Maire)

(*H. fasciculata* (Lam.) Kunth)

(*Manisuris altissima* (Poir.) Hitchc.)

(*Rottboellia altissima* Poir.)

(*Rottboellia compressa* L.f. var. *fasciculata* (Lam.) Hack.)

(*Rottboellia fasciculata* Lam.)

(*Rottboellia heterochroa* Gand.)

compressa (L.f.) R.Br. subsp. *altissima* (Poir.) Maire = *H. altissima*

fasciculata (Lam.) Kunth = *H. altissima*

natans Stapf ?

HETEROPOGON Pers.

contortus (L.) Roem. & Schult. GAB K PRE PSUB SRGH UCBG

(*Andropogon contortus* L.)

(*Andropogon hispidissimus* Hochst. ex Steud.)

(*H. hispidissimus* Hochst. ex A.Rich.)

hispidissimus Hochst. ex A.Rich. = *H. contortus*

melanocarpus (Elliott) Benth. K PRE PSUB SRGH

(*Andropogon melanocarpus* Elliott)

(*Andropogon polystictus* Hochst. ex Steud.)

(*H. polystictus* (Hochst. ex Steud.) Hochst.)

polystictus (Hochst. ex Steud.) Hochst. = *H. melanocarpus*

truncatus Nees = *Trachypogon spicatus*

HOLCUS L.

serratus Thunb. = *Brachiaria serrata*

HOMOEATHERUM Nees

chinense Nees = *Andropogon chinensis*

HYPARRHENIA E.Fourn.

acutispathacea (De Wild.) Robyns var. *pilosa* Bamps = *H. rudis*

altissima Stapf = *H. rufa* var. *rufa*

anamesa Clayton K PRE

chrysargyrea (Stapf) Stapf = *H. nyassae*

dichroa (Steud.) Stapf K PRE PSUB SRGH

(*Andropogon bicolor* Nees)

(*Andropogon dichroa* Steud.)
 (*Cymbopogon dichroa* (Steud.) Pilg.)
 (*Cymbopogon luembensis* De Wild.)
 (*H. fastigiata* Robyns)
 (*H. luembensis* (De Wild.) Robyns)
dissoluta (Nees) C.E.Hubb. = *Hyperthelia dissoluta*
eylesii C.E.Hubb. = *Elymandra grallata*
fastigiata Robyns = *H. dichroa*
filipendula (Hochst.) Stapf var. **filipendula** GAB K PRE PSUB SRGH
 (*Andropogon filipendulus* Hochst.)
 (*Andropogon filipendulus* (Hochst.) var. *pilosus* Hochst.)
 (*Cymbopogon filipendulus* (Hochst.) Rendle)
 (*Cymbopogon filipendulus* (Hochst.) Rendle
 var. *angolensis* Rendle)
 (*H. piovanii* Chiov.)
filipendula (Hochst.) Stapf var. **pilosa** (Hochst.) Stapf PRE
 (*H. filipendula* (Hochst.) Stapf var. *pilosa* (Hochst.) Stapf)
fulvicoma (Hochst.) Andersson = *H. rufa* var. *rufa*
grallata Stapf = *Elymandra grallata*
hirta (L.) Stapf GAB K PRE PSUB SRGH UCBG
 (*Andropogon hirtus* L.)
 (*Andropogon hirtus* L. var. *podotrichus* (Hochst.) Hack.)
 (*Andropogon podotrichus* Hochst.)
 (*Andropogon transvaalensis* Stapf)
 (*Cymbopogon hirtus* (L.) Thomson)
 (*Cymbopogon modicus* De Wild.)
 (*Cymbopogon transvaalensis* (Stapf) Burtt Davy)
 (*H. hirta* (L.) Stapf var. *podotricha* (Hochst.) Pic.Serm.)
 (*H. modica* (De Wild.) Robyns)
 (*H. podotricha* (Hochst.) Andersson)
hirta (L.) Stapf var. *brachypoda* Chiov. = *H. rufa* var. *rufa*
hirta (L.) Stapf var. *podotricha* (Hochst.) Pic.Serm. = *H. hirta*
luembensis (De Wild.) Robyns = *H. dichroa*
modica (De Wild.) Robyns = *H. hirta*
nyassae (Rendle) Stapf K PRE PSUB SRGH
 (*Andropogon chrysargyreus* (Stapf) Stapf)
 (*Andropogon lasiobasis* Pilg.)
 (*Andropogon nyassae* Rendle)
 (*Cymbopogon chrysargyreus* Stapf)
 (*Cymbopogon nyassae* (Rendle) Pilg.)
 (*Cymbopogon vanderystii* De Wild.)
 (*H. chrysargyrea* (Stapf) Stapf)
 (*H. vanderystii* (De Wild.) Vanderyst)
 (*H. vulpina* Stapf)
parvispiculata Bamps = *H. rufa* var. *rufa*
piovanii Chiov. = *H. filipendula*
podotricha (Hochst.) Andersson = *H. hirta*
poecilotricha (Hack.) Stapf ?
rudis Stapf PRE PSUB SRGH
 (*H. acutispathacea* (De Wild.) Robyns var. *pilosa* Bamps)
rufa (Nees) Stapf var. *fulvicoma* (Hochst.) Chiov. = *H. rufa* var.
rufa
rufa (Nees) Stapf var. *major* (Rendle) Stapf = *H. rufa* var. *rufa*
rufa (Nees) Stapf var. **rufa** GAB K PRE PSUB SRGH
 (*Andropogon altissimus* Hochst. ex A.Braun)
 (*Andropogon bouangensis* Franch.)

(*Andropogon fulvicomus* Hochst.)
 (*Andropogon fulvicomus* (Hochst.) var. *approximatus* Hochst.)
 (*Andropogon rufus* (Nees) Kunth)
 (*Andropogon rufus* (Nees) Kunth var. *fulvicomus* (Hochst.)
 Hack.)
 (*Andropogon xanthoblepharis* Trin.)
 (*Cymbopogon rufus* (Nees) Rendle)
 (*Cymbopogon rufus* (Nees) Rendle var. *fulvicomus* (Hochst.)
 Rendle)
 (*Cymbopogon rufus* (Nees) Rendle var. *glabrescens* Chiov.)
 (*Cymbopogon rufus* (Nees) Rendle var. *major* Rendle)
 (*H. altissima* Stapf)
 (*H. fulvicoma* (Hochst.) Andersson)
 (*H. hirta* (L.) Stapf var. *brachypoda* Chiov.)
 (*H. parvispiculata* Bamps)
 (*H. rufa* (Nees) Stapf var. *fulvicoma* (Hochst.) Chiov.)
 (*H. rufa* (Nees) Stapf var. *major* (Rendle) Stapf)
ruprechtii (Hack.) E.Fourn. = *Hyperthelia dissoluta*
tamba (Steud.) Stapf PRE
vanderystii (De Wild.) Vanderyst = *H. nyassae*
vulpina Stapf = *H. nyassae*
welwitschii (Rendle) Stapf ?

HYPERTHELIA Clayton

dissoluta (Nees ex Steud.) Clayton GAB K PRE PSUB SRGH UCBG
 (*Andropogon ruprechtii* Hack.)
 (*Anthistiria dissoluta* Nees ex Steud.)
 (*Cymbopogon ruprechtii* (Hack.) Rendle)
 (*Hyparrhenia dissoluta* (Nees) C.E.Hubb.)
 (*Hyparrhenia ruprechtii* (Hack.) E.Fourn.)

HYPOGYNIUM Nees

ceresiiforme (Nees) Roberty = *Monocymbium ceresiiforme*

IMPERATA Cirillo

angolensis Fritsch = *I. cylindrica*
arundinacea Cirillo = *I. cylindrica*
arundinacea Cirillo var. *africana* Andersson = *I. cylindrica*
arundinacea Cirillo var. *thunbergii* (Retz.) Stapf = *I. cylindrica*
cylindrica (L.) Raeusch. GAB K PRE PSUB SRGH
 (*I. angolensis* Fritsch)
 (*I. arundinacea* Cirillo)
 (*I. arundinacea* Cirillo var. *africana* Andersson)
 (*I. arundinacea* Cirillo var. *thunbergii* (Retz.) Stapf)
 (*I. cylindrica* (L.) Raeusch. var. *africana* (Andersson) C.E.Hubb.)
 (*I. cylindrica* (L.) Raeusch. var. *koenigii* (Retz.) Pilg.)
 (*I. cylindrica* (L.) Raeusch. var. *major* (Nees) C.E.Hubb.)
 (*I. cylindrica* (L.) Raeusch. var. *thunbergii* (Retz.) T.Durand &
 Schinz)
 (*I. dinteri* Pilg.)
 (*Lagurus cylindricus* L.)
 (*Saccharum koenigii* Retz.)
 (*Saccharum thunbergii* Retz.)
cylindrica (L.) Raeusch. var. *africana* (Andersson) C.E.Hubb. =
I. cylindrica
cylindrica (L.) Raeusch. var. *koenigii* (Retz.) Pilg. = *I. cylindrica*
cylindrica (L.) Raeusch. var. *major* (Nees) C.E.Hubb. = *I. cylindrica*

cylindrica (L.) Raeusch. var. *thunbergii* (Retz.) T.Durand & Schinz
= *I. cylindrica*
dinteri Pilg. = *I. cylindrica*

ISCHAEMUM L.

afrum (J.F.Gmel.) Dandy GAB K PRE PSUB SRGH
(*Andropogon afer* J.F.Gmel.)
(*Andropogon brachytherus* Hochst.)
(*I. brachyatherum* (Hochst.) Hack.)
(*I. glaucostachyum* Stapf)
arcuatum (Nees) Stapf = *I. fasciculatum*
brachyatherum (Hochst.) Hack. = *I. afrum*
cuspidatum Roxb. = *Vossia cuspidata*
fasciculatum Brongn. PRE PSUB SRGH
(*Andropogon arcuatus* (Nees) Steud.)
(*Andropogon fasciculatus* (Brongn.) Steud.)
(*I. arcuatum* (Nees) Stapf)
(*I. fasciculatum* Brongn. var. *arcuatum* (Nees) Hack.)
(*I. junodii* Hack.)
(*I. melleri* Stent)
(*I. purpurascens* Stapf)
(*Spodiopogon arcuatus* Nees)
fasciculatum Brongn. var. *arcuatum* (Nees) Hack. =
I. fasciculatum
glaucostachyum Stapf = *I. afrum*
junodii Hack. = *I. fasciculatum*
melleri Stent = *I. fasciculatum*
purpurascens Stapf = *I. fasciculatum*

JOANNEGRIA Chiov.

melicoides (Chiov.) Chiov. = *Lintonia nutans*

LAGURUS L.

cylindricus L. = *Imperata cylindrica*

LEERSIA Sw.

denudata Launert PSUB SRGH ♦
friesii Melderis PRE PSUB SRGH ♦
hexandra Sw. BM GAB PRE PSUB SRGH UCBG ♦
tisserantii (A.Chev.) Launert
(*Oryza tisserantii* A.Chev.)

LEPTOCARYDION Stapf

vulpiastrum (De Not.) Stapf BM K PRE PSUB SRGH
(*Leptochloa plumosa* Andersson)
(*Rabdochloa vulpiastrum* De Not.)
(*Triodia plumosa* (Andersson) Benth.)
(*Triodia vulpiastrum* (De Not.) K.Schum.)

LEPTOCHLOA P.Beauv.

chinensis (L.) Nees GAB K PRE SRGH
(*Poa chinensis* L.)
eleusine (Nees) Cope & N.Snow GAB PRE
(*Diplachne eleusine* Nees)
falcata Hack. = *Pogonarthria squarrosa*
fusca (L.) Kunth GAB K PRE PSUB SRGH
(*Diplachne fusca* (L.) P.Beauv. ex Roem. & Schult.)

(*Festuca fusca* L.)

gigantea (Launert) Cope & N.Snow PRE PSUB SRGH ♦

(*Diplachne gigantea* Launert)

grandiglumis Nees = *Trichoneura grandiglumis* var. *grandiglumis*

panicea (Retz.) Ohwi GAB SRGH

plumosa Andersson = *Leptocarydion vulpiastrum*

uniflora A.Rich. K

(*Craspedorhachis menyharthii* Hack.)

(*Craspedorhachis uniflora* (Hochst. ex A.Rich.) Chippind.)

LINTONIA Stapf

nutans Stapf GAB K PRE PSUB SRGH

(*Joannegria melicoides* (Chiov.) Chiov.)

(*L. nutans* Stapf var. *melicoides* (Chiov.) Chiov.)

(*Negria melicoides* Chiov.)

nutans Stapf var. *melicoides* (Chiov.) Chiov. = *L. nutans*

LOUDETIA Hochst. ex Steud.

flavida (Stapf) C.E.Hubb. K PRE SRGH

(*Trichopteryx flavida* Stapf)

simplex (Nees) C.E.Hubb. PRE SRGH UCBG

(*Tristachya simplex* Nees)

superba De Not. = *Tristachya superba*

LYCURUS Kunth

muticus Spreng. = *Elionurus muticus*

MANDELORNA Steud.

insignis Steud. = *Vetiveria nigritana*

MANISURIS L.

altissima (Poir.) Hitchc. = *Hemarthria altissima*

granularis (L.) L.f. = *Hackelochloa granularis*

MEGALOPROTACHNE C.E.Hubb.

albescens C.E.Hubb. GAB K PRE PSUB SRGH UCBG

(*M. glabrescens* Roiv.)

glabrescens Roiv. = *M. albescens*

MELINIS P.Beauv.

kallimorpha (Clayton) Zizka PRE SRGH

(*Rhynchelytrum kallimorphon* Clayton)

longiseta (A.Rich.) Zizka subsp. **bellespicata** (Rendle) Zizka
PRE SRGH

(*Rhynchelytrum bellespicatum* (Rendle) Stapf & C.E.Hubb.)

(*Tricholaena bellespicata* Rendle)

(*Tricholaena longiseta* A.Rich.)

nerviglumis (Franch.) Zizka K PRE SRGH

(*Rhynchelytrum nerviglume* (Franch.) Chiov.)

(*Rhynchelytrum nyassanum* (Mez) Stapf & C.E.Hubb.)

(*Rhynchelytrum ramosum* Stapf & C.E.Hubb.)

(*Rhynchelytrum rhodesianum* (Rendle) Stapf & C.E.Hubb.)

(*Rhynchelytrum setifolium* (Stapf) Chiov.)

(*Tricholaena nerviglumis* Franch.)

repens (Willd.) Zizka subsp. **grandiflora** (Hochst.) Zizka GAB
LISC M PRE PSUB SRGH UCBG

(*Rhynchelytrum brevopilum* (Hack.) Chiov.)

(*Rhynchelytrum costatum* Stapf & C.E.Hubb.)

(*Rhynchelytrum grandiflorum* Hochst.)

(*Rhynchelytrum suberostratum* Stapf & C.E.Hubb.)

(*Rhynchelytrum villosum* (Parl.) Chiov.)

repens (Willd.) Zizka subsp. **repens** BR GAB PRE PSUB SRGH UCBG

(*Rhynchelytrum repens* (Willd.) C.E.Hubb.)

(*Saccharum repens* Willd.)

MICROCHLOA R.Br.

abyssinica Hochst. ex A.Rich. = *M. kunthii*

caffra Nees GAB K PRE PSUB SRGH UCBG

indica (L.f.) P.Beauv. K PRE PSUB SRGH

(*M. setacea* R.Br.)

(*M. setacea* R.Br. var. *gracilis* Rendle)

(*Nardus indica* L.f.)

(*Rottboellia setacea* Roxb.)

kunthii Desv. GAB PRE SRGH

(*M. abyssinica* Hochst. ex A.Rich.)

patentiflora Stent & J.M.Ratray = *Brachyachne patentiflora*

setacea R.Br. = *M. indica*

setacea R.Br. var. *gracilis* Rendle = *M. indica*

MILIUM L.

cimicinum L. = *Alloteropsis cimicina*

MISCANTHIDIUM Stapf

gossweileri Stapf = *Miscanthus junceus*

junceum (Stapf) Stapf = *Miscanthus junceus*

teretifolium (Stapf) Stapf = *Miscanthus junceus*

MISCANTHUS Andersson

capensis (Nees) Andersson ?

gossweileri (Stapf) Pilg. = *M. junceus*

junceus (Stapf) Pilg. GAB K PRE PSUB SRGH UCBG ♦

(*Cleistachne teretifolia* Hack.)

(*Erianthus junceus* Stapf)

(*Erianthus teretifolius* Stapf)

(*M. gossweileri* (Stapf) Pilg.)

(*M. teretifolium* (Stapf) Stapf)

(*M. teretifolius* (Stapf) Pilg.)

(*Miscanthidium gossweileri* Stapf)

(*Miscanthidium junceum* (Stapf) Stapf)

teretifolius (Stapf) Pilg. = *M. junceus*

MONOCYMBIUM Stapf

ceresiiforme (Nees) Stapf GAB K PRE PSUB SRGH

(*Andropogon ceresiiformis* Nees)

(*Andropogon ceresiiformis* Nees var. *breviaristatus* Hack.)

(*Andropogon ceresiiformis* Nees var. *hirtellus* Franch.)

(*Andropogon ceresiiformis* Nees var. *submuticus* Hack.)

(*Hypogynium ceresiiforme* (Nees) Roberty)

(*M. ceresiiforme* (Nees) Stapf subvar. *hirtulum* Chiov.)

(*M. nimbanum* Jacq.-Fél.)

ceresiiforme (Nees) Stapf subvar. *hirtulum* Chiov. =

M. ceresiiforme

nimbanum Jacq.-Fél. = *M. ceresiiforme*

NARDUS L.

indica L.f. = *Microchloa indica*

NEGRIA Chiov.

melicoides Chiov. = *Lintonia nutans*

ODYSSEA Stapf

paucinervis (Nees) Stapf GAB K PRE PSUB SRGH

(*Dactylis paucinervis* Nees)

(*Diplachne cinerea* Hack.)

(*Diplachne paucinervis* (Nees) Hack.)

OPLISMENUS P.Beauv.

burmannii (Retz.) P.Beauv. GAB K PRE PSUB SRGH

(*Panicum burmannii* Retz.)

crus-pavonis Kunth = *Echinochloa crus-pavonis*

hirtellus (L.) P.Beauv. K SRGH

(*Panicum hirtellum* L.)

undulatifolius (Ard.) Roem. & Schult. PRE PSUB SRGH

(*Panicum undulatifolium* Ard.)

OROPETIUM Trin.

capense Stapf GAB K PRE PSUB SRGH UCBG

ORYZA L.

barthii A.Chev. PRE PSUB SRGH

longistaminata A.Chev. & Roehr. BM GAB PRE PSUB

SRGH UCBG ♦

(*O. sylvestris* A.Chev.)

sylvestris A.Chev. = *O. longistaminata*

tisserantii A.Chev. = *Leersia tisserantii*

ORYZIDIUM C.E.Hubb. & Schweick.

barnardii C.E.Hubb. & Schweick. K PRE PSUB SRGH ♦

PANICUM L.

aphanoneurum Steud. = *P. fluviicola*

arcurameum Stapf K PRE SRGH

arrectum T.Durand & Schinz = *Brachiaria arrecta*

atrosanguineum A.Rich. GAB K PRE PSUB SRGH UCBG

bechuanense Bremek. & Oberm. K PRE SRGH

brachyurum Hack. = *Urochloa brachyura*

brazzae Franch. = *Digitaria brazzae*

brizanthum A.Rich. = *Brachiaria brizantha*

burmannii Retz. = *Oplismenus burmannii*

ciliare Retz. = *Digitaria ciliaris*

colonum L. = *Echinochloa colona*

coloratum L. var. **coloratum** GAB K PRE PSUB SRGH UCBG ♦

(*P. coloratum* L. var. *makarikariense* Goos.)

crus-galli L. = *Echinochloa crus-galli*

dactylon L. = *Cynodon dactylon*

debile Desf. = *Digitaria debilis*

deflexum Schumach. = *Brachiaria deflexa*

deustum Thunb. PRE PSUB SRGH UCBG

dictyoneurum Fig. & De Not. = *Brachiaria dictyoneura*

dregeanum Nees GAB PRE PSUB SRGH UCBG

eruciforme Sm. = *Brachiaria eruciformis*

fatmense Hochst. & Steud. = *Eriochloa fatmensis*
filiculme Schinz = *P. hymeniochilum*
fluviicola Steud. K PRE PSUB SRGH ♣
 (P. *aphanoneurum* Steud.)
funaense Vanderyst K PRE PSUB SRGH ♣
gayanum Kunth = *Digitaria gayana*
gilvum Launert K PRE SRGH ♦
 (P. *laevifolium* Hack. var. *contractum* Pilg.)
glabrescens Steud. = *P. subalbidum*
glomeratum Hack. = *Brachiaria glomerata*
graniflorum Stapf K SRGH
 (Panicum *haplocladum* Stapf)
haplocladum Stapf = *Echinochloa haploclada*
heterostachyum Hack. K PRE PSUB SRGH
hirtellum L. = *Oplismenus hirtellus*
homonymum Steud. = *Setaria homonyma*
humidicola Rendle = *Brachiaria humidicola*
hymeniochilum Nees K PRE PSUB SRGH ♣
 (P. *filiculme* Schinz)
 (P. *hymeniochilum* Nees var. *glandulosum* Nees)
hymeniochilum Nees var. *glandulosum* Nees = *P. hymeniochilum*
impeditum Launert GAB PSUB
incrassatum Hochst. = *Setaria incrassata*
interruptum Willd. = *Sacciolepis interrupta*
kalaharensis Mez GAB K PRE PSUB SRGH UCBG
laevifolium Hack. var. *contractum* Pilg. = *P. gilvum*
laevifolium Hack. var. *laevifolium* = *P. schinzii*
lanipes Mez K PRE PSUB UCBG
lindenbergianum Nees = *Setaria lindenbergianum*
longiflorum Retz. = *Digitaria longiflora*
madipirensis Mez K
marlothii Hack. = *Brachiaria marlothii*
massaiensis Mez ?
maximum Jacq. GAB K PRE PSUB SRGH UCBG
merkeri Mez SRGH
meyerianum Nees var. *meyerianum* = *Eriochloa meyeriana*
 subsp. *meyeriana*
milanjanum Rendle = *Digitaria milanjanum*
 ***miliaceum** L.
minus Stapf = *P. stapfianum*
monachne Trin. = *Tricholaena monachne*
mosambicensis Hack. = *Urochloa mosambicensis*
nigrirostris Nees = *Setaria nigrirostris*
nigropedata Ficalho & Hiern = *Brachiaria nigropedata*
novemnerve Stapf GAB PRE SRGH
obtusifolium Delile = *Paspalidium obtusifolium*
oligotrichum Fig. & De Not. = *Urochloa oligotricha*
parvifolium Lam. K PRE PSUB SRGH ♣
perrottetii Kunth = *Digitaria perrottetii*
pilgerianum (Schweick.) Clayton K PRE PSUB SRGH
 UCBG ♦♣
 (Acroceras *pilgerianum* Schweick.)
 (Psilochloa *pilgeriana* (Schweick.) Launert)
porphyrrhizos Steud. GAB K PRE PSUB SRGH UCBG
pumilum Poir. = *Setaria pumila*
pyramidalis Lam. = *Echinochloa pyramidalis*
repens L. GAB K PRE PSUB SRGH UCBG ♣

repentellum Napper K PRE PSUB SRGH ♣
sagittifolia A.Rich. = *Setaria sagittifolia*
sanguinalis L. = *Digitaria sanguinalis*
schinzii Hack. K PRE PSUB SRGH
 (P. *laevifolium* Hack. var. *laevifolium*)
scalarum Schweinf. = *Digitaria scalarum*
stagninum Retz. = *Echinochloa stagnina*
stapfianum Fourc. GAB PRE PSUB
 (P. *minus* Stapf)
subalbidum Kunth GAB K PRE PSUB SRGH ♣
 (P. *glabrescens* Steud.)
trichonode Launert & Renvoize K PRE PSUB SRGH
trichopus Hochst. = *Urochloa trichopus*
typhurum Stapf = *Sacciolepis typhura*
undulatifolium Ard. = *Oplismenus undulatifolius*
verticillatum L. = *Setaria verticillata*
xantholeucum Schinz = *Brachiaria xantholeuca*

PAPPOPHORUM Schreb.
cenchroides Roem. & Schult. = *Enneapogon cenchroides*

PASPALIDIUM Stapf
obtusifolium (Delile) N.D.Simpson GAB K PRE PSUB SRGH ♣
 (Panicum *obtusifolium* Delile)
 (P. *platyrrhachis* C.E.Hubb.)
platyrrhachis C.E.Hubb. = *P. obtusifolium*

PASPALUM L.
auriculatum J.Presl & C.Presl = *P. scrobiculatum*
commersonii Lam. = *P. scrobiculatum*
 ***dilatatum** Poir. PRE
orbiculare G.Forst. = *P. scrobiculatum*
polystachyum R.Br. = *P. scrobiculatum*
scrobiculatum L. C GAB K PRE PSUB SRGH WAG
 (P. *auriculatum* J.Presl & C.Presl)
 (P. *commersonii* Lam.)
 (P. *orbiculare* G.Forst.)
 (P. *polystachyum* R.Br.)

PENNISETUM Rich.
angolense Rendle = *P. macrourum*
glaucocladum Stapf & C.E.Hubb. PRE
 ***glaucum** (L.) R.Br. ?
macrourum Trin. GAB K PRE PSUB SRGH ♣
 (P. *angolense* Rendle)

PEROTIS Aiton
indica (L.) O.Kuntze ?
leptopus Pilg. K PRE PSUB SRGH
patens Gand. GAB K PRE PSUB SRGH UCBG
vaginata Hack. K PRE SRGH

PHALARIS L.
velutina Forssk. = *Digitaria velutina*

PHRAGMITES Adans.
australis (Cav.) Steud. BM GAB PRE PSUB SRGH UCBG ♣

(*Arundo australis* Cav.)

(*P. communis* Trin.)

communis Trin. = *P. australis*

mauritanus Kunth BM GAB K PRE PSUB SRGH UCBG ♠

POA L.

abyssinica Jacq. = *Eragrostis* tef

amabilis L. = *Eragrostis* amabilis

chinensis L. = *Leptochloa* chinensis

cilianensis All. = *Eragrostis* cilianensis

ciliaris L. = *Eragrostis* ciliaris

curvula Schrad. = *Eragrostis* curvula

diandra Roxb. = *Eragrostis* japonica

diarrhena Schult. = *Eragrostis* japonica

gangetica Roxb. = *Eragrostis* gangetica

japonica Thunb. = *Eragrostis* japonica

megastachya Koeler = *Eragrostis* cilianensis

pilosa L. = *Eragrostis* pilosa

sarmentosa Thunb. = *Eragrostis* sarmentosa

squarrosa Roem. & Schult. = *Pogonarthria* squarrosa

strigosa Retz. = *Eragrostis* viscosa

tef Zucc. = *Eragrostis* tef

tenella L. = *Eragrostis* amabilis

tenella R.Br. = *Eragrostis* japonica

tenellula Kunth = *Eragrostis* japonica

POGONARTHRIA Stapf

falcata (Hack.) Rendle = *P. squarrosa*

fleckii (Hack.) Hack. K PRE PSUB SRGH UCBG

(*Diplachne fleckii* Hack.)

(*P. tuberculata* Pilg.)

menyharthii (Hack.) Hack. = *P. squarrosa*

squarrosa (Roem. & Schult.) Pilg. GAB K PRE PSUB SRGH UCBG

(*Diplachne menyharthii* Hack.)

(*Eragrostis marlothii* Hack.)

(*Leptochloa falcata* Hack.)

(*Poa squarrosa* Roem. & Schult.)

(*P. falcata* (Hack.) Rendle)

(*P. menyharthii* (Hack.) Hack.)

tuberculata Pilg. = *P. fleckii*

POGONATHERUM P.Beauv.

aureum (Bory) Roberty = *Eulalia aurea*

POLLINIA Spreng.

hombiei De Wild. = *Eulalia aurea*

POLYPOGON Desf.

★**monspeliensis** (L.) Desf. K PRE SRGH

(*Alopecurus monspeliensis* L.)

PSEUDOBRACHIARIA Launert

deflexa (Schumach.) Launert = *Brachiaria deflexa*

PSILOCHLOA Launert

pilgeriana (Schweick.) Launert = *Panicum pilgerianum*

RABDOCHLOA P.Beauv.

vulpiastrum De Not. = *Leptocarydion vulpiastrum*

RHAPHIS Lour.

stricta Nees = *Bothriochloa bladhii*

RHYNCHELYTRUM Nees

bellespicatum (Rendle) Stapf & C.E.Hubb. = *Melinis longiseta* subsp. *bellespicata*

brevipilum (Hack.) Chiov. = *Melinis repens* subsp. *grandiflora*

costatum Stapf & C.E.Hubb. = *Melinis repens*

subsp. *grandiflora*

grandiflorum Hochst. = *Melinis repens* subsp. *grandiflora*

kallimorphon Clayton = *Melinis kallimorpha*

nerviglume (Franch.) Chiov. = *Melinis nerviglumis*

nyassanum (Mez) Stapf & C.E.Hubb. = *Melinis nerviglumis*

ramosum Stapf & C.E.Hubb. = *Melinis nerviglumis*

repens (Willd.) C.E.Hubb. = *Melinis repens* subsp. *repens*

rhodesianum (Rendle) Stapf & C.E.Hubb. = *Melinis nerviglumis*

setifolium (Stapf) Chiov. = *Melinis nerviglumis*

suberstratum Stapf & C.E.Hubb. = *Melinis repens* subsp.

grandiflora

villosum (Parl.) Chiov. = *Melinis repens* subsp. *grandiflora*

ROSHEVITZIA Tzevelev

diplachnoides (Steud.) Tzevelev = *Eragrostis japonica*

ROTTBOELLIA L.f.

agropyroides Hack. = *Urelytrum agropyroides*

altissima Poir. = *Hemarthria altissima*

arundinacea A.Rich. = *R. cochinchinensis*

cochinchinensis (Lour.) Clayton GAB PRE PSUB SRGH

(*R. arundinacea* A.Rich.)

(*R. exaltata* L.f.)

(*Stegosia cochinchinensis* Lour.)

compressa L.f. var. *fasciculata* (Lam.) Hack. = *Hemarthria altissima*

exaltata L.f. = *R. cochinchinensis*

fasciculata Lam. = *Hemarthria altissima*

granularis (L.) Roberty = *Hackelochloa granularis*

heterochloa Gand. = *Hemarthria altissima*

sanguinea Retz. = *Schizachyrium sanguineum*

setacea Roxb. = *Microchloa indica*

SACCHARUM L.

koenigii Retz. = *Imperata cylindrica*

munroanum Hack. = *Eriochrysis pallida*

pallidum (Munro) Benth. = *Eriochrysis pallida*

repens Willd. = *Melinis repens*

thunbergii Retz. = *Imperata cylindrica*

SACCIOLEPIS Nash

africana C.E.Hubb. & Snowden GAB K PRE PSUB SRGH ♠

cinereo-vestita (Pilg.) C.E.Hubb. = *S. typhura*

glaucescens Stapf = *S. typhura*

interrupta (Willd.) Stapf K PRE PSUB SRGH ♠

(*Panicum interruptum* Willd.)

typhura (Stapf) Stapf GAB K PRE SRGH UCBG ♠
(*Panicum typhurum* Stapf)
(*S. cinereo-vestita* (Pilg.) C.E.Hubb.)
(*S. glaucescens* Stapf)

SARTIDIA De Winter
angolensis (C.E.Hubb.) De Winter ?
jucunda (Schweick.) De Winter ?

SCHISMUS P.Beauv.
barbatus (Loefl. ex L.) Thell. PRE

SCHIZACHYRIUM Nees
exile (Hochst.) Pilg. K PRE PSUB SRGH
(*Andropogon exilis* Hochst.)
(*S. glabrescens* (Rendle) Stapf)
(*S. inclusum* Stent)
glabrescens (Rendle) Stapf = *S. exile*
inclusum Stent = *S. exile*
jeffreysii (Hack.) Stapf E GAB K PRE PSUB SRGH UCBG
(*Andropogon arthropogon* Pilg.)
(*Andropogon jeffreysii* Hack.)
(*S. ursulum* Stapf)
lindiense Pilg. = *S. sanguineum*
sanguineum (Retz.) Alston GAB K PRE SRGH UCBG
(*Andropogon semiberbis* (Nees) Kunth)
(*Rottboellia sanguinea* Retz.)
(*S. lindiense* Pilg.)
(*S. semiberbe* Nees)
semiberbe Nees = *S. sanguineum*
ursulum Stapf = *S. jeffreysii*

SCHMIDTIA Steud. ex J.A.Schmidt
bulbosa Stapf = *S. pappophoroides*
kalahariensis Stent as 'kalihariensis' BM GAB K PRE PSUB
SRGH UCBG
pappophoroides Steud. ex J.A.Schmidt BM GAB K LISC PRE
PSUB SRGH UCBG
(*S. bulbosa* Stapf)

SEHIMA Forssk.
ischaemoides Forssk. K PRE SRGH
(*Andropogon sehima* Steud.)

SETARIA P.Beauv.
almaspicata de Wit = *S. sphacelata* var. *sericea*
anceps Stapf ex Massey = *S. sphacelata* var. *sericea*
cana de Wit = *S. sphacelata* var. *sericea*
decipiens de Wit = *S. sphacelata* var. *sphacelata*
eylesii Stapf & C.E.Hubb. = *S. incrassata*
flabellata Stapf subsp. *flabellata* = *S. sphacelata* var. *sphacelata*
flabelliformis de Wit = *S. sphacelata* var. *sericea*
gerrardii Stapf = *S. incrassata*
holstii R.A.W.Herrm. = *S. incrassata*
homonyma (Steud.) Chiov. GAB K PRE PSUB SRGH UCBG
(*Panicum homonymum* Steud.)
incrassata (Hochst.) Hack. GAB K PRE PSUB SRGH UCBG

(*Panicum incrassatum* Hochst.)
(*S. eylesii* Stapf & C.E.Hubb.)
(*S. gerrardii* Stapf)
(*S. holstii* R.A.W.Herrm.)
(*S. pabularis* Stapf)
(*S. palustris* Stapf)
(*S. perberbis* de Wit)
(*S. phragmitoides* Stapf)
(*S. porphyrantha* Stapf)
(*S. rudifolia* Stapf)
(*S. woodii* Hack. subsp. *bechuanica* de Wit)
(*S. woodii* Hack. var. *fonssalutis* de Wit)
(*S. woodii* Hack. var. *woodii*)
lindenbergiana (Nees) Stapf SRGH UCBG
(*Panicum lindenbergianum* Nees)
longiseta Beauv. UCBG
neglecta de Wit = *S. sphacelata* var. *sphacelata*
nigrirostris (Nees) T.Durand & Schinz PSUB
(*Panicum nigrirostre* Nees)
pabularis Stapf = *S. incrassata*
pallide-fusca (Schumach.) Stapf & C.E.Hubb. = *S. pumila*
palustris Stapf = *S. incrassata*
perberbis de Wit = *S. incrassata*
perennis Hack. = *S. sphacelata* var. *sphacelata*
phragmitoides Stapf = *S. incrassata*
porphyrantha Stapf = *S. incrassata*
pseudaristata (Peter) Pilg. K PRE
(*Acrochaete pseudaristata* Peter)
pumila (Poir.) Roem. & Schult. C GAB K PRE PSUB SRGH UCBG
(*Panicum pumilum* Poir.)
(*S. pallide-fusca* (Schumach.) Stapf & C.E.Hubb.)
(*S. ustilata* de Wit)
rudifolia Stapf = *S. incrassata*
sagittifolia (A.Rich.) Walp. GAB K PRE PSUB SRGH UCBG
(*Cymbosetaria sagittifolia* (A.Rich.) Schweick.)
(*Panicum sagittifolium* A.Rich.)
sphacelata (Schumach.) Moss subsp. *aquamontana* de Wit =
S. sphacelata var. *sphacelata*
sphacelata (Schumach.) Moss subsp. *nodosa* de Wit =
S. sphacelata var. *sericea*
sphacelata (Schumach.) Moss subsp. *pyropea* de Wit =
S. sphacelata var. *sericea*
sphacelata (Schumach.) Moss var. *sericea* (Stapf) Clayton PRE
(*S. almaspicata* de Wit)
(*S. anceps* Stapf ex Massey)
(*S. cana* de Wit)
(*S. flabelliformis* de Wit)
(*S. sphacelata* (Schumach.) Moss subsp. *nodosa* de Wit)
(*S. sphacelata* (Schumach.) Moss subsp. *pyropea* de Wit)
sphacelata (Schumach.) Moss var. **sphacelata** C GAB K PRE
PSUB SRGH UCBG
(*S. decipiens* de Wit)
(*S. flabellata* Stapf subsp. *flabellata*)
(*S. neglecta* de Wit)
(*S. perennis* Hack.)
(*S. sphacelata* (Schumach.) Moss subsp. *aquamontana* de
Wit)

- (*S. sphacelata* (Schumach.) Moss var. *stolonifera* de Wit)
(S. stenantha Stapf)
sphacelata (Schumach.) Moss var. *stolonifera* de Wit =
S. sphacelata var. *sphacelata*
stenantha Stapf = *S. sphacelata* var. *sphacelata*
ustilata De Wit = *S. pumila*
verticillata (L.) P.Beauv. GAB K PRE PSUB SRGH UCBG
(Panicum verticillatum L.)
woodii Hack. subsp. *bechuanica* de Wit = *S. incrassata*
woodii Hack. var. *fonssalutis* de Wit = *S. incrassata*
woodii Hack. var. *woodii* = *S. incrassata*

SORGHASTRUM Nash

- friesii* (Pilg.) C.E.Hubb. = *S. nudipes*
friesii (Pilg.) Pilg. = *S. nudipes*
micrantherum Stapf = *S. nudipes*
nudipes Nash BM GAB PRE PSUB SRGH
(Andropogon friesii Pilg.)
(S. friesii (Pilg.) C.E.Hubb.)
(S. friesii (Pilg.) Pilg.)
(S. micrantherum Stapf)

SORGHUM Moench

- alum* Parodi = *S. halepense*
arundinaceum (Desv.) Stapf E GAB K PRE PSUB UCBG
(S. verticilliflorum (Steud.) Stapf)
bicolor (L.) Moench subsp. **bicolor** PRE
bicolor (L.) Moench subsp. **drummondii** (Steud.) de Wet PRE
***halepense** (L.) Pers. SRGH ♣
(S. alum Parodi)
intermedium (R.Br.) Kuntze = *Bothriochloa bladhii*
intermedium (R.Br.) Kuntze var. *haenkei* (J.Presl) Kuntze =
Bothriochloa bladhii
purpureo-sericeum (Hochst. ex A.Rich.) Asch. & Schweinf. var.
trinervatum Chiov. = *S. versicolor*
versicolor Andersson BM GAB K PRE PSUB SRGH
(Andropogon serratus Thunb. var. *versicolor* (Andersson)
Hack.)
(Sorghum purpureo-sericeum (Hochst. ex A.Rich.) Asch. &
Schweinf. var. *trinervatum* Chiov.)
verticilliflorum (Steud.) Stapf = *S. arundinaceum*

SPODIOPOGON Trin.

- arcuatus* Nees = *Ischaemum fasciculatum*

SPOROBOLUS R.Br.

- acinifolius** Stapf GAB K PRE PSUB SRGH
africanus (Poir.) Robyns & Tournay K PRE PSUB SRGH
(Agrostis africana Poir.)
(Agrostis capensis Willd.)
(Agrostis spicata Thunb.)
(Vilfa capensis P.Beauv.)
albicans (Nees ex Trin.) Nees K SRGH
(S. transvaalensis Gooss.)
(Vilfa albicans Nees ex Trin.)
albomarginatus Stent. = *S. cordofanus*
arabicus Boiss. = *S. ioclados*

- argutus* (Nees) Kunth = *S. coromandelianus*
bechuanicus Gooss. GAB K PRE SRGH ♦
bogdani Napper = *S. macranthelus*
capensis (Willd.) Kunth = *S. africanus*
confertiflorus A.Rich. = *Eragrostis japonica*
consimilis Fresen. K PRE SRGH
(S. nogalensis Chiov.)
cordofanus (Steud.) Coss. K PRE PSUB SRGH
(S. albomarginatus Stent.)
(Triachyrum cordofanum Steud.)
coromandelianus (Retz.) Kunth K PRE SRGH UCBG
(Agrostis coromandeliana Retz.)
(S. argutus (Nees) Kunth)
(Vilfa coromandeliana (Retz.) P.Beauv.)
festivus A.Rich. K PRE PSUB SRGH UCBG
(S. festivus A.Rich. var. *fibrosus* Stent)
(S. menyharthii Hack.)
(Vilfa festiva (Hochst. ex A.Rich.) Steud.)
festivus A.Rich. var. *fibrosus* Stent = *S. festivus*
festivus A.Rich. var. *stuppeus* Stapf = *S. stapfianus*
fimbriatus (Trin.) Nees BM GAB K PRE PSUB SRGH UCBG
(S. fimbriatus (Trin.) Nees var. *latifolius* Stent)
(S. marlothii Hack.)
(S. rehmannii Hack.)
(Vilfa fimbriata Trin.)
fimbriatus (Trin.) Nees var. *latifolius* Stent = *S. fimbriatus*
genalensis Chiov. = *S. ioclados*
gillii Stent = *S. ioclados*
greenwayi Napper = *S. macranthelus*
ioclados (Trin.) Nees GAB K PRE PSUB SRGH UCBG
(Agrostis kentrophylla K.Schum.)
(S. arabicus Boiss.)
(S. genalensis Chiov.)
(S. gillii Stent)
(S. ioclados (Trin.) Nees var. *usitatus* (Stent) Chippind.)
(S. kentrophyllus (K.Schum.) Clayton)
(S. marginatus Hochst. ex A.Rich.)
(S. seineri Mez)
(S. smutsii Stent)
(S. usitatus Stent)
(S. vryburgensis Stent)
(Vilfa ioclados Trin.)
(Vilfa marginata (Hochst. ex A.Rich.) Steud.)
(Vilfa pallida Trin.)
ioclados (Trin.) Nees var. *usitatus* (Stent) Chippind. = *S. ioclados*
kentrophyllus (K.Schum.) Clayton = *S. ioclados*
ludwigii Hochst. PRE
macranthelus Chiov. PRE PSUB
(S. bogdani Napper)
(S. greenwayi Napper)
marginatus Hochst. ex A.Rich. = *S. ioclados*
marlothii Hack. = *S. fimbriatus*
menyharthii Hack. = *S. festivus*
myrianthus Benth. ?
natalensis (Steud.) T.Durand & Schinz K PRE PSUB SRGH
(Vilfa natalensis Steud.)
nitens Stent K PRE SRGH

nogalensis Chiov. = *S. consimilis*

panicoides A.Rich. GAB K PRE PSUB SRGH

(*S. polyclados* Hack.)

paniculatus (Trin.) T.Durand & Schinz K

(*S. patulus* Hack.)

(*S. regularis* Mez)

(*Vilfa paniculata* Trin.)

patulus Hack. = *S. paniculatus*

polyclados Hack. = *S. panicoides*

pyramidalis P.Beauv. GAB K PRE PSUB SRGH UCBG

(*S. rueppellianus* Fresen)

(*Vilfa pyramidalis* (P.Beauv.) Steud.)

(*Vilfa rueppelliana* (Fresen) Steud.)

rangei Pilg. PRE

regularis Mez = *S. paniculatus*

rehmannii Hack = *S. fimbriatus*

rueppellianus Fresen = *S. pyramidalis*

salsus Mez PRE

seineri Mez = *S. ioclados*

smutsii Stent = *S. ioclados*

spicatus (Vahl) Kunth BM GAB K LISC PRE PSUB SRGH UCBG

(*Agrostis spicata* Vahl)

stapfianus Gand. PRE SRGH

(*S. festivus* A.Rich. var. *stuppeus* Stapf)

(*S. stuppeus* (Stapf) Stent)

stuppeus (Stapf) Stent = *S. stapfianus*

tenellus (Spreng.) Kunth PRE

transvaalensis Gooss. = *S. albicans*

usitatus Stent = *S. ioclados*

virginicus (L.) Kunth

vryburgensis Stent = *S. ioclados*

STEGOSIA Lour.

cochinchinensis Lour. = *Rottboellia cochinchinensis*

STEREOCHLAENA Hack.

cameronii (Stapf) Pilg. GAB K PRE SRGH

(*Chloridion cameronii* Stapf)

STIPA L.

spicata L.f. = *Trachypogon spicatus*

STIPAGROSTIS Nees

amabilis (Schweick.) De Winter GAB SRGH UCBG

(*Aristida ciliata* Desf. var. *pectinata* Henrard)

(*Aristida ciliata* Desf. var. *tricholaena* Hack.)

(*Aristida ciliata* Desf. var. *villosa* Hack.)

brevifolia (Nees) De Winter ?

ciliata (Desf.) De Winter var. *capensis* (Trin. & Rupr.)

De Winter PRE PSUB SRGH UCBG

(*Aristida ciliata* Desf. var. *capensis* Trin. & Rupr.)

hirtigluma (Trin. & Rupr.) De Winter subsp. *hirtigluma* SRGH

(*Aristida gracilior* Pilg. var. *gracilior*)

(*Aristida hirtigluma* Trin. & Rupr.)

(*Aristida hirtigluma* Trin. & Rupr. var. *patula* Hack.)

hirtigluma (Trin. & Rupr.) De Winter subsp. *patula* (Hack.)

De Winter K PRE PSUB SRGH UCBG

hochstetteriana (Beck ex Hack.) De Winter var. **hochstetteriana** ?

hochstetteriana (Beck ex Hack.) De Winter var. *secalina* (Henr.)

De Winter ?

namaquensis (Nees) De Winter PRE SRGH UCBG

(*Aristida namaquensis* (Nees) Trin. & Rupr.)

obtusa (Delile) Nees BM K PRE SRGH UCBG

(*Aristida obtusa* Delile)

uniplumis (Licht.) De Winter var. *neesii* (Trin. & Rupr.) De

Winter K PRE SRGH

(*Aristida uniplumis* Licht. var. *neesii* Trin. & Rupr.)

uniplumis (Licht.) De Winter var. **uniplumis** BM GAB K

PRE PSUB SRGH UCBG

(*Aristida uniplumis* Licht. var. *pearsonii* Henrard)

(*Aristida uniplumis* Licht. var. *uniplumis*)

THEMEDA Forssk.

australis (R.Br.) Stapf = *T. triandra*

forsskalii Hack. = *T. triandra*

forsskalii Hack. var. *burchellii* Hack. = *T. triandra*

forsskalii Hack. var. *glauca* Hack. = *T. triandra*

imberbis (Retz.) T.Cooke = *T. triandra*

polygama J.F.Gmel. = *T. triandra*

triandra Forssk. GAB K PRE PSUB SRGH UCBG

(*Anthistiria australis* R.Br.)

(*Anthistiria forsskalii* Kunth)

(*Anthistiria imberbis* Retz.)

(*Anthistiria punctata* Hochst. ex A.Rich.)

(*T. australis* (R.Br.) Stapf)

(*T. forsskalii* Hack.)

(*T. forsskalii* Hack. var. *burchellii* Hack.)

(*T. forsskalii* Hack. var. *glauca* Hack.)

(*T. imberbis* (Retz.) T.Cooke)

(*T. polygama* J.F.Gmel.)

(*T. triandra* Forssk. var. *burchellii* (Hack.) Stapf)

(*T. triandra* Forssk. var. *hispida* (Nees) Stapf)

(*T. triandra* Forssk. var. *imberbis* (Retz.) A.Camus)

(*T. triandra* Forssk. var. *punctata* (Hochst. ex Steud.) Stapf)

(*T. triandra* Forssk. var. *sublaevigata* Chiov.)

(*T. triandra* Forssk. var. *trachyspathea* Gooss.)

triandra Forssk. var. *burchellii* (Hack.) Stapf = *T. triandra*

triandra Forssk. var. *hispida* (Nees) Stapf = *T. triandra*

triandra Forssk. var. *imberbis* (Retz.) A.Camus = *T. triandra*

triandra Forssk. var. *punctata* (Hochst. ex Steud.) Stapf =

T. triandra

triandra Forssk. var. *sublaevigata* Chiov. = *T. triandra*

triandra Forssk. var. *trachyspathea* Gooss. = *T. triandra*

TRACHYPOGON Nees

capensis (Thunb.) Trin. = *T. spicatus*

durus Stapf = *T. spicatus*

glaucescens Pilg. = *T. spicatus*

involutus Pilg. = *T. spicatus*

planifolius Stapf = *T. spicatus*

plumosus (Willd.) Nees = *T. spicatus*

rufus Nees = *Hyparrhenia rufa* var. *rufa*

spicatus (L.f.) Kuntze GAB K PRE PSUB SRGH

(*Andropogon plumosus* Willd.)

(*Andropogon spicatus* (L.f.) Steud.)
 (*Andropogon truncatus* (Nees) Steud.)
 (*Heteropogon truncatus* Nees)
 (*Stipa spicata* L.f.)
 (*T. capensis* (Thunb.) Trin.)
 (*T. truncatus* (Nees) Andersson)
truncatus (Nees) Andersson = *T. spicatus*

TRAGUS Haller

arenarius Bremek. & Oberm. = *T. racemosus*
berteronianus Schult. GAB K PRE PSUB SRGH UCBG
koelerioides Asch. GAB PRE SRGH
 (*T. major* (Hack.) Stapf)
 (*T. racemosus* (L.) All. var. *major* Hack.)
major (Hack.) Stapf = *T. koelerioides*
pedunculatus Pilg. K PRE PSUB SRGH
racemosus (L.) All. GAB K PRE PSUB SRGH UCBG
 (*Cenchrus racemosus* L.)
 (*T. arenarius* Bremek. & Oberm.)
racemosus (L.) All. var. *major* Hack. = *T. koelerioides*

TRIACHYRUM Hochst.

cordofanum Steud. = *Sporobolus cordofanus*

TRICHOLAENA Schrad. in Schult.

bellespicata Rendle = *Melinis longiseta* subsp. *bellespicata*
longiseta A.Rich. = *Melinis longiseta* subsp. *bellespicata*
monachne (Trin.) Stapf & C.E.Hubb. GAB K LISC PRE PSUB SRGH UCBG
 (*Panicum monachne* Trin.)
 (*T. monachne* (Trin.) Stapf & C.E.Hubb. var. *annua* J.G. Anderson)
monachne (Trin.) Stapf & C.E.Hubb. var. *annua* J.G. Anderson =
T. monachne
nerviglumis Franch. = *Melinis nerviglumis*

TRICHONEURA Andersson

grandiglumis (Nees) Ekman GAB K PRE PSUB SRGH UCBG
 (*Crossotropis grandiglumis* (Nees) Rendle)
 (*Crossotropis grandiglumis* (Nees) Rendle var. *minor* Rendle)
 (*Diplachne grandiglumis* (Nees) Hack.)
 (*Leptochloa grandiglumis* Nees)
 (*T. grandiglumis* (Nees) Ekman var. *grandiglumis*)
 (*T. grandiglumis* (Nees) Ekman var. *minor* (Rendle) Chippind.)
grandiglumis (Nees) Ekman var. *grandiglumis* =
T. grandiglumis
grandiglumis (Nees) Ekman var. *minor* (Rendle) Chippind. =
T. grandiglumis

TRICHOPTERYX Nees

dinteri Pilg. = *Danthoniopsis dinteri*
flavida Stapf = *Loudetia flavida*
lualabaensis De Wild. = *Tristachya lualabaensis*

TRIODIA R.Br.

plumosa (Andersson) Benth. = *Leptocarydion vulpiastrum*

vulpiastrum (De Not.) K.Schum. = *Leptocarydion vulpiastrum*

TRIPOGON Roem. & Schult.

caliculus A.Camus = *T. minimus*
humbertianus A.Camus = *T. minimus*
mandarensis A.Camus = *T. minimus*
minimus (A.Rich.) Steud. GAB K PRE PSUB SRGH UCBG
 (*Festuca minima* A.Rich.)
 (*T. caliculus* A.Camus)
 (*T. humbertianus* A.Camus)
 (*T. mandarensis* A.Camus)

TRIRAPHIS R.Br.

andropogonoides (Steud.) E.Phillips GAB PRE
 (*Avena andropogonoides* Steud.)
 (*Diplachne andropogonoides* (Steud.) Nees)
 (*T. rehmannii* Hack.)
fleckii Hack. = *T. purpurea*
purpurea Hack. GAB K PRE PSUB SRGH UCBG
 (*T. fleckii* Hack.)
rehmannii Hack. = *T. andropogonoides*
schinzii Hack. GAB K PRE PSUB SRGH UCBG
 (*T. schlechteri* Pilg. ex Stent)
schlechteri Pilg. ex Stent = *T. schinzii*

TRISTACHYA Nees

eylesii Stent & J.M.Ratray = *T. nodiglumis*
longispiculata C.E.Hubb. = *T. nodiglumis*
lualabaensis (De Wild.) J.B.Phipps K PRE
 (*Trichopteryx lualabaensis* De Wild.)
nodiglumis K.Schum. GAB K PRE PSUB SRGH
 (*T. eylesii* Stent & J.M.Ratray)
 (*T. longispiculata* C.E.Hubb.)
rehmannii Hack. K PRE PSUB SRGH
 (*Dolichochoete rehmannii* (Hack.) J.B.Phipps)
simplex Nees = *Loudetia simplex*
superba (De Not.) Schweinf. & Asch. GAB K PRE PSUB SRGH
 (*Loudetia superba* De Not.)

URELYTRUM Hack.

agropyroides (Hack.) Hack. GAB K PRE PSUB SRGH
 (*Rottboellia agropyroides* Hack.)
 (*U. squarrosum* Hack.)
 (*U. squarrosum* Hack. var. *robustum* Stapf)
squarrosum Hack. = *U. agropyroides*
squarrosum Hack. var. *robustum* Stapf = *U. agropyroides*

UROCHLOA P.Beauv.

bolbodes (Steud.) Stapf = *U. oligotricha*
brachyura (Hack.) Stapf GAB K PRE PSUB SRGH UCBG
 (*Panicum brachyurum* Hack.)
engleri Pilg. = *U. trichopus*
mosambicensis (Hack.) Dandy GAB K PRE PSUB SRGH UCBG
 (*Panicum mossambicense* Hack.)
 (*U. pullulans* Stapf)
 (*U. rhodesiensis* Stent)
oligotricha (Fig. & De Not.) Henrard K PRE PSUB SRGH

(*Panicum oligotrichum* Fig. & De Not.)
(*U. bolbodes* (Steud.) Stapf)
panicoides P.Beauv. K PRE SRGH
(*U. ruschii* Pilg.)
pullulans Stapf = *U. mosambicensis*
rhodesiensis Stent = *U. mosambicensis*
ruschii Pilg. = *U. panicoides*
stolonifera (Gooss.) Chippind. PRE
trichopus (Hochst.) Stapf GAB K PRE PSUB SRGH UCBG
(*Panicum trichopus* Hochst.)
(*U. engleri* Pilg.)

VETIVERIA Bory
nigritana (Benth.) Stapf
(*Andropogon nigritanus* Benth.)
(*Andropogon squarrosus* L.f. var. *nigritanus* (Benth.) Hack.)
(*Mandelorna insignis* Steud.)
(*Vetiveria zizanioides* (L.) Nash var. *nigritana* (Benth.)
A.Camus)
zizanioides (L.) Nash var. *nigritana* (Benth.) A.Camus =
Chrysopogon nigritanus

VILFA Adans.
albicans Nees ex Trin. = *Sporobolus albicans*
capensis P.Beauv. = *Sporobolus africanus*
confertiflora (A.Rich.) Steud. = *Eragrostis japonica*
coromandeliana (Retz.) P.Beauv. = *Sporobolus*
coromandelianus
festiva (Hochst. ex A.Rich.) Steud. = *Sporobolus festivus*
fimbriata Trin. = *Sporobolus fimbriatus*
ioclados Trin. = *Sporobolus ioclados*
marginata (Hochst. ex A.Rich.) Steud. = *Sporobolus*
ioclados
natalensis Steud. = *Sporobolus natalensis*
pallida Trin. = *Sporobolus ioclados*
paniculata Trin. = *Sporobolus paniculatus*
pyramidalis (P.Beauv.) Steud. = *Sporobolus pyramidalis*
rueppelliana (Fresen) Steud. = *Sporobolus pyramidalis*

VOSSIA Wall. & Griff.
cuspidata (Roxb.) Griff. GAB K PRE PSUB SRGH ♦
(*Ischaemum cuspidatum* Roxb.)
(*V. procera* Wall. & Griff.)
procera Wall. & Griff. = *V. cuspidata*

WILLBLEIBIA Herter
sarmentosa (Hack.) Herter = *Willkommia sarmentosa*

WILLKOMMIA Hack.
sarmentosa Hack. K PRE PSUB SRGH UCBG
(*Craspedorhachis sarmentosa* (Hack.) Pilg.)
(*Willbleibia sarmentosa* (Hack.) Herter)

PONTEDERIACEAE

EICHHORNIA Kunth
natans (P.Beauv.) Solms GAB PRE PSUB ♦

HETERANTHERA Ruiz & Pav.
callifolia Rchb. ex Kunth GAB PRE PSUB ♦
(*H. kotschyana* Fenzl ex Solms)
kotschyana Fenzl ex Solms = *H. callifolia*

POTAMOGETONACEAE

POTAMOGETON L.
crispus L. PRE ♦ ?
octandrus Poir. GAB PRE ♦
pusillus L. PRE ♦
schweinfurthii A.W.Benn. GAB PRE ♦
thunbergii Cham. & Schltdl. GAB PRE PSUB UCBG ♦
trichoides Cham. & Schltdl. GAB PRE PSUB ♦

TECOPHILAEACEAE

CYANELLA L
lutea L.f. PRE UCBG

WALLERIA J.Kirk
baumii Dammer = *W. nutans*
hockii De Wild. = *W. nutans*
mackenzie J.Kirk var. *nutans* (J.Kirk) Baker = *W. nutans*
muricata N.E.Br. = *W. nutans*
nutans J.Kirk GAB K PRE SRGH UCBG
(*W. baumii* Dammer)
(*W. hockii* De Wild.)
(*W. mackenzie* J.Kirk var. *nutans* (J.Kirk) Baker)
(*W. muricata* N.E.Br.)

TYPHACEAE

TYPHA L.
australis Schumach. = *T. domingensis*
capensis (Rohrb.) N.E.Br. GAB PRE PSUB UCBG ♦
(*T. latifolia* L. subsp. *capensis* Rohrb.)
domingensis Pers. PRE ♦
(*T. australis* Schumach.)
latifolia L. subsp. *capensis* Rohrb. = *T. capensis*

VELLOZIACEAE

VELLOZIA Vand.
clavata (Baker) Baker = *Xerophyta retinervis*
humilis Baker = *Xerophyta humilis*
retinervis (Baker) Baker = *Xerophyta retinervis*
suaveolens Greves = *Xerophyta suaveolens*
viscosa (Baker) Baker = *Xerophyta viscosa*

XEROPHYTA Juss.
equisitoides Baker ?
humilis (Baker) T.Durand & Schinz GAB PRE PSUB UCBG
(*Vellozia humilis* Baker)
retinervis Baker GAB PRE UCBG
(*Vellozia clavata* (Baker) Baker)
(*Vellozia retinervis* (Baker) Baker)

schlechteri (Baker) N.L.Menezes GAB UCBG
suaveolens (Greves) N.L.Menezes
 (*Vellozia suaveolens* Greves)
viscosa Baker PRE

XYRIDACEAE

XYRIS L.
anceps Lam. PRE ♣

capensis Thunb. GAB PRE PSUB ♣
huillensis Rendle PRE
rubella Malme PRE
straminea Nilss. GAB PSUB

ZANNICHELLIACEAE

ZANNICHELLIA L.
palustris L. GAB PRE UCBG ♣

APPENDIX

Species possibly occurring in Botswana

The following is a list of species that have been mentioned in various sources of literature as occurring in Botswana. They are marked with a ? symbol in the main list and are repeated here for ease of reference.

BRYOPHYTES

- Asterella bachmannii* (Steph.) S.W.Arnell (AYTONIACEAE)
Exormotheca pustulosa Mitt. (EXORMOTHEACEAE)
Jungermannia borgenii Gottsche ex Pearson
 (JUNGERMANNIACEAE)
Riccia perssonii Sultan Khan (RICCIACEAE)
Splachnobryum obtusum (Brid.) Müll.Hal.
 (SPLACHNOBRYACEAE)

PTERIDOPHYTES

- Cheilanthes rawsonii* (Pappe) Mett. ex Kuhn (PTERIDACEAE)
Ophioglossum nudicaule L.f. (OPHIOGLOSSACEAE)
Selaginella njam-njamensis Hieron (SELAGINELLACEAE)

DICOTYLEDONS

- Acacia hebeclada* DC. subsp. *tristis* A.Schreb. (FABACEAE)
Acacia swazica Burtt Davy (FABACEAE)
Aeollanthus namibiensis Ryding (LAMIACEAE)
Alectra pseudobarlenae (Dinter) Dinter (SCROPHULARIACEAE)
Ambrosia artemisiifolia L. (ASTERACEAE)
Amellus reductus Rommel (ASTERACEAE)
Anacampseros lanceolata (Harv.) Sweet subsp. *lanceolata*
 (PORTULACACEAE)
Atriplex suberecta Verdoorn (CHENOPODIACEAE)
Balanites angolensis (Welw.) Welw. ex Mildbr. & Schltr. subsp.
welwitschii (Tieg.) Sands (BALANITACEAE)
Barleria matopensis S.Moore (ACANTHACEAE)
Bridelia tenuifolia Müll.Arg. (EUPHORBIACEAE)
Canthium mundianum Cham. & Schlecht. (RUBIACEAE)
Cereus jamacaru DC. (CACTACEAE)
Ceropegia rendalii N.E.Br. (APOCYNACEAE)
Chenopodium glaucum L. (CHENOPODIACEAE)
Cineraria burkei Burtt Davy (ASTERACEAE)
Coddia rudis (E.Mey. ex Harv.) Verdc. (RUBIACEAE)
Combretum collinum Fresen. subsp. *suluense* (Engl. & Diels)
 Okafor (COMBRETACEAE)
Combretum psidioides Welw. subsp. *dinteri* (Schinz) Exell
 (COMBRETACEAE)
Combretum psidioides Welw. subsp. *glabrum* Exell
 (COMBRETACEAE)
Crassocephalum obtusata (Thunb.) E.Berger (ASTERACEAE)
Cucumis quintanilhae R. & A.Fernandes (CUCURBITACEAE)
Delosperma mahonii (N.E.Br.) N.E.Br.
 (MESEMBRANTHEACEAE)
Dichrostachys cinerea (L.) Wight & Arn. subsp. *africana* Brenan

- & Brummitt var. *pubescens* Brenan & Brummitt (FABACEAE)
Dichrostachys cinerea (L.) Wight & Arn. subsp. *argillicola*
 Brenan & Brummitt var. *hirtipes* Brenan & Brummitt
 (FABACEAE)
Diospyros lycioides Desf. subsp. *nitens* (Harv. ex Hiern) De
 Winter (EBENACEAE)
Ehretia alba Retief & A.E.van Wyk (BORAGINACEAE)
Ehretia namibiensis Retief & A.E.van Wyk subsp. *namibiensis*
 (BORAGINACEAE)
Euclea schimperi (A.DC.) Dandy var. *schimperi* (EBENACEAE)
Euphorbia avasmontana Dinter var. *avasmontana*
 (EUPHORBIACEAE)
Euphorbia avasmontana Dinter var. *sagittaria* (Marloth) White,
 Dyer & Sloane (EUPHORBIACEAE)
Euphorbia clavarioides Boiss. var. *truncata* (N.E.Br.) White, Dyer
 & Sloane (EUPHORBIACEAE)
Euphorbia fusca Marloth (EUPHORBIACEAE)
Fockea monroi S.Moore (APOCYNACEAE)
Geigeria engleriana Muschl. (ASTERACEAE)
Grewia hexamita Burret (TILIACEAE)
Hirpicium echinus Less. (ASTERACEAE)
Hygrophila abyssinica (Hochst. ex Nees) T.Anders.
 (ACANTHACEAE)
Jamesbrittenia integerrima (Benth.) Hilliard
 (SCROPHULARIACEAE)
Justicia puberula Immelman (ACANTHACEAE)
Ludwigia perennis L. (ONAGRACEAE)
Ludwigia senegalensis (DC.) Troch. (ONAGRACEAE)
Maytenus peduncularis (Sond.) Loes. (CELASTRACEAE)
Monopsis decipiens (Sond.) Thulin (LOBELIACEAE)
Mukia maderaspatana (L.) M.J.Roem. (CUCURBITACEAE)
Opuntia humifusa (Raf.) Raf. (CACTACEAE)
Opuntia imbricata (Haw.) DC. (CACTACEAE)
Orbea valida (N.E.Br.) Bruyns (APOCYNACEAE)
Pachypodium lealii Welw. (APOCYNACEAE)
Pentzia globosa Less. (ASTERACEAE)
Pentzia spinescens Less. (ASTERACEAE)
Petalidium variabile (Engl.) C.B.Clark (ACANTHACEAE)
Phytolacca dodecandra L'Hérit (PHYTOLACCACEAE)
Pittosporum viridiflorum Sims (PITTOSPORACEAE)
Polygonum aviculare L. (POLYGONACEAE)
Rhus gueinzii Sond. (ANACARDIACEAE)
Rhynchosia komatiensis Harms (FABACEAE)
Schotia capitata Bolle (FABACEAE)
Sebaea microphylla (Edgew.) Knobl. (GENTIANACEAE)
Selago densiflora Rolfe
Selago lacunosa Klotzsch (SCROPHULARIACEAE)
Sesbania pachycarpa DC. (FABACEAE)

Syzygium gerrardii (Harv. ex Hook.f.) Burtt Davy (MYRTACEAE)
Thesium lacinulatum A.W.Hill (SANTALACEAE)
Thunbergia reticulata A.Rich. (ACANTHACEAE)
Toddaliopsis bremekampii I.Verd. (RUTACEAE)
Tricalysia lanceolata (Sond.) Burtt Davy (RUBIACEAE)
Triumfetta dekindtiana Engl. (TILIACEAE)
Vepris termitaria Mendonca (RUTACEAE)
Vitex pooara Corb (LAMIACEAE)

MONOCOTYLEDONS

Agave americana L. subsp. *americana* var. *americana* (AGAVACEAE)
Agave sisalina Perrine (AGAVACEAE)
Aloe arborescens Mill. (ASPHODELACEAE)
Aloe chabaudii Schonl. (ASPHODELACEAE)
Aristida aequiglumis Hack. (POACEAE)
Aristida bipartita (Nees) Trin. & Rupr. (POACEAE)
Aristida mollissima Pilg. subsp. *argentea* Schweik. (POACEAE)
Asparagus denudatus (Kunth) Oberm. (ASPARAGACEAE)
Asparagus pearsonii Kies (ASPARAGACEAE)
Asparagus striatus (L.f.) Oberm. (ASPARAGACEAE)
Chlorophytum angulicaule (Baker) Kativu (ANTHERICACEAE)
Chlorophytum bowkeri Baker (ANTHERICACEAE)
Crinum harmsii Baker (AMARYLLIDACEAE)
Cymbopogon citratus (DC.) Stapf (POACEAE)
Cynodon incompletus Nees (POACEAE)
Cynodon nlemfuensis Vanderyst (POACEAE)
Cynodon transvaalensis Burtt Davy (POACEAE)
Cyperus capensis (Steud.) Endl. (CYPERACEAE)
Cyperus fastigiatus Rottb. (CYPERACEAE)
Dactyloctenium geminatum Hack. (POACEAE)

Dichanthium annulatum (Forssk.) Stapf var. *annulatum* (POACEAE)
Dichanthium sericeum Stapf (POACEAE)
Digitaria maitlandii Stapf & C.E.Hubb. (POACEAE)
Diheteropogon filifolius (Nees) Clayton (POACEAE)
Eleocharis cubangensis H.E.Hess (CYPERACEAE)
Eragrostis procumbens Nees (POACEAE)
Eriochrysis brachypogon (Stapf) Stapf (POACEAE)
Eulophia tanganyikensis Rolfe (ORCHIDACEAE)
Eulophia tuberculata Bolus (ORCHIDACEAE)
Habenaria schimperiana Hochst. ex A.Rich. (ORCHIDACEAE)
Habenaria trilobulata Schltr. (ORCHIDACEAE)
Hemarthria natans Stapf (POACEAE)
Hyparrhenia poecilotricha (Hack.) Stapf (POACEAE)
Hyparrhenia welwitschii (Rendle) Stapf (POACEAE)
Hyphaene coriacea Gaertn. (ARECACEAE)
Lemna minor L. (LEMNACEAE)
Miscanthus capensis (Nees) Anderss. (POACEAE)
Ornithogalum prasinum Lindl. (HYACINTHACEAE)
Panicum massaiense Mez (POACEAE)
Pennisetum glaucum (L.) R.Br. (POACEAE)
Perotis indica (L.) O.Kuntze (POACEAE)
Potamogeton crispus L. (POTAMOGETONACEAE)
Sartidia angolensis (C.E.Hubb.) De Winter (POACEAE)
Sartidia jucunda (Schweick.) De Winter (POACEAE)
Sporobolus myrianthus Benth. (POACEAE)
Stipagrostis brevifolia (Nees) De Winter (POACEAE)
Stipagrostis hochstetteriana (Beck ex Hack.) De Winter var. *hochstetteriana* (POACEAE)
Stipagrostis hochstetteriana (Beck ex Hack.) De Winter var. *secalina* (Henr.) De Winter (POACEAE)
Xerophyta equisitoides Baker (VELLOZIACEAE)

INDEX

The index lists family and genus name used in this checklist. Accepted family names are in UPPER CASE letters, accepted generic names are in roman typescript, and synonyms are listed in *italics*. Cross-referenced family names are listed in lower case roman type. Exotic taxa are not marked with an asterisk.

A

Aberia 75
Abrus 58
Abutilon 83
Acacia 6, 7, 58, 150
Acalypha 55
 ACANTHACEAE 5, 17
Acanthodium 17
Acanthonotus 61
Acanthosicyos 52
Acanthospermum 30
Acanthus 17
Achillea 30
Achyranthes 20
Achyrocline 12
Achyroopsis 20
Acokanthera 24
Acrachne 129
Acranthemum 81
Acridocarpus 82
Acroceras 129
Acrochaete 129
Acrotome 77
Actiniopteris 15
Adansonia 40
Adenia 91
Adenium 5, 24
Adenolobus 61
Adenostemma 30
Adhatoda 17
Adiantum 15
Aeollanthus 77, 150
Aerva 20
Aeschynomene 61
Afzelia 61
 AGAVACEAE 112
Agave 112, 151
Agelanthus 7, 81
Ageratum 30
Agrostis 129
 AIZOACEAE 20
Aizoon 20
Albildgaardia 118
Albizia 7, 61
Albuca 122
Aldrovanda 54
Alectra 8, 101, 150
Alisma 112
 ALISMATACEAE 112
Alistilus 61

Allenia 83
 ALLIACEAE 112
Allophylus 100
Alloteropsis 129
Aloe 5, 115, 151
Alopecurus 129
Alsine 45
Alternanthera 20
Althaea 83
Alysicarpus 61
 AMARANTHACEAE 5, 20
Amaranthus 20
 AMARYLLIDACEAE 112
Amblygonocarpus 61
 AMBLYSTEGIACEAE 12
Amblystegium 12
Ambrosia 30, 150
Ambulia 102
Amellus 30, 150
Ammannia 82
Ammocharis 112
Ampelocissus 111
Amphidoxa 30
Amphilophis 129
Amphinomia 61
Amphoranthus 89
Anacampseros 94, 150
 ANACARDIACEAE 22
Anchusa 40
Ancylanthos 96
Ancylobotrys 25
Androcymbium 117
Andropogon 129
Aneilema 117
Aniseia 48
Annesorhiza 24
Annona 23
 ANNONACEAE 23
Anosporum 118
Ansellia 126
Anthephora 130
 ANTHERICACEAE 113
Anthericum 113
Antherothamnus 102
Antherotoma 85
Anthistiria 130
Antholyza 124
Anthospermum 96
Anticharis 102
Antidesma 55

Antirrhinum 102
Antizoma 86
 APIACEAE 24
Apium 24
 APOCYNACEAE 5, 24
Apodytes 77
Aponogeton 114
 APONOGETONACEAE 114
Aptosimum 8, 102
 ARACEAE 114
Arachis 61
 ARALIACEAE 30
Arctotis 6, 30
 ARECACEAE 114
Argemone 91
Argyrolobium 61
Aristida 8, 130, 151
Aristolchia 30
 ARISTOLOCHIACEAE 30
Artabotrys 23
Artemisia 31
Artemisiopsis 31
Arthrosolen 108
Arundo 131
Asclepias 25
 ASPARAGACEAE 5, 114
Asparagus 5, 114, 151
 ASPHODELACEAE 5, 115
Aspilila 31
 ASPLENIACEAE 15
Asplenium 15
Aster 31
 ASTERACEAE 6, 31
Asterella 12, 150
Asthenatherum 131
Astripomoea 48
Astrochlaena 48
Asystasia 17
Athrixia 31
Atriplex 46, 150
Avena 131
Avonia 94
 AYTONIACEAE 12
Azanza 83
Azima 100
Azolla 15
 AZOLLACEAE 15

B

Babiana 124

- Baccharis* 31
Baccharoides 31
Bacopa 102
Baikiaea 61
Baissea 25
 BALANITACEAE 39
Balanites 39, 150
Balsamodendrum 41
Baphia 61
Barbula 13
Barleria 17, 150
Barrowia 25
Bartramia 12
 BARTRAMIACEAE 12
Basananthe 91
Bastardia 83
Bauhinia 62
Becium 77
Belmontia 75
Bequaertiodendron 100
Berchemia 95
Bergia 55
Berkheya 31
Berkheyopsis 31
Besenna 62
Bewsia 131
Bidens 31
Bignonia 40
 BIGNONIACEAE 40
Bistella 109
Blainvillea 31
Blastania 52
Blepharis 5, 17
Blumea 31
Bobgunnia 62
Boerhavia 89
Boivinella 100
Bolboschoenus 118
Bolusanthus 62
Bolusia 62
 BOMBACACEAE 40
Bonamia 48
Bonatea 126
Boophone 112
 BORAGINACEAE 40
Borago 40
Borreria 96
Boscia 43
Bothriochloa 131
Bouchea 110
Brachiaria 132
Brachyachne 132
Brachylaena 31
Brachymenium 12
Brachystegia 62
Brachystelma 25
Brasenia 42
Brasilettia 62
Brassica 41
 BRASSICACEAE 41
Brayulinea 21
Breweria 48
Bridelia 55, 150
Briza 132
Brugmansia 105
Brunsvigia 112
 BRYACEAE 12
Bryum 12
Buchnera 102
Buddleja 41
 BUDDLEJACEAE 41
Bulbine 116
Bulbinella 116
Bulbostylis 118
Bupleurum 24
Burkea 62
Burnatia 112
 BURSERACEAE 41
Butomopsis 126
Byrsocarpus 48
C
 CABOMBACEAE 42
Cacalia 31
 CACTACEAE 42
Cadaba 44
Caesalpinia 62
Caesalpiniioides 62
Cailliea 62
Caldesia 112
Calendula 31
Calophanes 18
Calostephanie 31
Calycanthemum 48
Campanula 43
 CAMPANULACEAE 43
Camptorrhiza 117
Campylopus 12
 CANNABACEAE 43
Cannabaceae 109
Cannabis 43
Canthium 96, 150
Capassa 62
Caperonia 56
Capnitis 62
 CAPPARACEAE 6, 43
Capparis 44
Capraria 40, 103
Caralluma 25
Cardiospermum 100
Carex 118
Carissa 25
Caroxylon 46
Carphalea 96
 CARYOPHYLLACEAE 45
Cassia 62
Cassine 45
Cassytha 80
Catharanthus 25
Catophractes 40
Catunaregam 96
 CELASTRACEAE 6, 45
Celastrus 45
Celosia 21
Celsia 103
 Celtidaceae 109
Celtis 109
Cenchrus 132
Centella 30
Centropodia 132
Centrostachys 21
Cephalandra 52
Cephalocroton 56
Cephalostigma 43
Ceratogonum 93
 CERATOPHYLLACEAE 46
Ceratophyllum 46
Ceratopteris 15
Ceratotheca 91
Cereus 42, 150
Ceropegia 5, 25, 150
Ceterach 15
Chadara 108
Chaenostoma 103
Chaetacme 109
Chailletia 54
Chamaecrista 62
Chapmanolirion 112
Chascanum 110
Chasmanthe 124
Cheilanthes 8, 15, 16, 150
Chenia 13
 CHENOPODIACEAE 46
Chenopodium 46, 150
Chirocalyx 63
Chironia 75
Chloridion 132
Chloris 132
Chlorophytum 113, 151
Chortolirion 116
Chrysanthemum 32
 CHRYSOBALANACEAE 46
Chrysocoma 32
Chrysophyllum 101
Chrysopogon 133
Cicca 56
Cienfuegosia 83
Cineraria 32, 150
Cissampelos 86
Cissus 111
Citropsis 99

Citrullus 52
Cladium 118
Claoxylon 56
Cleistachne 133
Clematis 95
Clematopsis 95
Cleome 6, 44
Clerodendrum 77
Cliffortia 96
Clinopodium 77
Clitoria 63
 CLUSIACEAE 47
Clutia 56
Coccinia 52
Cocculus 86
Coddia 97, 150
Coelachyrum 133
 COLCHICACEAE 117
Coleus 77
Colocynthis 52
Colophospermum 63
Colutea 63
 COMBRETACEAE 47, 48
Combretum 8, 47, 150
Commelina 117
 COMMELINACEAE 117
Commicarpus 89
Commiphora 41
Compositae 6, 31
 CONNARACEAE 48
 CONVOLVULACEAE 6, 48
Convolvulus 48
Conyza 32
Copaiba 63
Copaifera 63
Copaiva 63
Corallocarpus 6, 52
Corbichonia 87
Corchorus 108
Cordia 40
Coreopsis 32
Coronopus 41
Corrigiola 45
Cotula 32
Cotyledon 51
Courtoisina 118
Crabbea 18
Craspedorhachis 133
Crassocephalum 32, 150
Crassula 51
 CRASSULACEAE 51
Craterostigma 103
Crepidorhopalon 103
Crinum 112, 151
Crocoxydon 45
Crossopteryx 97
Crossotropis 133

Crotalaria 63
Croton 6, 56
 Cruciferae 41
Cryptolepis 26
Ctenium 133
Ctenolepis 52
Cucumella 52
Cucumis 53, 150
Cucurbita 53
 CUCURBITACEAE 6, 52
Cullen 64
Cuscuta 54
 CUSCUTACEAE 54
Cussonia 30
Cyamopsis 64
Cyanella 148
Cyanotis 117
Cyathula 21
Cyclonema 77, 110
Cyclosorus 16
Cyclospermum 24
Cynium 103
Cylindropuntia 43
Cymbidium 127
Cymbopogon 133, 151
Cymbosetaria 133
Cynanchum 26
Cynodon 133, 151
Cynosurus 133
 CYPERACEAE 118
Cyperus 118, 151
Cyphia 80
Cypholepis 134
Cyphostemma 9, 111
Cyrtopera 127
Cytisus 64

D

Dactylis 134
Dactyloctenium 134, 151
Daemia 26
Dalbergia 64
Dalechampia 56
Danthonia 134
Danthoniopsis 134
Dasystachys 114
Datura 105
Decabelone 26
Decorsea 64
Deguelia 64
Delosperma 87, 150
Dendrophthoe 81
Denekia 32
 DENNSTAEDTIACEAE 15
Derris 64
Desmanthus 64

Desmochaeta 21
Desmodium 64
Desmonema 86
Detris 32
Deverra 24
Dialium 64
Diandrochloa 134
Dianthera 18, 44
Dianthus 45
Dicerocaryum 91
Dichaelia 26
Dichanthium 134, 151
 DICHAPETALACEAE 54
Dichapetalum 54
Dichilus 64
Dichrostachys 7, 64, 150
Dicliptera 18
Diclis 103
Dicoma 32
Dicraeia 92
 DICRANACEAE 12
Didymodon 13
Diectomis 134
Digitaria 134, 151
Digitariella 135
Diheteropogon 135, 151
Dimorphotheca 32
Dinebra 135
Dinocanidium 97
Diodia 97
Dioscorea 121
 DIOSCOREACEAE 121
Diospyros 54, 150
Dipcadi 122
Diphaca 65
Diplachne 135
Diplorhynchus 26
 DIPSACACEAE 54
 DIPTEROCARPACEAE 54
Dirichletia 97
Dissothis 85
Distephanus 32
Dodonaea 100
Doellia 32
Dolichandrone 40
Dolichochaete 135
Dolicholus 65
Dolichos 65
Dombeya 107
Dopatrium 103
Doratanthera 103
Doryopteris 15
Dovyalis 75
 DRACAENACEAE 121
Dregea 26
Drimia 122
Drimiopsis 123

Drosera 54
 DROSERACEAE 54
 Duosperma 18
 Durlanta 110
 Duvalia 26
 Dyschoriste 18

E

EBENACEAE 6, 54
Ecbolium 18
Echinochloa 135
Eclipta 32
Ectadiopsis 27
Ectadium 27
Ehretia 40, 150
Eichhornia 148
Ekebergia 86
Elaeodendron 45
 ELATINACEAE 55
Elatine 55
Eleocharis 119, 151
Elephantorrhiza 65
Eleusine 135
Elionurus 135
Elymandra 135
Elytraria 18
Elytrophorus 135
Embelia 54
Emex 93
Emilia 32
Eminia 65
Endostemon 77
Englerophytum 101
Enicostema 76
Enneapogon 136
Entada 65
Entandrophragma 86
Enteropogon 136
Entolasia 136
Epaltes 33
Epilobium 90
 EQUISETACEAE 15
Equisetum 15
Eragrostis 8, 136, 151
Eranthemum 18
Erianthemum 7, 81
Erianthus 138
Erigeron 33
 ERIOCAULACEAE 121
Eriocaulon 121
Eriocephalus 33
Eriochloa 138
Eriochrysis 138, 151
Eriosema 65
 ERIOSPERMACEAE 6, 122
Eriospermum 6, 122
Eriosphaera 33

Erlangea 6, 33
 ERPODIACEAE 13
Erpodium 13
Erucastrum 41
Erythrina 66
Erythrocoeca 56
Erythrophleum 66
Erythrophysa 100
 ERYTHROXYLACEAE 55
Erythroxylum 55
Ethulia 33
Euclea 6, 54, 150
Eucomis 123
Eulalia 138
Eulophia 8, 127, 151
Euonymus 45
Eupatorium 33
Euphorbia 6, 27, 56, 150
Euphorbia 6, 27, 56, 150
 EUPHORBIACEAE 6, 55
Euryops 33
Eustachys 138
Evolvulus 49
Exacum 76
Excoecaria 57
Exochaenium 76
Exormotheca 14, 150
 EXORMOTHEACEAE 14

F

FABACEAE 7, 58, 60
Fabronia 13
 FABRONIACEAE 13
Fagara 99
Fagelia 66
Fagonia 111
Fagopyrum 93
Faidherbia 66
Falkia 49
Faroa 76
Faurea 94
Felicia 33
Feretia 97
Ferraria 124
Festuca 138
Ficus 88
Fimbristylis 119
Fingerhuthia 138
Fissidens 13
 FISSIDENTACEAE 13
Flacourtia 75
 FLACOURTIACEAE 75
Flanagania 27
Flaveria 33
Floscopa 117
Flueggea 57
Fockea 27, 150

Fresenia 33
Freylinia 103
Friedrichsthalia 40
Friesodielsia 23
Fugosia 83
Fuirena 119
Funaria 13
 FUNARIACEAE 13

G

Galactia 66
Galenia 20
Galeomma 33
Galinsoga 33
Galium 97
Garcinia 47
Gardenia 97
Gazania 33
Geigeria 34, 150
Gendarussa 18
Geniosporum 77
Gentiana 76
 GENTIANACEAE 75
 GERANIACEAE 76
Gerardia 103
Gethyllis 112
Gisekia 76
 GISEKIACEAE 76
Gladiolus 7, 124
Glandularia 110
Gleditsia 66
Glinus 87
Gloriosa 117
Glycine 66
Gmelina 110
Gnaphalium 34
Gnidia 108
Gomphocarpus 27
Gomphostigma 41
Gomphrena 21
Gongrothamnus 34
Gossypium 7, 83
Gouania 95
Gramineae 8, 129
Grangea 34
Gratiola 103
Grewia 9, 108, 150
Grielum 89
Guibourtia 67
Guilleminea 21
Gunillaea 43
Gunnera 76
 GUNNERACEAE 76
Guttiferae 47
Gymnema 27
Gymnosporia 45
Gymnostomum 13

Gynandriris 125
Gynandropsis 44
Gyrocarpus 76

H

Habenaria 8, 128, 151
Hackelochloa 138
Haemanthus 112
Halleria 103
HALORAGACEAE 76
Haplocarpha 34
Harpagophytum 91
Haworthia 116
Haydonia 67
Hebenstretia 103
Hedyotis 97
Hedysarum 67
Heeria 22
Heinsia 97
Helichrysum 34
Helinus 95
Heliophytum 40
Heliotropium 40
Hemarthria 138, 151
Hemicarpha 120
Hemigraphis 18
Hemizygia 78
Hermannia 8, 107
Hermbstaedtia 21
HERNANDIACEAE 76
Herpestis 103
Hesperantha 125
Heteranthera 148
Heteromorpha 24
Heteropogon 138
HETEROPYXIDACEAE 76
Heteropyxis 76
Heterotis 85
Heudelotia 42
Hexalobus 24
Hibiscus 7, 84
Hippocratea 6, 45
Hirpicium 6, 35, 150
Hoffmannseggia 67
Holcus 138
Holopetalum 95
Holostylon 78
Holubia 92
Homalium 75
Homeria 125
Homoeatherum 138
Hoodia 5, 27
Hoslundia 78
Hottonia 103
Huernia 27
Huerniopsis 28
HYACINTHACEAE 122

Hyalosepalum 86
Hybanthus 111
Hydnora 77
HYDNORACEAE 77
HYDROCHARITACEAE 124
Hydrocotyle 30
Hydropeltis 42
Hygrophila 18, 150
Hymenocardia 57
Hymenostylium 13
Hyophila 13
Hyparrhenia 138, 151
Hypericum 47
Hypertelis 87
Hyperthelia 139
Hyphaene 114, 151
Hypoestes 18
Hypogynium 139
HYPOXIDACEAE 124
Hypoxis 124
Hyptis 78

I

Iboza 78
ICACINACEAE 77
Illecebrum 21
Illysanthes 103
Imperata 139
Indigastrum 67
Indigofera 67
Inga 68
Inula 35
Inversodicraea 92
Iphigenia 117
Ipomoea 49
Iresine 21
IRIDACEAE 7, 124
Iris 125
Ischaemum 140
Isnardia 90
ISOETACEAE 15
Isoetes 15
Isolepis 120

J

Jacquemontia 51
Jamesbrittenia 103, 150
Jasminum 90
Jatropha 6, 57
Joannegria 140
Julbernardia 68
JUNCACEAE 126
Juncellus 120
Juncus 126
Jungermannia 14, 150
JUNGERMANNIACEAE 14
Jussiaea 90

Justicia 18, 150

K

Kalaharia 110
Kalanchoe 52
Kanahia 28
Kaukenia 101
Kedrostis 53
Kigelia 40
Kirkia 77
KIRKIACEAE 77
Kleinia 35
Kohautia 8, 97
Kosteletzkya 84
Kyllinga 120
Kyllingiella 120
Kyphocarpa 21

L

Labiatae 77
Lablab 68
Lachnopylis 41
Lactuca 35
Lagarosiphon 124
Lagenaria 53
Laggera 35
Lagurus 140
LAMIACEAE 77
Landolphia 28
Lannea 22
Lantana 110
Lapeirousia 125
Lasiocorys 78
Lasiosiphon 108
Launaea 35
LAURACEAE 80
Lauremburgia 76
Ledebouria 123
Ledermannia 92
Leersia 140
Leguminosae 58
Lemna 126, 151
LEMNACEAE 126
LENTIBULARIACEAE 80
Leobordea 68
Leonotis 78
Lepidagathis 19
Lepidium 41
Leptocarydion 140
Leptochloa 140
Leptodictyum 12
Leptothamnus 35
Lessertia 68
Leucas 78
Leucosphaera 5, 22
Leysera 35
Lichtensteinia 81

Liebrechtsia 68
Lightfootia 43
Limeum 7, 87
Limnanthemum 86
 LIMNOCHARITACEAE 126
Limnophila 104
Limnophyton 112
Limosella 104
Linaria 104
Lindernia 104
Lintonia 140
Linzia<ital> 35
Lipocarpa 120
Lippia 110
Lissochilus 128
Listia 68
Lithops 87
Litogyne 35
Lobelia 80
 LOBELIACEAE 80
Loeseneriella 45
Lonchocarpus 69
Lophiocarpus 92
 LORANTHACEAE 7, 81
Loranthus 81
Lotononis 69
Loudetia 140
Ludwigia 90, 150
Luffa 53
Lycium 106
 LYCOPODIACEAE 15
Lycopodium 15
Lycurus 140
Lyperia 104
 LYTHRACEAE 7, 82
Lythrum 82

M

Macledium 32, 35
Macropetalum 28
Macrosiphon 104
Macrotyloma 69
Maerua 44
Mahernia 107
 MALPIGHIACEAE 82
Malva 85
 MALVACEAE 7, 83
Malvastrum 85
Mandelorna 140
Manilkara 101
Manisuris 140
Manulea 104
Manuleopsis 104
Maprounea 57
Marcellia 22
Margaritaria 57
Mariscus 120
Markhamia 40
Marlothia 96
Marsdenia 28
Marsilea 7, 15
 MARSILEACEAE 7, 15
Maytenus 46, 150
Medicago 69
Megalochlamys 19
Megaloprotachne 140
Melanospermum 104
Melanosticta 69
Melanthera 35
Melasma 104
Melastomastrum 85
 MELASTOMACEAE 85
Melhania 107
Melia 86
 MELIACEAE 86
Melinis 140
Melochia 108
Melolobium 69
Melothria 53
 MENISPERMACEAE 86
Menispermum 86
Menodora 90
Mentha 78
 MENYANTHACEAE 86
Menyanthes 86
Merremia 6, 51
 MESEMBRYANTHEMACEAE 87
Mesembryanthemum 87
Mestoklema 87
Microchloa 141
Micrococca 58
Microlepis 15
Microtea 92
Mielichhoferia 12
Mikania 36
Milium 141
Mimosa 69
Mimulus 104
Mimusops 101
Miscanthidium 141
Miscanthus 141, 151
Mitracarpum 97
Modecca 91
 MOLLUGINACEAE 7, 87
Mollugo 88
Momordica 53
Monadenium 7, 58
Monandrus 120
Monechma 19
Monocymbium 141
Monopsis 81, 150
Monotes 54
Monsonia 76
Montinia 88

MONTINIACEAE 88
 MORACEAE 88
Moraea 125
Morella 89
Moringa 88
 MORINGACEAE 88
Moschosma 78
Mukia 53, 150
Mundulea 69
Myrica 89
 MYRICACEAE 89
Myriophyllum 76
Myrobalanus 48
 MYROTHAMNACEAE 89
Myrothamnus 89
 MYRTACEAE 89

N

Nachtigalia 89
 NAJADACEAE 126
Najas 126
Nananthus 87
Nardus 141
Nasturtium 41
Negria 141
Nelsia 22
Nelsonia 19
Nemesia 104
Neoboivinella 101
Neohyptis 78
Neomuelleria 78
Neonotonia 69
Neorautanenia 69
Nepeta 78
Neptunia 70
Nerine 113
Nesaea 7, 82
Nesphostylis 70
Nestlera 36
Neurada 89
 NEURADACEAE 7, 89
Neuradopsis 7, 89
Nicolasia 36
Nicolsonia 70
Nicotiana 106
Nidorella 36
Niebuhrria 45
Nolletia 36
Nomaphila 19
Nortenia 104
Notholaena 16
Nuxia 41
 NYCTAGINACEAE 89
Nymphaea 89
 NYMPHAEACEAE 89
Nymphoides 86

O

Obetia 109
 Ochna 90
 OCHNACEAE 90
 Ocimum 78
 Odina 22
 Odyssea 141
 Oenostachys 126
 Oenothera 91
 Ohlendorffia 104
 OLACACEAE 90
 Olax 90
 Oldenlandia 97
 Olea 90
 OLEACEAE 90
 Oligomeris 95
 Oliverella 81
 ONAGRACEAE 90
 Oncoba 75
 Operculina 51
 OPHIOGLOSSACEAE 15
 Ophioglossum 15, 150
 Ophrestia 70
 Oplismenus 141
 Opuntia 43, 150
 Orbea 5, 28, 150
 Orbeopsis 28
 ORCHIDACEAE 8, 126
 Orchis 129
 Oreosyce 53
 Ormocarpum 70
 Ornithogalum 123, 151
 Ornithoglossum 117
 Oropetium 141
 Orthanthera 28
 Orthosiphon 79
 Orygia 88
 Oryza 141
 Oryzidium 141
 Osteospermum 36
 Ostryoderris 70
 Osyris 100
 Othonna 36
 Otoptera 70
 Ottelia 124
 OXALIDACEAE 91
 Oxalis 91
 Oxycaryum 120
 Oxygenum 93
 Ozoroa 22

P

Pachycarpus 28
 Pachycymbium 28
 Pachypodium 28, 150
 Pachyrhizus 70
 Pachystela 101

Palmae 114
 Pancratium 113
 Panicum 8, 141, 151
 PAPAVERACEAE 91
 Pappea 100
 Pappophorum 142
 Parapodium 28
 Parinari 46
 PARKERIACEAE 15
 Parkinsonia 70
 Paropsia 91
 Paschanthus 91
 Paspalidium 142
 Paspalum 142
 PASSIFLORACEAE 91
 Pauletia 70
 Paullinia 100
 Pavetta 98
 Pavonia 7, 85
 Pechuel-Loeschea 36
 PEDALIACEAE 8, 91
 Pegolettia 36
 Pelargonium 76
 Peliostomum 104
 Pellaea 16
 Peltophorum 70
 Pennisetum 142, 151
 Pentameria 58
 Pentarrhinum 28
 Pentodon 98
 Pentzia 37, 150
 Pergularia 28
 Periglossum 28
 Periploca 28
 Peristrophe 19
 Perlebia 70
 Perotis 142, 151
 Persicaria 93
 Petalidium 19, 150
 Petamenes 126
 Phaeoptilum 89
 Phalaris 142
 Pharnaceum 88
 Phasium 13
 Phaseolus 70
 Philenoptera 70
 Philonotis 12
 Philyrophyllum 37
 Phlomis 79
 Phoenix 114
 Phragmites 142
 Phyla 110
 Phyllanthus 58
 Phyllogeiton 96
 Physalis 106
 Phytolacca 92, 150
 PHYTOLACCACEAE 92

Piarranthus 29
 Piliostigma 70
 Pimpinella 24
 Piptadenia 70
 Pisosperma 53
 Pistia 114
 PITTOSPORACEAE 92
 Pittosporum 92, 150
 Pituranthos 24
 Plagioclasma 12
 PLANTAGINACEAE 92
 Plantago 92
 Platycarpha 37
 Plaubelia 13
 Plectranthus 79
 Plectronia 98
 Plectroniella 98
 Pleiotaxis 37
 Plexipus 110
 Plicosepalus 7, 81
 Plinthus 20
 Pluchea 37
 Plukenetia 58
 PLUMBAGINACEAE 92
 Plumbago 92
 Poa 143
 POACEAE 8, 129
 PODOSTEMACEAE 92
 Pogonarthria 143
 Pogonatherum 143
 Poivrea 48
 Polanisia 45
 Pollichia 45
 Pollinia 143
 Polycarena 104
 Polycarpaea 45
 Polycarpon 45
 Polychaetia 37
 Polygala 92
 POLYGALACEAE 92
 POLYGONACEAE 93
 Polygonum 94, 150
 Polypogon 143
 PONTEDERIACEAE 148
 Popowia 24
 Portulaca 8, 94
 PORTULACACEAE 8, 94
 Potamogeton 148, 151
 POTAMOGETONACEAE 148
 Pottia 13
 POTTIACEAE 13
 Pouteria 101
 Pouzolzia 109
 Premna 79
 Pretrea 92
 PRIMULACEAE 94
 Prismaticarpus 43

Priva 110
 Prosopis 70
Protasparagus 115
 Protea 95
 PROTEACEAE 94
Pseudobarleria 19
Pseudobrachiaria 143
Pseudocadia 71
Pseudocedrela 86
Pseudocimum 79
 Pseudoconyza 37
 Pseudocrossidium 13
 Pseudogaltonia 123
 Pseudognaphalium 37
 Pseudolachnostylis 58
Pseudowolffia 126
 Psiadia 37
Psilochloa 143
Psoralea 71
 Psychotria 98
 Psydrax 98
 Ptaeroxylaceae 99
 Ptaeroxylon 99
 Pteleopsis 48
 PTERIDACEAE 7, 15
 Pteris 16
 Pterocarpus 71
Pterococcus 58
 Pterodiscus 8, 92
 Pteronia 37
 Ptychlobium 71
Pueraria 71
 Pulicaria 37
 Pupalia 22
 Pycnosphaera 76
 Pycnostachys 79
 Pycneus 120
 Pygmaeothamnus 99
 Pyrostria 99

R

Rabdochloa 143
 Radyera 85
Randia 99
 RANUNCULACEAE 95
 Ranunculus 95
Raphanocarpus 53
Raphidophyllum 104
 Raphionacme 29
 Reissantia 46
 Rennera 37
 Requenienia 71
Reseda 95
 RESEDACEAE 95
Resedella 95
 RHAMNACEAE 95
 Rhamnus 96

Rhamphicarpa 104
Rhaphis 143
Rhexia 86
 Rhigozum 40
 Rhinacanthus 19
 Rhoicissus 111
 Rhus 22, 150
Rhynchelytrum 143
Rhynchocarpa 53
 Rhynchosia 7, 71, 150
 Rhynchospora 121
 Riccia 14, 150
 RICCIACEAE 14
 Ricciocarpos 14
 Richardia 99
Ricinodendron 58
 Ricinus 58
Rikliella 121
Rondeletia 99
 Rorippa 41
 ROSACEAE 96
 Rosenia 37
Roshevitzia 143
 Rotala 82
 Rothea 79
 Rothmannia 99
 Rottboellia 143
 Rourea 48
Royena 55
 Rubia 99
 RUBIACEAE 8, 96
 Rubus 96
 Ruellia 19
 Ruelliopsis 19
 Rumex 94
 Ruschia 87
 Ruspolia 19
 RUTACEAE 99
 Rytigynia 99

S

Saccharum 143
 Sacciolepis 143
Saldania 72
 SALICACEAE 100
 Salix 100
 Salsola 46
 Salvadora 100
 SALVADORACEAE 100
 Salvia 79
 Salvinia 16
 SALVINIACEAE 16
 Samolus 94
 Sansevieria 121
 SANTALACEAE 100
 SAPINDACEAE 100
Sapindus 100

Sapium 58
 SAPOTACEAE 100
 Sarcocaulon 76
 Sarcostemma 29
 Sartidia 144, 151
 Scabiosa 54
 Scadoxus 113
 Schinus 23
 Schinziophyton 58
 Schismus 144
 Schizachyrium 144
 Schizobasis 123
 Schizocarphus 123
Schizoglossum 29
 Schkuhria 38
 Schmidtia 144
 Schoenoplectus 121
 Schotia 72, 150
 Schrebera 90
Schwabea 19
Scilla 123
 Scirpoides 121
Scirpus 121
 Scleria 121
 Sclerocarpus 38
 Sclerocarya 23
 Sclerochiton 19
 Scolopia 75
 SCROPHULARIACEAE 8, 101
Scutia 96
Scytalis 72
 Sebaea 76, 150
 Secamone 29
 Securidaca 93
Securinega 58
 Seddera 51
 Sehima 144
 Selaginella 16, 150
 SELAGINELLACEAE 16
 Selago 8, 105, 150
Semonvillea 88
Senebiera 41
 Senecio 38
 Senna 72
 Sericocoma 22
Sericocomopsis 22
 Sericorema 22
 Sesamothamnus 8, 92
 Sesamum 8, 92
 Sesbania 72, 150
 Sesuvium 20
 Setaria 144
Shantzia 85
 Sida 85
Sideroxylon 101
Sinapis 41
 Sisymbrium 41

SOLANACEAE 105, 108
Solandra 106
Solanum 106
Sonchus 38
Sopubia 105
Sorghastrum 145
Sorghum 145
Spathodea 40
Spermacoce 8, 99
Sphaeranthus 38
Sphalmanthus 87
Sphedamnocarpus 82
Sphenoclea 106
SPHENOCLEACEAE 106
Spirodela 126
Spirostachys 58
Splachnobryum 13, 150
Spodiopogon 145
Sporledera 92
Sporobolus 8, 145, 151
Stachys 79
Stapelia 29
Stathmostelma 29
Steganotaenia 24
Stegosia 146
Stellaria 45
Stemodiacra 105
Stenocline 38
Stenostelma 29
Sterculia 108
STERCULIACEAE 8, 107
Stereochlaena 146
Stipa 146
Stipagrostis 146, 151
Stobaea 38
Stomatium 87
Stomatostemma 29
Streptopetalum 109
Striga 105
Strophanthus 29
STRYCHNACEAE 108
Strychnos 108
Stultitia 29
Stylosanthes 72
Suaeda 46
Sutera 105
Sutherlandia 72
Swartzia 72
Sycomorus 88
Sylitra 72
Syzygium 89, 151

T

Tacazzea 29
Tagetes 38
Talinum 94
Tapinanthus 81

Tapiphyllum 99
Tarchonanthus 38
Tarenna 99
Tavaresia 30
Teclea 99
TECOPHILAEACEAE 148
Tenagocharis 126
Tenaris 30
Tephrosia 72
Terminalia 7, 8, 48
Tetradenia 79
Tetragonia 20
Tetrapleura 73
Tetratelia 45
Teucrium 80
Thamnosma 99
THELYPTERIDACEAE 16
Thelypteris 16
Themeda 146
Thesium 100, 151
Thespesia 85
Thunbergia 19, 151
THYMELAEACEAE 108, 110
Thysanomitrium 13
TILIACEAE 9, 108
Tinnea 80
Tinospora 86
Tithonia 38
Toddaliopsis 99, 151
Torenia 105
Tortula 13
Tournefortia 41
Trachyandra 5, 116
Trachypogon 146
Tragia 58
Tragus 147
Trapa 109
TRAPACEAE 109
Triachyrum 147
Trianthema 20
Triaspis 83
Tribulus 111
Tricalysia 99, 151
Trichilia 86
Trichinium 22
Trichodesma 41
Tricholaena 147
Trichoneura 147
Trichopteryx 147
Trichosanthes 53
Trichostomum 13
Tricliceras 109
Tridax 38
Tridentea 30
Trifolium 73
Trigonella 73
Triodia 147

Triphaca 108
Triplocephalum 38
Tripogon 147
Triraphis 147
Tristachya 147
Tritonia 126
Triumfetta 109, 151
Trochomeria 53
Tryphostemma 91
Tulbaghia 112
Turbina 6, 51
TURNERACEAE 109
Turraea 86
Tylosema 73
Typha 148
TYPHACEAE 148

U

ULMACEAE 109
Umbelliferae 24
Uncaria 92
Unona 24
Uragoga 99
Urelytrum 147
Urera 109
Urginea 124
Urochloa 147
Urostigma 88
URTICACEAE 109
Utricularia 80
Uvaria 24

V

Vahlia 110
VAHLIACEAE 109
Vallisneria 124
Vangueria 99
Vangueriopsis 99
Vellozia 148
VELLOZIACEAE 148
Vepris 100, 151
Verbena 111
VERBENACEAE 110
Verbesina 38
Vernonia 6, 39
Vetiveria 148
Vigna 7, 73
Vilfa 148
VIOLACEAE 111
VISCACEAE 111
Viscum 111
VITACEAE 9, 111
Vitex 80, 151
Vitis 111
Vossia 148

W

Wahlenbergia 43

Walafrida 105
Walleria 148
Wallinia 92
Waltheria 108
Watsonia 126
Websteria 121
Wedelia 39
Weisiopsis 13
Wiesneria 112
Willbleibia 148
Willkommia 148
Wissadula 85
Withania 106
Wolffia 126
Wolffiella 126
Wolffiopsis 126
Woodia 30
Wormskioldia 109

X

Xanthium 39
Xanthocercis 75
Xenostegia 51
Xeroderris 75
Xeromphis 99

Xeropetalum 108
Xerophyta 148, 151
Ximenesia 39
Ximenia 90
Xylopia 24
Xylopicrum 24
 XYRIDACEAE 149
Xyris 149
Xysmalobium 30

Z

Zaleya 20
Zannichellia 149
 ZANNICHELLIACEAE 149
Zantedeschia 114
Zanthoxylum 100
Zehneria 53
Zeuxine 129
Zeyherella 101
Zinnia 39
Ziziphus 96
Zornia 75
 ZYGOPHYLLACEAE 111
Zygophyllum 111

581.9(681) 8279
SETSHOGO, M.P.
A preliminary checklist of the plants of Botswana.

Date borrowed	Borrower's signature	Date returned	Librarian's Initial



Other publications in this series

1. ***Southern African national herbaria: status reports, 1996.** C.K. Willis (ed.). 1997. 59 pp. ISBN 1-874907-36-6.
2. ***Index herbariorum: southern African supplement.** G.F. Smith & C.K. Willis (eds). 1997. 55 pp. ISBN 1-874907-37-4.
3. ***PRECIS Specimen database user guide.** C.A. Prentice & T.H. Arnold. 1998. 130 pp. ISBN 1-874907-39-0.
4. ***†Inventory, evaluation and monitoring of botanical diversity in southern Africa: a regional capacity and institution building network (SABONET).** B.J. Huntley, E.M. Matos, T.T. Aye, U. Nemark, C.R. Nagendran, J.H. Seyani, M.A.C. da Silva, S. Izidine, G.L. Maggs, C. Mannheimer, R. Kubirske, G.F. Smith, M. Koekemoer, G.M. Dlamini, P.S.M. Phiri, N. Nobanda & C.K. Willis. 1998. 73 pp. ISBN 1-919795-36-7.
5. ***Plant taxonomic and related projects in southern Africa.** T.H. Arnold & M. Mössmer (compilers). 1998. 101 pp. ISBN 1-919795-34-0.
6. ***†Southern African herbarium needs assessment.** G.F. Smith, C.K. Willis & M. Mössmer. 1999. 88 pp. ISBN 1-919795-45-6.
7. ***A checklist of Namibian plant species.** P. Craven (ed.). 1999. 206 pp. ISBN 1-919795-37-5.
8. **†Index herbariorum: southern African supplement.** Second edition. G.F. Smith & C.K. Willis. 1999. 181 pp. ISBN 1-919795-47-2.
9. ***Making your garden come alive! Environmental interpretation in botanical gardens.** M. Honig. 2000. 96 pp. ISBN 1-919795-50-2.
10. **†Plant taxonomic expertise: An inventory for southern Africa.** M. Mössmer & C.K. Willis. 2000. 350 pp. ISBN 1-919795-53-7.
11. ***Southern African botanical gardens needs assessment.** D.J. Botha, C.K. Willis & J.H.S. Winter. 2000. 156 pp. ISBN 1-919795-54-5.
12. ***Action plan for southern African botanical gardens.** C.K. Willis & S. Turner (eds). 2001. 35 pp. ISBN 1-919795-61-8.
13. **Conspectus of southern African Pteridophyta.** J.P. Roux. 2001. 223 pp. ISBN 1-919795-58-8.
14. ***Southern African plant Red Data Lists.** J.S. Golding (ed.). 2002. 256 pp. ISBN 1-919795-64-2.
15. ***Addressing the needs of the users of botanical information.** Y. Steenkamp & G.F. Smith. 2002. 56 pp. ISBN 1-919795-65-0.
16. ***A checklist of Zimbabwean grasses.** C. Chapano. 2002. 28 pp. ISBN 1-919795-66-9.
17. ***A checklist of Lesotho grasses.** K. Kobisi & L.E. Kose. 2002. 28 pp. ISBN 1-919795-68-5.
18. **Trees of Botswana: names and distribution.** M.P. Setshogo & F. Venter. 2003. 160 pp. ISBN 1-919795-69-3.
19. ***Swaziland ferns and fern allies.** J.P. Roux. 2003. 242 pp. ISBN 1-919795-97-9.
20. **Checklist of grasses in Namibia.** E.S. Klaassen & P. Craven. 2003. 130 pp. ISBN 99916-63-16-9.
21. **A checklist of Zimbabwean bryophytes.** P. Manyanga & S.M. Perold. 2004. 22 pp. ISBN 1-919976-02-7.
22. **African Botanic Gardens Congress 'Partnerships and Linkages': proceedings of a congress held at Durban Botanic Gardens, South Africa, 24–29 November 2002. / Congrès des Jardins Botaniques Africains 'Relations et Partenariats': compte rendu d'un congrès tenu dans les Jardins Botaniques de Durban, Afrique du Sud, 24–29 Novembre 2002.** C.K. Willis (ed.). 2004. 96 + 96 pp. ISBN 1-919976-04-3.
23. **Integration of Red Data List concepts into the policy framework in Mozambique: proceedings of a workshop held in Kaya-Kwanga, Maputo, Mozambique, 29–31 August 2001.** S.A. Izidine, I. Nhantumbo & J. Golding (eds). 2004. 19 + 19 pp. ISBN 1-919976-05-1.
24. **A checklist of Botswana grasses.** M. Kabela & D. Mafokate. 2004. 18 pp. ISBN 1-919976-06-X.
25. **Herbarium essentials: the southern African herbarium user guide.** J.E. Victor, M. Koekemoer, L. Fish, S.J. Smithies & M. Mössmer. 2004. 93 pp. ISBN 1-919976-01-9.
26. **Seed plants of southern tropical Africa: families and genera.** O.A. Leistner. 2005. 494 pp. ISBN 1-919976-07-8.
27. **Swaziland Flora Checklist.** K.P. Braun, S.D.V. Dlamini, D.R. Mdladla, N.P. Methule, P.W. Dlamini & M.S. Dlamini. 2004. 113 pp. ISBN 1-919976-10-8.
28. **A checklist of Angola grasses. / Checklist as Poaceae de Angola.** Esperança Costa, Teresa Martins & Francisca Monteiro. 2004. 25 pp. ISBN 1-919976-09-4.
29. **Herbaria in SABONET countries: building botanical capacity and meeting end-user expectations.** T.J. Smith, G.F. Smith & Y. Steenkamp. 2004. 39 pp. ISBN 1-919976-11-6.
30. **A preliminary checklist of the vascular plants of Mozambique. / Catálogo provisório das plantas superiores de Moçambique.** Mário Calane da Silva, Samira Izidine & Ana Bela Amude. 2004. 183 pp. ISBN 1-919976-12-4.
32. **A checklist of Zambian vascular plants.** P.S.M. Phiri. 2005. 169 pp. ISBN 1-919976-13-2.
31. **Plants of the Nyika Plateau: An account of the vegetation of the Nyika National Parks of Malawi and Zambia.** J.E. Burrows & C.K. Willis (eds). 2005. 432 pp. ISBN 1-919976-08-6.
33. **A checklist of Zimbabwean vascular plants.** A. Mapaura & J. Timberlake. 2004. 148 pp. ISBN 1-919976-14-0.
34. **A preliminary checklist of the plants of Lesotho.** L. Kose. 2005. 84 pp. ISBN 1-919795-67-7.

* Out of print.

† Available in PDF format on the SABONET web site: <http://www.sabonet.org/publications/download.htm>

Most of the books in this series can also be ordered in PDF format on CD. Contact sabonetpub@nbi.ac.za

